

COMMONWEALTH AGRICULTURAL BUREAUX
COMMONWEALTH INSTITUTE OF BIOLOGICAL CONTROL

A CATALOGUE
OF
THE PARASITES AND PREDATORS OF INSECT PESTS

PREPARED UNDER THE DIRECTION OF

W. R. THOMPSON F.R.S.

BY THE COMMONWEALTH INSTITUTE OF BIOLOGICAL CONTROL

SECTION 2
HOST PARASITE CATALOGUE

PART 1
HOSTS OF THE COLEOPTERA AND DIPTERA

OTTAWA, ONT., CANADA
THE COMMONWEALTH INSTITUTE OF BIOLOGICAL CONTROL
1951

CONTENTS

	Page
INTRODUCTION	11
COLEOPTERA	
Colydiid	1
Staphylinid	1
DIPTERA	
Agromyzid	2
Anthomyiid	2
Asilid	3
Bombyliid	3
Braulid	8
Calliphorid	8
Cecidomyiid	9
Chloropid	10
Conopid	11
Dolichopodid	11
Drosophilid	11
Heleid	12
Leptid	12
Milichiid	12
Muscid	12
Ortalid	13
Phorid	13
Pipunculid	17
Sarcophagid	18
Tachinid	30
Therevid	140
PARASITE SYNONYMY NOT SHOWN IN THE TEXT	141

I N T R O D U C T I O N

Following the plan described in Section I, Part 1 of the Catalogue of the Parasites and Predators of Insect Pests, the lists of parasites grouped under the names of their insect hosts were to be followed by lists of hosts grouped under the names of their parasites. The present volume, which is Part 1 of Section II, lists the hosts of the parasitic Coleoptera and Diptera.

The original intention had been to list the parasites of each Order in alphabetical order of Genera, without separating them into Families. However, on further consideration it was decided that the work would be more useful, if the parasites in each Order were grouped in Families. This system has certain disadvantages. A worker who does not know to what Family a parasite belongs may have to look through a number of separate lists to find it. In the higher Diptera and particularly in the Muscoids, there is no general agreement in regard to the categories called families. On the other hand, the division into families, though admittedly imperfect constitutes the best basis for a study of the general question of host relations, which is of great importance in work on biological control.

Since Section II of the Catalogue is merely a rearrangement of the data on parasite-host relations contained in Section I, the bibliographical references have not been repeated. These must be obtained from Section I. Section II gives only the Order and Family of the host insects and the geographical area where the record was made.

In the earlier parts of Section I, all synonymy was not completely eliminated. Since Section II is a rearrangement of Section I, the synonymous names have been carried over. However, all synonyms known to exist have been connected so that a complete listing of all the hosts of a parasite, under any names used for either, can readily be obtained. Synonymous names used in the Review of Applied Entomology, or in the literature to which it refers, are all connected in the lists with the names finally adopted.

The manuscript of this part has been prepared and the plates typed by Mrs. I. J. Morrison, M.A.. The plates were checked by Mrs. Morrison and the Editor.


W. R. Thompson,
Ottawa, Canada, June, 1951.

C O L E O P T E R A

ColydiidDeretaphrus oregonensis HornBuprestis aurulenta L. (Col. Buprestid) - U.S.A.Buprestis laeviventris Lec. (Col. Buprestid) - U.S.A.Dendroctonus jeffreyi Hopk. (Col. Scolytid) - U.S.A.Dendroctonus monticolae Hopk. (Col. Scolytid) - U.S.A.Trachykele opulenta Fall. (Col. Buprestid) - U.S.A.StaphylinidAleochara bilineata Gyll.Pegomyia hyoscyami Panz. (Dipt. Anthomyiid) - Holland.Aleochara bipustulata L.Pegomyia hyoscyami Panz. (Dipt. Anthomyiid) - Holland.

D I P T E R A

Agromyzid? Cryptochaetum sp.Drosicha turkestanica Arkhangel'skaya (Hem. Coccid) - Russia.Cryptochaetum buccatum HendelPalaeococcus fuscipennis Burm. (Hem. Coccid) - Germany.Cryptochaetum curtipenne KnabWalkeriana sp. (Hem. Coccid) - Ceylon.Walkeriana (?) kandyense (Hem. Coccid) - Ceylon.Cryptochaetum grandicorne Rond.Gueriniella serratulae F. (Hem. Coccid) - Europe, N. Africa.Icerya seychellarum Westw. (Hem. Coccid) - Japan.Cryptochaetum iceryae Will.Icerya purchasi Mask. (Hem. Coccid) - U.S.A.Cryptochaetum monophlebi Skuse - See C. iceryae Will.AnthomyiidAnthomyia sp.Schistocerca gregaria Forsk. (Orth. Acridid) - Oran.Atherigona excisa Thoms.Citripestis sagittiferella Moore (Lep. Phycitid) - Malaya.Dichaetomyia pallitarsis St.Chilo suppressalis Walk. (Lep. Crambid) - Malaya.Fannia canicularis L.Conotrachelus retentus Say (Col. Curculionid) - U.S.A.Lachnosterna sp. (Col. Melolonthid) - U.S.A.Nomadacris septemfasciata Serv. (Orth. Acridid) - S. Rhodesia.Schistocerca gregaria Forsk. (Orth. Acridid) - Guatemala, Morocco.Hylemya cilicrura Rond.Locusta migratoria L. (Orth. Acridid) - Russia.Schistocerca cancellata Serv. (Orth. Acridid) - Argentina.Schistocerca gregaria Forsk. (Orth. Acridid) - Palestine.Mydaea duplicata Mg.Phorbia brassicae Bché. (Dipt. Anthomyiid) - Russia.Phorbia floralis Fall. (Dipt. Anthomyiid) - Russia.



Mydaea uliginosa Fall.

Dermestes lardarius L. (Col. Dermestid) - France.

Phaonia sp.

Olycella junctolineella Hulst. (Lep. Phycitid) - U.S.A.

Phaonia trimaculata Bché.

Schistocerca gregaria Forsk. (Orth. Acridid) - Algeria.

Phorbia cilicrura Rond. - See Hylemya

Asilid

Proctacanthus milberti Macq.

Cicindela purpurea Oliv. (Col. Cicindelid) - Canada.

Bombyliid

Anastoechus sp.

Gomphocerus sibiricus L. (Orth. Acridid) - Russia.

Anastoechus baigacumensis Param.

Locusta migratoria L. (Orth. Acridid) - C. Asia.

Anastoechus mylabricida Zekh.

Mylabris zebraea Mars. (Col. Meloid) - Russia.

Anastoechus nitidulus F.

Calliptamus sp. (Orth. Acridid) - C. Asia.

Calliptamus italicus L. (Orth. Acridid) - Ukraine.

Doclostaurus brevicollis Ev. (Orth. Acridid) - Russia.

Doclostaurus kraussi Ingen. (Orth. Acridid) - Russia.

Doclostaurus maroccanus Thnb. (Orth. Acridid) - Italy, Russia, Spain, Morocco.

Locusta migratoria L. (Orth. Acridid) - Russia.

Anthrax sp.

Agrotis orthogonia Morr. (Lep. Phalaenid) - U.S.A.

Doclostaurus maroccanus Thnb. (Orth. Acridid) - Sardinia.

Anthrax alternata Tausch. - See Villa alternata Say

Anthrax fenestratus Fall. - See Thyridanthrax

Anthrax fulvohirta Wied.

Tiphia inornata Say (Hym. Scoliid) - U.S.A.

Anthrax gorgon F.

Elis haemorrhoidalis F. (Hym. Scoliid) - Porto Rico.

Anthrax jazykovi Param.Calliptamus italicus L. (Orth. Acridid) - C. Asia.Epicauta erythrocephala Pall. (Col. Meloid) - C. Asia.Anthrax lucifer F.Laphygma frugiperda A. & S. (Lep. Phalaenid) - U.S.A.Anthrax maurus L. - See also HemipenthesAnthrax maurus L.Enicospilus ramidulus L. (Hym. Ichneumonid) - Poland.Anthrax monachus Sack.Mylabris scabiosae Ol. (Col. Meloid) - C. Asia.Ramburiella turcomana F.W. (Orth. Acridid) - C. Asia.Anthrax morio L. - See also HemipenthesAnthrax morio L.Agrotis segetum Schiff. (Lep. Phalaenid) - Russia.Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.Anthrax oophagus Param.Arcyptera sp. (Orth. Acridid) - C. Asia.Calliptamus turanicus Tarb. (Orth. Acridid) - C. Asia.Callostoma desertorum Lw. (Dipt. Bombyliid) - C. Asia.Doclostaurus sp. (Orth. Acridid) - C. Asia.Mylabris biguttata Gebl. (Col. Meloid) - C. Asia.Ramburiella turcomana F.W. (Orth. Acridid) - C. Asia.Anthrax paniscus RossiAgrotis segetum Schiff. (Lep. Phalaenid) - Russia.Anthrax pygarga Lw.Podonta nigrita F. (Col. Tenebrionid) - Russia.Anthrax willistoni Coq.Chorizagrotis auxiliaris Grote (Lep. Phalaenid) - U.S.A.Aphoebantus hirsutus Coq. - See A. hirtus Coq.Aphoebantus hirtus Coq.Camula pellucida Scudder (Orth. Acridid) - U.S.A.Aphoebantus mus O.S.Melanoplus sp. (Orth. Acridid) - N. America.Argyromoeba varia F.Sturmia inconspicua Mg. (Dipt. Tachinid) - Poland.BOMBYLIID sp.Chortolcetes jungi Branc. (Orth. Acridid) - W. Australia.Heliothis armigera Hb. (Lep. Phalaenid) - S. Africa.

Bombylius canescens MikanDociostaurus maroccanus Thnb. (Orth. Acridid) - Sardinia.Bombylius variabilis Lw. - See B. canescens MikanCallostoma desertorum Lw.Calliptamus sp. (Orth. Acridid) - C. Asia.Dociostaurus sp. (Orth. Acridid) - C. Asia.Dociostaurus maroccanus Thnb. (Orth. Acridid) - Russia, Turkestan.Ramburiella turcomana F.W. (Orth. Acridid) - C. Asia.Cytherea armeniaca Param.Dociostaurus maroccanus Thnb. (Orth. Acridid) - Russia.Cytherea infuscata Mg.Calliptamus italicus L. (Orth. Acridid) - Italy.Dociostaurus maroccanus Thnb. (Orth. Acridid) - Italy, Spain, Morocco.Cytherea obscura F.Calliptamus italicus L. (Orth. Acridid) - Italy.Dociostaurus maroccanus Thnb. (Orth. Acridid) - Italy, Sicily, Russia, Turkestan.Cytherea setosa Param.Calliptamus sp. (Orth. Acridid) - C. Asia.Exoprosopa sp.Dociostaurus maroccanus Thnb. (Orth. Acridid) - C. Asia.Euxoa conspicua Hb. (Lep. Phalaenid) - Russia.Euxoa tritici L. (Lep. Phalaenid) - Russia.Spaelotis ravidia Schiff. (Lep. Phalaenid) - Russia.Exoprosopa fasciata Macq.Lachnosterna sp. (Col. Melolonthid) - U.S.A.Tiphia inornata Say (Hym. Scoliid) - U.S.A.Exoprosopa fascipennis SayTiphia inornata Say (Hym. Scoliid) - Porto Rico, U.S.A.Glossista infuscata Mg. - See CythereaHemipenthes maurus L. - See also AnthraxHemipenthes maurus L.Dociostaurus kraussi Ingen. (Orth. Acridid) - Russia.Panzeria rudis Fall. (Dipt. Tachinid) - Austria.Hemipenthes morio L. - See also AnthraxHemipenthes morio L.Banchus femoralis Thoms. (Hym. Ichneumonid) - Austria.Meteorus albiditarsis Curt. (Hym. Braconid) - Czechoslovakia.Panzeria rudis Fall. (Dipt. Tachinid) - Austria, Czechoslovakia.

Parasetigena segregata Rond. (Dipt. Tachinid) - Austria.
Sarcophaga affinis Fall. (Dipt. Sarcophagid) - Austria.
Sturmia inconspicua Mg. (Dipt. Tachinid) - Poland.
Winthemia amoena Mg. (Dipt. Tachinid) - Poland.

Hyperalonia tantalus F.

Campsomeris sp. (Hym. Scoliid) - Malaya.
Campsomeris iris Lep. (Hym. Scoliid) - Malaya.
Campsomeris javana Lep. (Hym. Scoliid) - Malaya.
Campsomeris pulchrivestita Cam. (Hym. Scoliid) - Malaya.
Scolia humeralis Sauss. (Hym. Scoliid) - Malaya.
Scolia quadripustulata F. (Hym. Scoliid) - Malaya.

Lomatia hamifera Becker

Schistocerca gregaria Forsk. (Orth. Acridid) - Morocco.

Mulio infuscata Mg. - See Cytherea

Mulio obscura F. - See Cytherea

Sparnopolius fulvus Wd.

Lachnosterna sp. (Col. Melolonthid) - U.S.A.

Spogostylum anale Say

Cicindela scutellaris lecontei Hald. (Col. Cicindelid).

Spogostylum delila Lw.

Xylocopa orpifex Smith (Hym. Apid) - U.S.A.

Spogostylum oedipus F.

Lithurgus apicallus Cress. (Hym. Apid) - U.S.A.

Systoechus sp.

Aeropus sibiricus L. (Orth. Acridid) - Russia.
Chorthippus albomarginatus DeG. (Orth. Acridid) - Russia.
Locusta migratoria L. (Orth. Acridid) - Russia.
Locusta migratoria danica L. (Orth. Acridid) - Russia.
Pararcyptera microptera microptera F.W. (Orth. Acridid) - Russia.

Systoechus albidus Lw.

Locustana pardalina Walk. (Orth. Acridid) - S. Africa.

Systoechus autumnalis Pall.

Dociostaurus kraussi Ingen. (Orth. Acridid) - Russia.
Locusta migratoria L. (Orth. Acridid) - Russia.
Notostaurus albicornis Ev. (Orth. Acridid) - Russia.
Pararcyptera microptera F.W. (Orth. Acridid) - Russia.

Systoechus ctenopterus Mikan - See S. sulphureus Mikan

Systoechus gradatus Wied.

Dociostaurus maroccanus Thnb. (Orth. Acridid) - Spain.

Systoechus leucophaeus Wied. - See S. gradatus Wied.

Systoechus oreas O.S.

Doclostaurus maroccanus Thnb. (Orth. Acridid) - Spain.

Melanoplus sp. (Orth. Acridid) - N. America.

Systoechus solitus Walk.

Acridid sp. (Orth.) - Canada.

Systoechus sulphureus Mikan

Calliptamus italicus L. (Orth. Acridid) - Italy.

Doclostaurus maroccanus Thnb. (Orth. Acridid) - Italy, Spain.

Gomphocerus sibiricus L. (Orth. Acridid) - Russia.

Stauroderus scalaris F.W. (Orth. Acridid) - Siberia.

Systoechus vulgaris Lw.

Acridid sp. (Orth.) - Canada.

Camnula pellucida Scudder (Orth. Acridid) - Canada.

Systropus sp.

Chalcocelis albiguttata Snell. (Lep. Limacodid) - Malaya.

Thyridanthrax sp.

Doclostaurus maroccanus Thnb. (Orth. Acridid) - Iraq.

Glossina morsitans Westw. (Dipt. Muscid) - S. Rhodesia.

Thyridanthrax abruptus Lw.

Glossina morsitans Westw. (Dipt. Muscid) - Abyssinia, Kenya, Natal,
Nyasaland, Rhodesia, Tanganyika, Uganda.

Thyridanthrax argentifrons Aust.

Glossina morsitans Westw. (Dipt. Muscid) - Nigeria, Tanganyika.

Glossina submorsitans Newst. (Dipt. Muscid) - Nigeria.

Glossina tachinoides Westw. (Dipt. Muscid) - Nigeria.

Thyridanthrax beneficus Aust.

Glossina morsitans Westw. (Dipt. Muscid) - Portuguese E. Africa.

Thyridanthrax fenestratus Fall.

Agrotis segetum Schiff. (Lep. Phalaenid) - Russia.

Doclostaurus maroccanus Thnb. (Orth. Acridid) - Spain, Algeria.

Schistocerca gregaria Forsk. (Orth. Acridid) - Oran.

Thyridanthrax lineus Lw.

Glossina morsitans Westw. (Dipt. Muscid) - Eritrea, Kenya, Natal,
Nyasaland, S. Rhodesia, Tanganyika.

Thyridanthrax lloydi Aust. - See also Villa

Thyridanthrax lloydi Aust.

Glossina morsitans Westw. (Dipt. Muscid) - Nigeria.

Thyridanthrax maurus L.

Panzeria rudis Fall. (Dipt. Tachinid) - Czechoslovakia.

Thyridanthrax salutaris Aust.Glossina morsitans Westw. (Dipt. Muscid) - Nyasaland.Thyridanthrax transiens BezziGlossina morsitans Westw. (Dipt. Muscid) - Kenya, Nyasaland,
S. Rhodesia.Villa alternata SayActebia fennica Tausch. (Lep. Phalaenid) - U.S.A.Chorizagrotis auxiliaris Grote (Lep. Phalaenid) - U.S.A.Phalaenid sp. (Lep.) - U.S.A.Villa flavescens Lw.Laphygma exempta Walk. (Lep. Phalaenid) - Nyasaland.Villa hottentota L.Agrotis segetum Schiff. (Lep. Phalaenid) - Russia.Oria musculosa Hb. (Lep. Phalaenid) - Russia.Panolis flammea Schiff. (Lep. Phalaenid) - Czechoslovakia, Germany.Villa lateralis SayFilatima persicaeella Murt. (Lep. Gelechiid) - U.S.A.Plathypena scabra F. (Lep. Phalaenid) - U.S.A.Villa lloydi Aust. - See also ThyridanthraxVilla lloydi Aust.Glossina morsitans Westw. (Dipt. Muscid) - N. Rhodesia.Villa scylla O.S.Anastrepha ludens Lw. (Dipt. Trypetid) - Mexico.Villa unifasciata Macq.Crambus emmerezellus de Joannis (Lep. Crambid) - Mauritius.BraulidBraula caeca Nitzsch.Apis mellifera L. (Hym. Apid) - Africa.CalliphoridStomorhina fasciata Mg. - See S. lunata F.Stomorhina lunata F.Doclostaurus maroccanus Thnb. (Orth. Acridid) - Spain, N. Africa.Locusta migratoria L. (Orth. Acridid) - Russia.Locusta migratoria migratorioides R. & F. (Orth. Acridid) - Belgian
Congo, Rhodesia, Tanganyika.



Locustana pardalina Walk. (Orth. Acridid) - S. Africa.
Nomadacris septemfasciata Serv. (Orth. Acridid) - Belgian Congo,
 Mozambique, N. Rhodesia, S. Africa, S. Rhodesia, Tanganyika.
Schistocerca gregaria Forsk. (Orth. Acridid) - Europe, Russia, Algeria,
 Eritrea, Kenya, Morocco, Palestine, Sudan.

Cecidomyiid

- Adelgimyza strobilobii Del G.
Chermes strobilobius Kalt. (Hem. Aphid) - Italy.
- Adelgimyza tripidiperda Del G.
Liothrips oleae Costa (Thysanoptera) - Italy.
- Aphidoletes sp.
Therioaphis trifolii Monell (Hem. Aphid) - U.S.A.
- Bremia sp.
Psyllopsis fraxini L. (Hem. Psyllid) - Europe.
- CECIDOMYIID sp.
Coccus hesperidum L. (Hem. Coccid) - S. Rhodesia.
Laccifer javanus Chamb. (Hem. Coccid) - Malaya.
Pseudococcus citri Risso (Hem. Coccid) - Russia.
Pseudococcus comstocki Kuw. (Hem. Coccid) - Japan.
- Cleodiplosis aleyrodici Felt
Aleurycus chagentios (Hem. Aleurodid) - Panama.
- Diadiplosis coccidivora Felt
Pseudococcus sp. (Hem. Coccid) - Ceylon.
- Diadiplosis indica Felt
Ferrisiana virgata Ckll. (Hem. Coccid) - India.
Phenacoccus hirsutus Green (Hem. Coccid) - India.
Pseudococcus corymbatus Green (Hem. Coccid) - India.
- Diplosis sp.
Pseudococcus comstocki Kuw. (Hem. Coccid) - China.
- Endaphis perfidus Kieff.
Drepanosiphum platanoides Schr. (Hem. Aphid) - England.
- Endopsylla sp.
Psylla mali Schm. (Hem. Psyllid) - Scotland.
Psylla melanoneura Först. (Hem. Psyllid) - Scotland.
Psylla pyricola Först. (Hem. Psyllid) - Scotland.
- Endopsylla agilis de Meij.
Psylla forsteri Flor. (Hem. Psyllid) - England, Holland.

Isobremia kiefferi Vouk.Aphis sp. (Hem. Aphid) - Yugoslavia.Aphis kochi Schout. (Hem. Aphid) - France.Capitophorus rosarum Kalt. (Hem. Aphid) - France.Macrosiphum sp. (Hem. Aphid) - Yugoslavia.Macrosiphum rosae L. (Hem. Aphid) - France.Karschomyia cocci FeltFerrisiana virgata Ckll. (Hem. Coccid) - Porto Rico.Leptodiplosis sp.Anthonomus signatus Say (Col. Curculionid) - U.S.A.Bruchophagus gibbus Boh. (Hym. Eurytomid) - U.S.A.Leptodiplosis holsteri Kieff.Dasyneura strobi Winn. (Dipt. Cecidomyiid) - Germany.Leptodiplosis liviae Rubs.Livia juncorum Latr. (Hem. Psyllid) - England, Germany.Lestodiplosis - See LeptodiplosisMycodiplosis moznettei FeltPulvinaria pyriformis Ckll. (Hem. Coccid) - U.S.A.Rondaniella cucullata Del G.Toxoptera sp. (Hem. Aphid) - Italy.Rondaniella macrosiphoniellae Del G.Macrosiphum sp. (Hem. Aphid) - Italy.Rondaniella macrosiphonis Del G.Macrosiphum sp. (Hem. Aphid) - Italy.Rondaniella phorodontis Del G.Phorodon humuli Schrank (Hem. Aphid) - Italy.Trilobia aphidisuga Del G.Aphis rumicis L. (Hem. Aphid) - Italy.Uncinulella eriosomiperda Del G.Eriosoma lanigerum Hausm. (Hem. Aphid) - Italy.ChloropidChaetochlorops inquilina Coq.Conotrachelus aratus Germ. (Col. Curculionid) - U.S.A.Conotrachelus juglandis Lec. (Col. Curculionid) - U.S.A.Conotrachelus retentus Say (Col. Curculionid) - U.S.A.Grapholitha molesta Busck (Lep. Olethreutid) - U.S.A.

Goniopsita palposa Fall. - See Siphonella

Siphonella palposa Fall.

Chorthippus apricarius L. (Orth. Acridid) - Russia.

Stenobothrus nigromaculatus H.-S. (Orth. Acridid) - Siberia.

Siphonella ruficornis Macq.

Hoplocampa sp. (Hym. Tenthredinid) - Jugoslavia.

Hoplocampa brevis Klug (Hym. Tenthredinid) - Jugoslavia.

Hoplocampa minuta Christ. (Hym. Tenthredinid) - Jugoslavia.

Conopid

Myopa picta Panz.

Schistocerca gregaria Forsk. (Orth. Acridid) - Morocco.

Dolichopodid

Medeterus aldrichi Wheeler

Dendroctonus pseudotsugae Hopk. (Col. Scolytid) - U.S.A.

Medeterus vanduzeei Curr.

Dendroctonus piceaperda Hopk. (Col. Scolytid) - Canada.

Drosophilid

Acletoxenus formosus Lw.

Siphoninus phillyreae Hal. (Hem. Aleurodid) - Italy.

Drosophila sp.

Clastoptera theobromae Williams (Hem. Cercopid) - Panama.

Drosophila busckii Coq.

Pieris brassicae L. (Lep. Pierid) - France.

Drosophila inversa Walk.

Clastoptera obtusa Say (Hem. Cercopid) - U.S.A.

Drosophila paradoxa Lamb

Clastoptera sp. (Hem. Cercopid) - Trinidad.

Clastoptera taeniata Schmidt (Hem. Cercopid) - Trinidad.

Drosophila rubrostriata Beck.

Pieris brassicae L. (Lep. Pierid) - France.

Gitonides perspicax Knab

Pseudococcus sp. (Hem. Coccid) - Hawaii, Philippines.

Pseudococcus filamentosus Ckll. (Hem. Coccid) - Hawaii.

Rhinoleucophenga obesa Lw.

Aclerda campinensis Hemp. (Hem. Coccid) - Brazil.

Heleid

Forcipomyia hirtipes de Meij.

Cephonodes hylas L. (Lep. Sphingid) - Malaya.

Leptid

Chrysopilus nubeculus Fall.

Schistocerca gregaria Forsk. (Orth. Acridid) - N. Africa.

Milichiid

Phyllomyza sp.

Ips pini Say (Col. Scolytid) - N. America.

Muscid

Acridomyia sacharovi Stack.

Locusta migratoria L. (Orth. Acridid) - Russia, C. Asia.

Hyperecteina polyphyllae Vill.

Polyphylla fullo L. (Col. Melolonthid) - Russia.

Muscina assimilis Fall.

Macronoctua onusta Grote (Lep. Phalaenid) - U.S.A.

Muscina cinerascens Wd. - See M. stabulans Fall.

Muscina pabulorum Fall.

Dendrolimus pini L. (Lep. Lasiocampid) - Poland.

Panolis flammea Schiff. (Lep. Phalaenid) - Poland.

Muscina stabulans Fall.

Agrotis segetum Schiff. (Lep. Phalaenid) - Germany.

Archana oblonga Grote (Lep. Phalaenid) - U.S.A.

Dendrolimus pini L. (Lep. Lasiocampid) - Poland.

Dorysthenes forficatus F. (Col. Prionid) - Morocco.

Epiblema otiosana Clem. (Lep. Olethreutid) - U.S.A.

Heliothis armigera Hb. (Lep. Phalaenid) - Russia.

Laphygma frugiperda A. & S. (Lep. Phalaenid) - U.S.A.

Macronoctua onusta Grote (Lep. Phalaenid) - U.S.A.
Melolontha hippocastani F. (Col. Melolonthid) - Transylvania.
Melolontha melolontha L. (Col. Melolonthid) - Transylvania.
Nomadacris septemfasciata Serv. (Orth. Acridid) - S. Rhodesia.
Panolis flammea Schiff. (Lep. Phalaenid) - Poland.
Papaipema nebris Guen. (Lep. Phalaenid) - U.S.A.
Pissodes strobil Peck (Col. Curculionid) - U.S.A.
Porthetria dispar L. (Lep. Lymantriid) - Russia, U.S.A.
Schistocerca gregaria Forsk. (Orth. Acridid) - Guatemala, Morocco.

Myiospila meditabunda F.

Macronoctua onusta Grote (Lep. Phalaenid) - U.S.A.

Palpostoma desvoidyi Aldr.

Lepidiota frenchi Blkb. (Col. Melolonthid) - Australia.

Palpostoma testacea R.-D.

Lepidoderma albohirtum Waterh. (Col. Melolonthid) - Australia.

Pentatomophaga bicincta de Meij.

Pentatoma plebeja Voll. (Hem. Pentatomid) - Java.

Scatophaga rufiventris Vill.

Polyphylla fullo L. (Col. Melolonthid) - Russia.

Stomoxys calcitrans L.

Dendrolimus pini L. (Lep. Lasiocampid) - Poland.

Ortalid

Adapsilia flaviseta Aldr.

Popillia sp. (Col. Rutelid) - India.

Campylocera robusta Wulp

Adoretus compressus Web. (Col. Rutelid) - Dutch E. Indies.

Lepadoretus compressus Web. (Col. Rutelid) - Dutch E. Indies.

Pyrgota undata Wd.

Lachnosterna sp. (Col. Melolonthid) - U.S.A., U.S.A.-Porto Rico.

Lachnosterna anxia Lec. (Col. Melolonthid) - Canada.

Pyrgota valida Harr.

Lachnosterna sp. (Col. Melolonthid) - U.S.A.

Phorid

Aphiochaeta sp. - See Megaselia sp.

Aphiochaeta fasciata Fall. - See also Phalacrotophora

Aphiochaeta fasciata Fall.Adonia variegata Gz. (Col. Coccinellid) - Italy.Coccinella septempunctata L. (Col. Coccinellid) - France, Italy.Thea vigintiduopunctata L. (Col. Coccinellid) - France, Italy.Vibidia duodecimguttata Poda (Col. Coccinellid) - France.Apocephalus attophilus Borgm.Atta sp. (Hym. Formicid) - Brazil.Atta sexdens L. (Hym. Formicid) - Brazil.Atta sexdens rubropilosa For. (Hym. Formicid) - Brazil.Apocephalus barbicauda Borgm.Acromyrmex sp. (Hym. Formicid) - Brazil.Acromyrmex lundii Guer. (Hym. Formicid) - Brazil.Apocephalus dubitatus Borgm.Acromyrmex sp. (Hym. Formicid) - Brazil.Acromyrmex subterraneus brunneus For. (Hym. Formicid) - Brazil.Apocephalus lamellatus Borgm.Acromyrmex sp. (Hym. Formicid) - Brazil.Acromyrmex muticinosus homalops For. (Hym. Formicid) - Brazil.Apocephalus luteihalteratus Borgm.Acromyrmex lundii Guer. (Hym. Formicid) - Brazil.Acromyrmex muticinosus homalops For. (Hym. Formicid) - Brazil.Apocephalus neivai Borgm.Acromyrmex sp. (Hym. Formicid) - Brazil.Apocephalus pergandei Coq.Camponotus herculeanus pennsylvanicus DeG. (Hym. Formicid) - U.S.A.Apocephalus persecutor Borgm.Acromyrmex lundii Guer. (Hym. Formicid) - Brazil.Apocephalus rionegrensis Borgm.Acromyrmex sp. (Hym. Formicid) - Brazil.Acromyrmex subterraneus brunneus For. (Hym. Formicid) - Brazil.Apocephalus schmitzi Men.Crematogaster scutellaris Ol. (Hym. Formicid) - Fiume.Diploneura armipes BruesNomadacris septemfasciata Serv. (Orth. Acridid) - S. Rhodesia.Dohrniphora incisuralis Lw.Porthetria dispar L. (Lep. Lymantriid) - U.S.A.Hypocera incrassata Mg.Apid sp. (Hym.) - Bulgaria.Bibio marci L. (Dipt. Bibionid) - Britain.

Megaselia sp.

- Anticarsia gemmatalis Hb. (Lep. Phalaenid) - U.S.A.
Chorizagrotis auxiliaris Grote (Lep. Phalaenid) - U.S.A.
Epilachna varivestis Muls. (Col. Coccinellid) - U.S.A.
Prodenia praeifica Grote (Lep. Phalaenid) - U.S.A.

Megaselia aspera Schmitz

- Locusta migratoria L. (Orth. Acridid) - Russia.

? Megaselia dyari Malloch

- Anticarsia gemmatalis Hb. (Lep. Phalaenid) - U.S.A.

Megaselia goidanichi Schmitz

- Pyrausta nubilalis Hb. (Lep. Pyraustid) - Italy.

Megaselia leucozona Schmitz

- Locusta migratoria L. (Orth. Acridid) - Russia.

Megaselia parasitica Shir.

- Schoenobius incertulas Walk. (Lep. Schoenobiid) - Far East.

Megaselia parvula Schmitz

- Locusta migratoria L. (Orth. Acridid) - Russia.

Megaselia plurispinulosa Zett.

- Hylobius abietis L. (Col. Curculionid) - Sweden.

Megaselia ruficornis Mg.

- Diprion sp. (Hym. Tenthredinid) - Germany.

Megaselia rufipes Mg.

- Herse convolvuli L. (Lep. Sphingid) - Ireland.
Loxostege sticticalis L. (Lep. Pyraustid) - Czechoslovakia.
Panolis flammea Schiff. (Lep. Phalaenid) - Poland.
Porthetria dispar L. (Lep. Lymantriid) - U.S.A.

Megaselia scalaris Lw.

- Alabama argillacea Hb. (Lep. Phalaenid) - U.S.A.
Anomis erosa Hb. (Lep. Phalaenid) - U.S.A.
Schistocerca gregaria Forsk. (Orth. Acridid) - Guatemala.

Megaselia setacea Aldr.

- Porthetria dispar L. (Lep. Lymantriid) - U.S.A.

Myrmosicarius biarticulatus Borgm.

- Eciton praedator F. Smith (Hym. Formicid) - Brazil.

Myrmosicarius catharinensis Borgm.

- Acromyrmex sp. (Hym. Formicid) - Brazil.
Acromyrmex lundi Guer. (Hym. Formicid) - Brazil.

Myrmosicarius crudelis Borgm.

- Atta sp. (Hym. Formicid) - Brazil.
Atta sexdens L. (Hym. Formicid) - Brazil.

Myrmosicarius cuspidatus Borgm.Acromyrmex sp. (Hym. Formicid) - Brazil.Acromyrmex muticinus homalops For. (Hym. Formicid) - Brazil.Myrmosicarius diabolicus Borgm.Solenopsis saevissima F. Smith (Hym. Formicid) - Brazil.Myrmosicarius gracilipes Borgm.Acromyrmex sp. (Hym. Formicid) - Brazil.Acromyrmex subterraneus brunneus For. (Hym. Formicid) - Brazil.Myrmosicarius grandicornis Borgm.Atta sp. (Hym. Formicid) - Brazil.Atta sexdens L. (Hym. Formicid) - Brazil.Atta sexdens rubropilosa For. (Hym. Formicid) - Brazil.Myrmosicarius infestans Borgm.Acromyrmex sp. (Hym. Formicid) - Brazil.Acromyrmex asperus mesonotalis clarus Sant. (Hym. Formicid) - Brazil.Acromyrmex disciger Mayr (Hym. Formicid) - Brazil.Acromyrmex subterraneus For. (Hym. Formicid) - Brazil.Myrmosicarius persecutor Borgm.Acromyrmex sp. (Hym. Formicid) - Brazil.Myrmosicarius tarsipennis Borgm.Acromyrmex sp. (Hym. Formicid) - Brazil.Acromyrmex muticinus homalops For. (Hym. Formicid) - Brazil.Neodohniphora acromyrmecis Borgm.Acromyrmex sp. (Hym. Formicid) - Brazil.Neodohniphora declinata Borgm.Atta sp. (Hym. Formicid) - Brazil.Atta laevigata F. Smith (Hym. Formicid) - Brazil.Atta sexdens L. (Hym. Formicid) - Brazil.Neodohniphora wasmanni Borgm.Atta sp. (Hym. Formicid) - Brazil.Atta sexdens rubropilosa For. (Hym. Formicid) - Brazil.Phalacrotophora fasciata Fall. - See also AphiochaetaPhalacrotophora fasciata Fall.Adalia bipunctata L. (Col. Coccinellid) - Britain, Italy.Adalia bipunctata sexpustulata L. (Col. Coccinellid) - Italy.Adonia variegata Gz. (Col. Coccinellid) - Italy.Anatis ocellata L. (Col. Coccinellid) - Britain.Calvia quatuordecimguttata L. (Col. Coccinellid) - Britain.Chilocorus bipustulatus L. (Col. Coccinellid) - Italy.Coccinella sp. (Col. Coccinellid) - Britain.Coccinella septempunctata L. (Col. Coccinellid) - Italy.Mysia oblongoguttata L. (Col. Coccinellid) - Britain, Italy.

Neomysia oblongoguttata L. (Col. Coccinellid) - Britain.
Semiadalia undecimnotata novempunctata Fourc. (Col. Coccinellid) -
 Liguria.
Thea vigintiduopunctata L. (Col. Coccinellid) - Italy.

Phora sp.

Pieris brassicae L. (Lep. Pierid) - France.

Phora fasciata Fall. - See Aphiochaeta

Phora incisuralis Lw. - See Dohrniphora

Phora rufipes Mg. - See Megaselia

Phora scalaris Lw. - See Megaselia rufipes Mg.

Phora setacea Aldr. - See Megaselia

Plastophora sp.

Solenopsis geminata xyloni McCook (Hym. Formicid) - U.S.A.

Procliniella hostilis Borgm.

Acromyrmex sp. (Hym. Formicid) - Brazil.

Acromyrmex muticinosus homalops For. (Hym. Formicid) - Brazil.

Puliciphora sp.

Alabama argillacea Hb. (Lep. Phalaenid) - U.S.A.

Anomis erosa Hb. (Lep. Phalaenid) - U.S.A.

Puliciphora rhodesiana Schmitz

Nomadacris septemfasciata Serv. (Orth. Acridid) - S. Rhodesia.

Stenoneurellys laticeps Borgm.

Acromyrmex sp. (Hym. Formicid) - Brazil.

Acromyrmex muticinosus homalops For. (Hym. Formicid) - Brazil.

Syneura cocciphila Coq.

Icerya purchasi Mask. (Hem. Coccid) - Porto Rico.

Syneura infrapospita Borgm. & Schm.

Icerya purchasi Mask. (Hem. Coccid) - Brazil.

Pipunculid

Ateleneura spuria Mg.

Typhlocyba douglasi Edw. (Hem. Jassid) - Britain, France.

Typhlocyba hippocastani Edw. (Hem. Jassid) - Britain, France.

Typhlocyba rosae L. (Hem. Jassid) - England, France.

Pipunculus sp.

Erythroneura comes Say (Hem. Jassid) - U.S.A.

Eutettix tenellus Baker (Hem. Jassid) - U.S.A.
Nephotettix bipunctatus cincticeps Uhl. (Hem. Jassid) - Japan.
Nilaparvata oryzae Mats. (Hem. Delphacid) - Japan.
Perkinsiella saccharicida Kirk. (Hem. Delphacid) - Hawaii.

Pipunculus annulifemur Brun.

Idiocerus atkinsoni Leth. (Hem. Jassid) - India.
Idiocerus clypealis Leth. (Hem. Jassid) - India.
Idiocerus niveosparsus Leth. (Hem. Jassid) - India.

Pipunculus hawaiiensis Perk.

Perkinsiella saccharicida Kirk. (Hem. Delphacid) - Hawaii.

Pipunculus industrius Knab

Eutettix tenellus Baker (Hem. Jassid) - U.S.A.

Pipunculus juvator Perk.

Perkinsiella saccharicida Kirk. (Hem. Delphacid) - Hawaii.

Pipunculus subvirescens Lw.

Eutettix tenellus Baker (Hem. Jassid) - U.S.A.

Pipunculus vagabundus Knab

Eutettix tenellus Baker (Hem. Jassid) - U.S.A.

Sarcophagid

Agria affinis Fall. - See Sarcophaga

Agria latifrons Fall.

Acridid sp. (Orth.) - Palestine.
Dociostaurus maroccanus Thnb. (Orth. Acridid) - Europe, Spain, Mongolia, Siberia, Turkestan.
Gomphocerus sibiricus L. (Orth. Acridid) - Europe, Russia, Mongolia, Turkestan.
Locusta migratoria L. (Orth. Acridid) - Europe, Mongolia, Siberia, Turkestan.
Schistocerca gregaria Forsk. (Orth. Acridid) - Algeria.

Agria mamillata Pand. - See Sarcophaga affinis Fall.

Agria monachae Kram.

Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.
Porthetria dispar L. (Lep. Lymantriid) - Europe, N. Africa.

Agria ruralis Fall. - See Angiometopa

Amobia sp.

Leucinodes orbonalis Guen. (Lep. Pyraustid) - Malaya.

Amobia signata Mg.

Heliothis armigera Hb. (Lep. Phalaenid) - S. Rhodesia.

Hoplissus costalis Cress. (Hym. Sphegid) - U.S.A.
Pemphredon sp. (Hym. Sphegid) - Europe.

Angiometopa ruralis Fall.

Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.

Blaesoxipha sp.

Aporia crataegi L. (Lep. Pierid) - Ukraine.

Biston sp. (Lep. Geometrid) - Russia.

Calliptamus italicus L. (Orth. Acridid) - Montenegro.

Doclostaurus maroccanus Thnb. (Orth. Acridid) - Sardinia.

Nomadacris septemfasciata Serv. (Orth. Acridid) - N. Rhodesia, S. Africa.

Oedaleus decorus Germ. (Orth. Acridid) - Russia.

Oedipoda coerulescens L. (Orth. Acridid) - Montenegro.

Blaesoxipha anceps Villen.

Cyrtacanthacris tatarica L. (Orth. Acridid) - Italian Somaliland.

Blaesoxipha asiatica Rohd.

Pararcyptera microptera F.W. (Orth. Acridid) - Russia.

Podisma pedestris L. (Orth. Acridid) - Russia.

Blaesoxipha cochlearis Pand.

Decticus albifrons F. (Orth. Tettigoniid) - Algeria.

Blaesoxipha erythrura Mg.

Locusta migratoria L. (Orth. Acridid) - Russia.

Blaesoxipha filipjevi Rohd.

Anacridium moestum Serv. (Orth. Acridid) - Sudan.

Locusta migratoria L. (Orth. Acridid) - Russia, C. Asia.

Locusta migratoria migratorioides R. & F. (Orth. Acridid) - Sudan.

Schistocerca gregaria Forsk. (Orth. Acridid) - Sudan.

Blaesoxipha filipjevi aequatorialis Rohd.

Anacridium moestum Serv. (Orth. Acridid) - Tanganyika.

Locusta migratoria migratorioides R. & F. (Orth. Acridid) - Sierra Leone.

Schistocerca gregaria Forsk. (Orth. Acridid) - Tanganyika.

Blaesoxipha filipjevi tertia Rohd.

Locusta migratoria L. (Orth. Acridid) - Persia, Turkestan.

Schistocerca gregaria Forsk. (Orth. Acridid) - Russia.

Blaesoxipha gladiatrix Pand. - See B. laticornis Mg.

Blaesoxipha grisea Mg. - See Tephromyia

Blaesoxipha grylloctona Lw.

Locusta migratoria L. (Orth. Acridid) - Russia, C. Asia, Turkestan.

Podisma alpina Koll. (Orth. Acridid) - Europe.

Blaesoxipha kaestneri Bar.

Patanga succincta L. (Orth. Acridid) - Malaya.

Blaesoxipha laticornis Mg.Doclostaurus maroccanus Thnb. (Orth. Acridid) - Sardinia.Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.Schistocerca gregaria Forsk. (Orth. Acridid) - Russia.Blaesoxipha lineata Fall.Calliptamus italicus L. (Orth. Acridid) - France, Italy, Russia, Sardinia, Algeria.Celes variabilis Pall. (Orth. Acridid) - Russia.Doclostaurus brevicollis Ev. (Orth. Acridid) - Russia.Doclostaurus maroccanus Thnb. (Orth. Acridid) - Europe, France, Italy, Montenegro, Russia, Sardinia, Algeria.Gomphocerus sibiricus L. (Orth. Acridid) - Russia.Locusta migratoria L. (Orth. Acridid) - Russia, C. Asia.Locusta migratoria danica L. (Orth. Acridid) - Russia.Locusta migratoria migratorioides R. & F. (Orth. Acridid) - Sudan.Locusta migratoria rossica Uv. & Zol. (Orth. Acridid) - Russia.Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.Notostaurus albicornis Ev. (Orth. Acridid) - Russia.Oedaleus decorus Germ. (Orth. Acridid) - Russia.Schistocerca gregaria Forsk. (Orth. Acridid) - Russia, Sudan.Blaesoxipha monticola Rohd.Schistocerca gregaria Forsk. (Orth. Acridid) - Russia.Blaesoxipha potanini Rohd.Schistocerca gregaria Forsk. (Orth. Acridid) - Russia.Blaesoxipha rossica Villen.Gomphocerus sibiricus L. (Orth. Acridid) - Russia.Omocestus haemorrhoidalis Charp. (Orth. Acridid) - Russia.Blaesoxipha schistocercae Rohd. - See B. monticola Rohd.Blaesoxipha subamericana Rohd. - See B. potanini Rohd.Blaesoxipha tertia Rohd. - See B. filipjevi tertia Rohd.Blaesoxipha unguolata Pand.Anacridium aegyptium L. (Orth. Acridid) - Europe.Doclostaurus maroccanus Thnb. (Orth. Acridid) - Europe.Blaesoxipha valangae Aldr.Valanga nigricornis Burm. (Orth. Acridid) - Java.Blaesoxiphella brevicornis Villen.Locusta migratoria L. (Orth. Acridid) - Russia.Omecestus haemorrhoidalis Charp. (Orth. Acridid) - Russia.Stauroderus scalaris F.W. (Orth. Acridid) - Russia.Brachicoma acridiorum Wey.Schistocerca sp. (Orth. Acridid) - Argentina.Schistocerca cancellata Serv. (Orth. Acridid) - Argentina.

Brachicoma devia Fall.

- Bombus agrorum F. (Hym. Apid) - Europe.
Bombus pratorum L. (Hym. Apid) - Europe.
Bombus silvarum L. (Hym. Apid) - Europe.
Bombus terrestris L. (Hym. Apid) - Europe.
Vespa silvestris Scop. (Hym. Vespid) - Europe.

Brachycoma devia Fall. - See BrachicomaDisjunctio balassogloi Ports. - See Wohlfahrtia trina Wd.Disjunctio bella Macq. - See WohlfahrtiaHelicobia australis Johnston & Tiegs

- Chortoicetes terminifera Walk. (Orth. Acridid) - Australia.

Helicobia heliciis Tns. - See Sarcophaga rapax Walk.Helicobia rapax Walk. - See also SarcophagaHelicobia rapax Walk.

- Stagmomantis carolina Johan. (Orth. Mantid) - U.S.A.

Locustaevora migratoria Rohd."

- Locusta migratoria L. (Orth. Acridid) - Turkestan.

Locustivora pachytyli Skuse - See OpsyphytoNyctia halterata Panz.

- Lixus junci Boh. (Col. Curculionid) - Italy.

Oophagomyia plotnikovi Rohd.

- Locusta migratoria L. (Orth. Acridid) - Russia.
Schistocerca gregaria Forsk. (Orth. Acridid) - Russia.

Opsyphyto opifera Coq.

- Camnula pellucida Scudder (Orth. Acridid) - Canada.
Melanoplus differentialis Thos. (Orth. Acridid).
Melanoplus femur-rubrum DeG. (Orth. Acridid) - U.S.A.
Melanoplus marginatus Scudder (Orth. Acridid).
Melanoplus mexicanus devastator Scudder (Orth. Acridid) - U.S.A.
Melanoplus mexicanus mexicanus Sauss. (Orth. Acridid).

Opsyphyto pachytyli Skuse

- Chortoicetes terminifera Walk. (Orth. Acridid) - Australia.

Pachyophthalmus sp. - See Amobia sp.Pachyophthalmus signatus Mg. - See Amobia signata Mg.Pterella grisea Mg.

- Doclostaurus maroccanus Thnb. (Orth. Acridid) - Spain.

Pterella melanura Mg.

Cerceris emarginata Panz. (Hym. Sphegid) - Europe.

Sarcodexia sternodontis Tns. - See Sarcophaga lambens Wd.

Sarcophaga sp.

Agrotis ypsilon Rott. (Lep. Phalaenid) - Malaya.
Angracris barabensis Pall. (Orth. Acridid) - Russia.
Bryodema tuberculatum F. (Orth. Acridid) - Russia.
Calpodes ethlius Cram. (Lep. Hesperiid) - St. Vincent.
Dendrolimus pini L. (Lep. Lasiocampid) - Poland.
Dendrolimus spectabilis Butl. (Lep. Lasiocampid) - Korea.
Diatraea sp. (Lep. Crambid) - Br. Guiana, Porto Rico.
Diatraea canella Hmps. (Lep. Crambid) - Venezuela.
Doclostaurus brevicollis Ev. (Orth. Acridid) - Russia.
Doclostaurus kraussi Ingen. (Orth. Acridid) - Russia.
Doclostaurus maroccanus Thnb. (Orth. Acridid) - Sardinia.
Eleodes hispilabrus Say (Col. Tenebrionid) - U.S.A.
Eleodes obsoleta Say (Col. Tenebrionid) - U.S.A.
Eleodes tricotata Say (Col. Tenebrionid) - U.S.A.
Gomphocerus sibiricus L. (Orth. Acridid) - Russia.
Heliothis armigera Hb. (Lep. Phalaenid) - Italian Somaliland.
Nomadacris septemfasciata Serv. (Orth. Acridid) - S. Africa, Mozambique.
Porthetria dispar L. (Lep. Lymantriid) - Bulgaria, Yugoslavia.
Schistocerca cancellata Serv. (Orth. Acridid) - Argentina.
Schistocerca gregaria Forsk. (Orth. Acridid) - Eritrea, Sudan.
Stauroderus scalaris F.W. (Orth. Acridid) - Siberia.
Zonocerus elegans Thnbg. (Orth. Acridid) - S. Africa.

Sarcophaga acridiorum Wey. - See Brachicoma

Sarcophaga aculeata Aldr.

Melanoplus femur-rubrum DeG. (Orth. Acridid) - U.S.A.

Sarcophaga affinis Fall.

Aporia crataegi L. (Lep. Pierid) - Europe, Germany, Italy.
Dendrolimus pini L. (Lep. Lasiocampid) - Europe, Austria, Poland, Russia.
Doclostaurus maroccanus Thnb. (Orth. Acridid) - Spain.
Empria abdominalis F. (Hym. Tenthredinid) - Europe.
Hyponomeuta cognatellus Hb. (Lep. Hyponomeutid) - Europe.
Hyponomeuta euonymellus L. (Lep. Hyponomeutid) - Finland.
Hyponomeuta malinellus Zell. (Lep. Hyponomeutid) - Europe, Russia, Serbia.
Hyponomeuta padellus L. (Lep. Hyponomeutid) - Europe, Italy.
Hyponomeuta rorellus Hb. (Lep. Hyponomeutid) - Europe.
Locusta migratoria L. (Orth. Acridid) - Europe.
Lymantria monacha L. (Lep. Lymantriid) - Europe, Austria, Czechoslovakia, Poland, Sweden.
Malacosoma neustria L. (Lep. Lasiocampid) - Yugoslavia.
Neodiprion sertifer Geoffr. (Hym. Tenthredinid) - Czechoslovakia.
Nymphalis antiopa L. (Lep. Nymphalid).

Porthetria dispar L. (Lep. Lymantriid) - Europe, Czechoslovakia, Yugoslavia, Poland, Russia, N. Africa.
Stilpnolia salicis L. (Lep. Lymantriid) - Europe, Poland, Canada.

Sarcophaga albiceps Mg.

Aporia crataegi L. (Lep. Pierid) - Europe, Italy.
Dendrolimus albolineatus Mats. (Lep. Lasiocampid) - Japan.
Dendrolimus pini L. (Lep. Lasiocampid) - Europe, Austria, Russia.
Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.
Melolontha sp. (Col. Melolonthid) - Europe.
Oryctes nasicornis L. (Col. Dynastid) - Europe.
Polyphylla fullo L. (Col. Melolonthid) - Europe.
Porthetria dispar L. (Lep. Lymantriid) - Europe, Russia, N. Africa.
Saperda populnea L. (Col. Lamiid) - Europe, Germany.

Sarcophaga aldrichi Park.

Malacosoma disstria Hb. (Lep. Lasiocampid) - Canada.
Porthetria dispar L. (Lep. Lymantriid) - Europe, U.S.A., N. Africa.
Stilpnolia salicis L. (Lep. Lymantriid) - Canada.

Sarcophaga angustifrons Aldr. - See S. caridei Brèthes

Sarcophaga antilope Boettch.

Mahasena corbetti Tams (Lep. Psychid) - Malaya.
 Psychid sp. (Lep.) - Malaya.

Sarcophaga aratrix Pand.

Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.

Sarcophaga argentina Brèthes

Schistocerca cancellata Serv. (Orth. Acridid) - Argentina.

Sarcophaga assidua Walk.

Laphygma frugiperda A. & S. (Lep. Phalaenid) - U.S.A.

Sarcophaga atlantis Aldr.

Melanoplus mexicanus mexicanus Sauss. (Orth. Acridid) - U.S.A.

Sarcophaga atropos Mg. - See S. carnaria L.

Sarcophaga barbata Thoms.

Lachnosterna sp. (Col. Melolonthid) - U.S.A.
Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.
Schistocerca cancellata Serv. (Orth. Acridid) - Argentina.

Sarcophaga beckeri Villen.

Nomadacris septemfasciata Serv. (Orth. Acridid) - S. Rhodesia.

Sarcophaga calcifera Boettch.

Lepidoderma albohirtum Waterh. (Col. Melolonthid) - Australia.

Sarcophaga calliste B.B.

Saga pedo Beauv. (Orth. Tettigoniid) - Europe.

Sarcophaga caridei Brèthes

Schistocerca cancellata Serv. (Orth. Acridid) - Argentina, Mexico,
Tropical America.

Sarcophaga carnaria L.

Agrotis segetum Schiff. (Lep. Phalaenid) - Czechoslovakia.

Dendrolimus pini L. (Lep. Lasiocampid) - Austria.

Dociostaurus maroccanus Thnb. (Orth. Acridid) - Europe, Spain, America,
Africa.

Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.

Melanoplus mexicanus mexicanus Sauss. (Orth. Acridid) - Europe, America,
Africa.

Sarcophaga carnaria albiceps Mg. - See S. albiceps Mg.

Sarcophaga caudagalli Boettch.

Cryptothoelea variegata Sn. (Lep. Psychid) - Malaya.

Sarcophaga chrysostoma Wd.

Mocis repanda F. (Lep. Phalaenid) - Br. Guiana.

Sarcophaga cimbicis Tns. - See also S. setulosa Wulp

Sarcophaga cimbicis Tns.

Alsophila pometaria Harr. (Lep. Geometrid) - U.S.A.

Chortophaga viridifasciata DeG. (Orth. Acridid) - U.S.A.

Epiblema otiosana Clem. (Lep. Olethreutid) - U.S.A.

Macronoctua onusta Grote (Lep. Phalaenid) - U.S.A.

Papaipema nebris Guen. (Lep. Phalaenid) - U.S.A.

Plathypena scabra F. (Lep. Phalaenid) - U.S.A.

Sarcophaga clathrata Mg.

Anacridium aegyptium L. (Orth. Acridid) - Europe, Algeria.

Dociostaurus maroccanus Thnb. (Orth. Acridid) - Europe, Algeria.

Lymantria monacha L. (Lep. Lymantriid) - Sweden.

Sarcophaga clotho Brèthes

Schistocerca sp. (Orth. Acridid) - Argentina.

Schistocerca cancellata Serv. (Orth. Acridid) - Brazil.

Sarcophaga consanguinea Rond.

Rhinocoris iracundus Poda (Hem. Reduviid) - Europe.

Sarcophaga cruentata Mg.

Dociostaurus maroccanus Thnb. (Orth. Acridid) - Spain, Algeria.

Sarcophaga destructor Mall.

Schistocerca gregaria Forsk. (Orth. Acridid) - Sudan.

Sarcophaga dispersa Villen.

Dysdercus sp. (Hem. Pyrrhocorid) - Uganda.

Sarcophaga diversipes Coq.

Laphygma frugiperda A. & S. (Lep. Phalaenid).

Sarcophaga dysderci Villen.Dysdercus sp. (Hem. Pyrrhocorid) - Uganda.Sarcophaga eleodis Aldr.Asida obovata Lec. (Col. Tenebrionid) - U.S.A.Eleodes sp. (Col. Tenebrionid) - U.S.A.Eleodes extricata Say (Col. Tenebrionid).Eleodes fusiformis Lec. (Col. Tenebrionid).Eleodes hispilabrus Say (Col. Tenebrionid).Eleodes obsoleta Say (Col. Tenebrionid) - U.S.A.Eleodes opaca Say (Col. Tenebrionid) - U.S.A.Eleodes tricostata Say (Col. Tenebrionid).Sarcophaga erythrura Mg.Doclostaurus maroccanus Thnb. (Orth. Acridid) - Russia.Sarcophaga exuberans Pand.Nomadacris septemfasciata Serv. (Orth. Acridid) - S. Rhodesia.Sarcophaga falciformis Aldr.Melanoplus sp. (Orth. Acridid) - U.S.A.Sarcophaga ferculata Pand. - See S. barbata Thoms.Sarcophaga flagellata Villen.Dacus brevistylus Bezzi (Dipt. Trypetid) - Italian Somaliland.Sarcophaga flavipes Aldr.Stagmomantis carolina Johan. (Orth. Mantid) - U.S.A.Sarcophaga formosana Senior-WhitePhilosamia walkeri advena Pack. (Lep. Saturniid) - Malaya.Sarcophaga furcadorsalis Rohd.Locusta migratoria migratorioides R. & F. (Orth. Acridid) - Sierra Leone.Sarcophaga fuscicauda Boettch. - See S. peregrina R.-D.Sarcophaga georgina Wd. - See S. haemorrhoidalis Fall.Sarcophaga haematodes Mg. - See S. striata F.Sarcophaga haemorrhoidalis Fall.Doclostaurus maroccanus Thnb. (Orth. Acridid) - Spain, S. America, Algeria.Laphygma frugiperda A. & S. (Lep. Phalaenid) - U.S.A.Locusta migratoria L. (Orth. Acridid) - Europe.Melanoplus sp. (Orth. Acridid) - U.S.A.Melanoplus differentialis Thos. (Orth. Acridid) - U.S.A.Schistocerca cancellata Serv. (Orth. Acridid) - S. America, Algeria.Schistocerca gregaria Forsk. (Orth. Acridid) - S. America, Algeria, Morocco.

Sarcophaga helicis Tns. - See S. rapax Walk.
- See also Helicobia rapax Walk.

Sarcophaga houghi Aldr.

Archips argyrospila Walk. (Lep. Tortricid) - U.S.A.
Ennomos subsignarius Hb. (Lep. Geometrid) - U.S.A.
Stilpnotia salicis L. (Lep. Lymantriid) - Canada.

Sarcophaga hunteri Hough

Acridid sp. (Orth.) - Canada.
Camnula pellucida Scudder (Orth. Acridid) - Canada.
Carpocapsa pomonella L. (Lep. Olethreutid).
Chortophaga viridifasciata DeG. (Orth. Acridid) - U.S.A.
Melanoplus sp. (Orth. Acridid) - U.S.A.
Melanoplus differentialis Thos. (Orth. Acridid).
Melanoplus mexicanus mexicanus Sauss. (Orth. Acridid).

Sarcophaga kellyi Aldr.

Acheta assimilis F. (Orth. Gryliid) - U.S.A.
Acridid sp. (Orth.) - Canada.
Camnula pellucida Scudder (Orth. Acridid) - Canada.
Chortophaga viridifasciata DeG. (Orth. Acridid) - U.S.A.
Dissosteira carolina L. (Orth. Acridid) - U.S.A.
Dissosteira longipennis Thomas (Orth. Acridid) - U.S.A.
Glossina palpalis R.-D. (Dipt. Muscid) - Upper Congo.
Melanoplus sp. (Orth. Acridid) - U.S.A.
Melanoplus differentialis Thos. (Orth. Acridid) - U.S.A.
Melanoplus mexicanus mexicanus Sauss. (Orth. Acridid) - U.S.A.

Sarcophaga kempi Senior-White

Bagrada picta L. (Hem. Pentatomid) - Ceylon.
Mocis frugalis F. (Lep. Phalaenid) - Ceylon.

Sarcophaga lambens Wd.

Acanthocephala femorata F. (Hem. Coreid) - U.S.A.
Acronicta ovata Grote (Lep. Phalaenid) - U.S.A.
Alabama argillacea Hb. (Lep. Phalaenid) - Porto Rico, U.S.A.
Autographa brassicae Riley (Lep. Phalaenid) - U.S.A.
Belostoma sp. (Hem. Belostomatid) - U.S.A.
Calpodes ethlius Cram. (Lep. Hesperiid) - Barbados, St. Vincent, W. Indies.
Citheronia regalis F. (Lep. Citheroniid) - U.S.A.
Corecoris confluentus Say (Hem. Coreid) - U.S.A.
Cossula magnifica Sterck. (Lep. Cossid) - U.S.A.
Diaphania hyalinata L. (Lep. Pyraustid) - U.S.A.
Diatraea sp. (Lep. Crambid) - Cuba, Cuba-Mexico, Mexico, Porto Rico, U.S.A.
Diatraea grandiosella Dyar (Lep. Crambid) - Mexico.
Diatraea saccharalis F. (Lep. Crambid) - Cuba, Cuba-Mexico, Porto Rico.
Erinnyis ello L. (Lep. Sphingid) - Panama.
Euschistus servus Say (Hem. Pentatomid) - U.S.A.
Heliothis sp. (Lep. Phalaenid) - U.S.A.

Heliothis armigera Hb. (Lep. Phalaenid) - U.S.A.
Heliothis virescens F. (Lep. Phalaenid) - Brazil, U.S.A.
Lachnosterna portoricensis Smyth (Col. Melolonthid) - Porto Rico.
Lachnosterna vandinei Smyth (Col. Melolonthid) - Porto Rico.
Laphygma frugiperda A. & S. (Lep. Phalaenid) - Porto Rico.
Megastes grandalis Guen. (Lep. Pyraustid) - Trinidad.
Mocis repanda F. (Lep. Phalaenid) - Porto Rico.
Murgantia histrionica Hahn (Hem. Pentatomid) - U.S.A.
Nezara hilare Say (Hem. Pentatomid) - U.S.A.
Nezara viridula L. (Hem. Pentatomid) - U.S.A.
Protoparce sexta Joh. (Lep. Sphingid) - U.S.A.
Pycnoscelus surinamensis L. (Orth. Blattid) - Haiti.
Romalea microptera Beauv. (Orth. Acridid) - U.S.A.
Scapteriscus vicinus Scudder (Orth. Gryllid) - Porto Rico.
Schistocerca americana Dru. (Orth. Acridid) - U.S.A.
Schistocerca cancellata Serv. (Orth. Acridid) - Argentina, Mexico.
Stenodontes damicornis L. (Col. Prionid) - U.S.A.
Stethoxus foveolatus Reginbart (Col. Hydrophilid) - Ecuador.
Strategus sp. (Col. Dynastid) - Jamaica.
Strategus titanus F. (Col. Dynastid) - Jamaica.

Sarcophaga latisterna Park.

Alsophila pometaria Harr. (Lep. Geometrid) - U.S.A.
Ennomos subsignarius Hb. (Lep. Geometrid) - U.S.A.
Epilachna varivestis Muls. (Col. Coccinellid) - U.S.A.
Heliothis armigera Hb. (Lep. Phalaenid) - U.S.A.
Macronoctua onusta Grote (Lep. Phalaenid) - U.S.A.
Pieris rapae L. (Lep. Pierid) - U.S.A.
Popillia japonica Newm. (Col. Rutelid) - U.S.A.

Sarcophaga lineata Fall. - See Blaesoxipha

Sarcophaga lubera Brèthes

Schistocerca sp. (Orth. Acridid) - Argentina.
Schistocerca cancellata Serv. (Orth. Acridid) - Brazil.

Sarcophaga nodosa Engel.

Nomadacris septemfasciata Serv. (Orth. Acridid) - S. Rhodesia.

Sarcophaga nurus Rond. - See S. haemorrhoidalis Fall.

Sarcophaga opifera Coq. - See Opsophyto

Sarcophaga orientalis Park.

Setora nitens Walk. (Lep. Limacodid) - Malaya.

Sarcophaga orientaloides S.W.

Hidari irava Moore (Lep. Hesperiid) - Malaya.

Sarcophaga pabulans Fall.

Lymantria monacha L. (Lep. Lymantriid) - Germany.

Sarcophaga pedata Aldr.

Diatraea saccharalis F. (Lep. Crambid) - Cuba.

Sarcophaga peregrina R.-D.

- Chalcocelis albiguttata Snell. (Lep. Limacodid) - Malaya.
Crocidolomia binotalis Zell. (Lep. Pyraustid) - Ceylon.
Mahasena corbetti Tams (Lep. Psychid) - Malaya.

Sarcophaga privigna Rond.

- Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.

Sarcophaga prohibita Aldr.

- Lachnosterna sp. (Col. Melolonthid) - U.S.A.
Lachnosterna lanceolata Say (Col. Melolonthid) - U.S.A.

Sarcophaga rapax Walk. - See also HelicobiaSarcophaga rapax Walk.

- Allorhina nitida L. (Col. Cetoniid) - U.S.A.
Anticarsia gemmatilis Hb. (Lep. Phalaenid) - U.S.A.
Diatraea saccharalis F. (Lep. Crambid) - Cuba.
Epiglaea apiata Grote (Lep. Phalaenid) - U.S.A.
Epilachna varivestis Muls. (Col. Coccinellid) - U.S.A.
Eutheola rugiceps Lec. (Col. Dynastid) - U.S.A.
Feltia subterranea F. (Lep. Phalaenid) - U.S.A.
Lachnosterna sp. (Col. Melolonthid) - U.S.A.
Laphygma frugiperda A. & S. (Lep. Phalaenid).
Ligyris gibbosus DeG. (Col. Dynastid) - U.S.A.
Macronoctua onusta Grote (Lep. Phalaenid) - U.S.A.
Mocis repanda F. (Lep. Phalaenid) - Porto Rico.
Nymphalis californica Bdv. (Lep. Nymphalid) - U.S.A.
Papaipema nebris Guen. (Lep. Phalaenid) - U.S.A.
Peridroma margaritosa Haw. (Lep. Phalaenid) - U.S.A.
Sanninoidea exitiosa Say (Lep. Aegeriid) - U.S.A.

Sarcophaga reinhardi Hall

- Epilachna varivestis Muls. (Col. Coccinellid) - U.S.A.

Sarcophaga robusta Aldr.

- Lachnosterna portoricensis Smyth (Col. Melolonthid) - Porto Rico.

Sarcophaga rudis Aldr.

- Ligyris gibbosus DeG. (Col. Dynastid) - U.S.A.

Sarcophaga sarraceniae Riley

- Allorhina nitida L. (Col. Cetoniid) - U.S.A.
Chortophaga viridifasciata DeG. (Orth. Acridid) - U.S.A.

Sarcophaga sarracenioides Aldr. - See also S. tuberosa sarracenioides Aldr.Sarcophaga sarracenioides Aldr.

- Anabrus longipes Caud. (Orth. Tettigoniid) - Canada.

Sarcophaga schützei Kram.

- Dendrolimus pini L. (Lep. Lasiocampid) - Europe.
Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.

Sarcophaga scoparia Pand.Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.Sarcophaga setulosa Wulp - See also S. cimbicis Tns.Sarcophaga setulosa WulpLachnosterna sp. (Col. Melolonthid) - U.S.A.Ligyris gibbosus DeG. (Col. Dynastid) - U.S.A.Xyloryctes satyrus F. (Col. Dynastid) - U.S.A.Sarcophaga sima Aldr.Curculio caryae Horn (Col. Curculionid) - U.S.A.Sarcophaga sinuata Mg.Doclostaurus maroccanus Thnb. (Orth. Acridid) - Spain.Melanoplus differentialis Thos. (Orth. Acridid) - U.S.A.Sarcophaga sternodontis Tns. - See S. lambens Wd.Sarcophaga striata F.Chrysochraon dispar Germ. (Orth. Acridid) - Europe.Doclostaurus maroccanus Thnb. (Orth. Acridid) - Europe, Spain.Oryctes nasicornis L. (Col. Dynastid) - Europe.Stauroderus sp. (Orth. Acridid) - France.Sarcophaga surrubea WulpDiatraea saccharalis F. (Lep. Crambid) - Cuba.Sarcophaga tuberosa Pand.Chorthippus bicolor Charp. (Orth. Acridid) - France.Dendrolimus pini L. (Lep. Lasiocampid) - Europe.Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.Sarcophaga tuberosa sarracenioides Aldr. - See also S. sarracenioides Aldr.Sarcophaga tuberosa sarracenioides Aldr.Lachnosterna sp. (Col. Melolonthid) - U.S.A.Sarcophaga uliginosa Kram.Dendrolimus pini L. (Lep. Lasiocampid) - Europe.Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.Porthetria dispar L. (Lep. Lymantriid) - Europe, N. Africa.Sarcophaga utilis Aldr.Allorhina nitida L. (Col. Cetoniid) - U.S.A.Lachnosterna sp. (Col. Melolonthid) - U.S.A.Sarcophaga valangae Aldr. - See BlaesoxiphaSarcophaga varia Walk.Schistocerca cancellata Serv. (Orth. Acridid) - Argentina.Sarcophaga villa CurranNomadacris septemfasciata Serv. (Orth. Acridid) - S. Rhodesia.

SARCOPHAGID sp.

Anacridium moestum melanorhodon Walk. (Orth. Acridid) - Sudan.
Parnara guttata Brem. (Lep. Hesperiid) - China.

Sarcophila latifrons Fall. - See Agria

Setulia grisea Mg. - See Pterella

Setulia melanura Mg. - See Pterella

Tephromyia grisea Mg.

Doclostaurus maroccanus Thnb. (Orth. Acridid) - Italy, Algeria.

Tephromyia lineata Fall. - Blaesoxipha

Wohlfahrtia bella Macq.

Schistocerca gregaria Forsk. (Orth. Acridid) - Algeria.

Wohlfahrtia brunnipalpis Macq.

Locustana pardalina Walk. (Orth. Acridid) - S. Africa.

Wohlfahrtia euvittata Villen.

Locustana pardalina Walk. (Orth. Acridid) - S. Africa.

Nomadacris septemfasciata Serv. (Orth. Acridid) - S. Africa.

Schistocerca gregaria Forsk. (Orth. Acridid) - S. Africa.

Wohlfahrtia trina Wd.

Locusta migratoria L. (Orth. Acridid) - Russia.

Schistocerca gregaria Forsk. (Orth. Acridid) - Russia.

TachinidAcaulona brasiliiana Tns.

Dysdercus sp. (Hem. Pyrrhocorid) - Brazil.

Acaulona peruviana Tns.

Dysdercus ruficollis L. (Hem. Pyrrhocorid) - Peru.

Acemya acuticornis Mg.

Anacridium aegyptium L. (Orth. Acridid) - Europe, Tunisia.

Chorthippus bicolor Charp. (Orth. Acridid) - France.

Chorthippus biguttulus L. (Orth. Acridid) - France.

Chorthippus dorsatus Zett. (Orth. Acridid) - France.

Chorthippus mollis Charp. (Orth. Acridid) - France.

Doclostaurus maroccanus Thnb. (Orth. Acridid) - Spain.

Euchorthippus pulvinatus F.W. (Orth. Acridid) - France.

Harmodia cucubali Schiff. (Lep. Phalaenid) - Europe.

Pezotettix giornae Rossi (Orth. Acridid) - Italy.

Acemya calloti Seguy

Anacridium aegyptium L. (Orth. Acridid) - Tunisia.

Stenobothrus sp. (Orth. Acridid) - France.

Acemya dentata Coq. - See Ceracia

Acemyia - See Acemya

Achaetoneura sp.

- Acronicta lanceolaria Grote (Lep. Phalaenid) - U.S.A.
- Ceratomia catalpe Bdv. (Lep. Sphingid) - U.S.A.
- Hemerocampa leucostigma A. & S. (Lep. Lymantriid) - U.S.A.
- Heterocampa umbrata Walk. (Lep. Notodontid) - U.S.A.
- Simyra henrici Grote (Lep. Phalaenid) - U.S.A.

Achaetoneura aletiae Riley

- Alabama argillacea Hb. (Lep. Phalaenid) - U.S.A.
- Autographa rogationis Guen. (Lep. Phalaenid) - U.S.A.
- Cirphis unipuncta Haw. (Lep. Phalaenid) - U.S.A.
- Halisidota harrisii Walsh (Lep. Arctiid) - U.S.A.
- Halisidota tessellaris A. & S. (Lep. Arctiid) - N. America.
- Heliothis armigera Hb. (Lep. Phalaenid) - U.S.A.
- Hemerocampa leucostigma A. & S. (Lep. Lymantriid) - U.S.A.
- Hemileuca mala Dru. (Lep. Saturniid) - N. America.
- Hyblaea puera Cram. (Lep. Hyblaeid) - Jamaica.
- Hyphantria cunea Dru. (Lep. Arctiid) - N. America, U.S.A.
- Laphygma frugiperda A. & S. (Lep. Phalaenid) - Jamaica.
- Malacosoma americana F. (Lep. Lasiocampid) - N. America.
- Megalopyge opercularis A. & S. (Lep. Megalopygid) - U.S.A.
- Mocis repanda F. (Lep. Phalaenid) - Jamaica.
- Nymphalis antiopa L. (Lep. Nymphalid) - U.S.A.
- Olycella junctolineella Hulst. (Lep. Phycitid) - U.S.A.
- Pholus sp. (Lep. Sphingid) - N. America.
- Plathypena scabra F. (Lep. Phalaenid) - U.S.A.
- Porthetria dispar L. (Lep. Lymantriid) - N. America.
- Proteides clarus Cram. (Lep. Hesperiid) - N. America.
- Stilpnotia salicis L. (Lep. Lymantriid) - N. America.

Achaetoneura anisotae Web.

- Anisota rubicunda F. (Lep. Citheroniid) - U.S.A.
- Anisota senatoria A. & S. (Lep. Citheroniid) - U.S.A.
- Diacrisia virginica F. (Lep. Arctiid) - U.S.A.

Achaetoneura archippivora Will.

- Alypia octomaculata F. (Lep. Phalaenid) - N. America.
- Cirphis unipuncta Haw. (Lep. Phalaenid) - Hawaii.
- Colias philodice eurytheme Bdv. (Lep. Pierid) - U.S.A.
- Danaus plexippus L. (Lep. Danaid) - N. America, U.S.A.
- Elydna nonagrica Walk. (Lep. Phalaenid) - Hawaii.
- Euchaetias egle Dru. (Lep. Arctiid) - N. America.
- Halisidota caryae Harr. (Lep. Arctiid) - U.S.A.
- Heliothis armigera Hb., (Lep. Phalaenid) - Hawaii.
- Laphygma frugiperda A. & S. (Lep. Phalaenid) - Porto Rico, U.S.A.
- Loxostege commixtalis Walk. (Lep. Pyraustid) - U.S.A.

Malacosoma americana F. (Lep. Lasiocampid) - N. America.
Nymphalis antiopa L. (Lep. Nymphalid) - N. America, U.S.A.
Nymphalis milberti Godt. (Lep. Nymphalid) - N. America, U.S.A.
Pieris rapae L. (Lep. Pierid) - Hawaii, N. America, U.S.A.
Spodoptera mauritia Boisd. (Lep. Phalaenid) - Hawaii.
Vanessa atalanta L. (Lep. Nymphalid) - N. America, U.S.A.
Vanessa cardui L. (Lep. Nymphalid) - U.S.A.

Achaetoneura cuculliae Web.

Cucullia sp. (Lep. Phalaenid) - N. America.
Dasylophia anguina A. & S. (Lep. Notodontid) - N. America, U.S.A.

Achaetoneura dimmocki Web.

Automeris io F. (Lep. Saturniid) - N. America.

Achaetoneura euchaetiae Web.

Euchaetias egle Dru. (Lep. Arctiid) - U.S.A.
Halisidota tessellaris A. & S. (Lep. Arctiid) - U.S.A.

Achaetoneura fernaldi Will. - See Exorista larvarum L.

Achaetoneura frenchii Will.

Anisota rubicunda F. (Lep. Citheroniid) - U.S.A.
Anisota senatoria A. & S. (Lep. Citheroniid) - U.S.A.
Callosamia promethea Drury (Lep. Saturniid) - U.S.A.
Ceratomia catalpe Bdv. (Lep. Sphingid) - U.S.A.
Ceratomia undulosa Walk. (Lep. Sphingid) - U.S.A.
Datana angusii G. & R. (Lep. Notodontid) - U.S.A.
Datana integerrima G. & R. (Lep. Notodontid) - U.S.A.
Datana ministra Drury (Lep. Notodontid) - U.S.A.
Diacrisia virginica F. (Lep. Arctiid) - U.S.A.
Euchaetias egle Dru. (Lep. Arctiid) - U.S.A.
Geometrid sp. (Lep.) - U.S.A.
Halisidota tessellaris A. & S. (Lep. Arctiid) - U.S.A.
Heliothis armigera Hb. (Lep. Phalaenid) - U.S.A.
Hemerocampa leucostigma A. & S. (Lep. Lymantriid) - U.S.A.
Hydroecia immanis Guen. (Lep. Phalaenid) - U.S.A.
Hyphantria cunea Dru. (Lep. Arctiid) - U.S.A.
Ichthyura inclusa Hb. (Lep. Notodontid) - U.S.A.
Laphygma frugiperda A. & S. (Lep. Phalaenid) - U.S.A.
Malacosoma americana F. (Lep. Lasiocampid) - U.S.A.
Malacosoma disstria Hb. (Lep. Lasiocampid) - U.S.A.
Nygma phaeorrhoea Don. (Lep. Lymantriid) - U.S.A.
Nymphalis antiopa L. (Lep. Nymphalid) - U.S.A.
Paonias myops A. & S. (Lep. Sphingid) - U.S.A.
Papilio ajax L. (Lep. Papilionid) - U.S.A.
Papilio daunus Bdv. (Lep. Papilionid) - Canada.
Papilio eurymedon Bdv. (Lep. Papilionid) - Canada.
Papilio glaucus turnus L. (Lep. Papilionid) - U.S.A.
Papilio troilus L. (Lep. Papilionid) - U.S.A.
Philosamia walkeri advena Pack. (Lep. Saturniid) - U.S.A.
Pieris rapae L. (Lep. Pierid) - U.S.A.
Porthetria dispar L. (Lep. Lymantriid) - U.S.A.

Protoparce quinquemaculata Haw. (Lep. Sphingid) - U.S.A.
Samia cecropia L. (Lep. Saturniid) - Canada, U.S.A.
Samia columbia Sm. (Lep. Saturniid) - Canada.
Smerinthus jamaicensis geminatus Say (Lep. Sphingid) - U.S.A.
Sphingid sp. (Lep.) - U.S.A.
Sphinx chersis Hb. (Lep. Sphingid) - U.S.A.
Sphinx kalmiae A. & S. (Lep. Sphingid) - U.S.A.
Stilpnolia salicis L. (Lep. Lymantriid) - U.S.A.
Telea polyphema Cram. (Lep. Saturniid) - U.S.A.
Tropaea luna L. (Lep. Saturniid) - U.S.A.
Vanessa atalanta L. (Lep. Nymphalid) - U.S.A.

Achaetoneura hesperus B.B. - See A. frenchii Will.

Achaetoneura laniiferae Web.

Laniifera cyclades Druce (Lep. Pyraustid) - Mexico.

Achaetoneura melalophae Allen

Ichthyura inclusa Hb. (Lep. Notodontid) - N. America.

Achaetoneura nigripalpis Aldr.

Calpodes ethlius Cram. (Lep. Hesperiid) - Trinidad.

Achaetoneura parancilla Tns.

Filatima persicaeella Murt. (Lep. Gelechiid) - U.S.A.

Gelechia sp. (Lep. Gelechiid) - America.

Pectinophora gossypiella Saund. (Lep. Gelechiid) - America.

Achaetoneura pholi Web.

Pholus sp. (Lep. Sphingid) - U.S.A.

Achaetoneura piperi Tns.

Schizura ipomoeae Doubleday (Lep. Notodontid) - U.S.A.

Schizura unicornis A. & S. (Lep. Notodontid) - U.S.A.

Achaetoneura rileyi Will.

Papilio thoas L. (Lep. Papilionid) - N. America.

Achaetoneura samiae Web.

Malacosoma americana F. (Lep. Lasiocampid) - U.S.A.

Samia cecropia L. (Lep. Saturniid) - U.S.A.

Achaetoneura schizurae Tns.

Schizura unicornis A. & S. (Lep. Notodontid) - U.S.A.

Achaetoneura spectabilis Aldr.

Tetralopha robustella Zell. (Lep. Epipaschiid) - N. America.

Achaetoneura testacea Web.

Nymphalis antiopa L. (Lep. Nymphalid) - U.S.A.

Pholus achemon Dru. (Lep. Sphingid) - U.S.A.

Pholus vitis L. (Lep. Sphingid) - U.S.A.

Acroglossa hesperidarum Will.Cirphis cholica Dyar (Lep. Phalaenid) - Mexico.Leucania latiuscula H.-S. (Lep. Phalaenid) - Mexico.Actia sp.Catocala sp. (Lep. Phalaenid) - U.S.A.Catocala relictata Walk. (Lep. Phalaenid) - U.S.A.Ennomos subsignarius Hb. (Lep. Geometrid) - U.S.A.Eugonobapta nivosaria Guen. (Lep. Geometrid) - U.S.A.Heterocampa guttivitta Walk. (Lep. Notodontid) - U.S.A.Actia aegyptia Vill.Earias sp. (Lep. Phalaenid) - Burma, India.Earias fabia Stoll (Lep. Phalaenid) - India.Earias insulana Boisd. (Lep. Phalaenid) - India.Laphygma exigua Hb. (Lep. Phalaenid) - India.Prodenia litura F. (Lep. Phalaenid) - Egypt.Spodoptera mauritia Boisd. (Lep. Phalaenid) - India.Actia apicalis R.-D.Ophiusa pastinum Tr. (Lep. Phalaenid) - Europe.Actia bicolor Mg.Eriogaster lanestris L. (Lep. Lasiocampid) - Europe.Eupithecia denotata Hb. (Lep. Geometrid) - Europe.Lasiocampa quercus L. (Lep. Lasiocampid) - Europe.Scardia boleti F. (Lep. Tineid) - Europe.Actia bigoti Mill.Archips pronubana Hb. (Lep. Tortricid) - Europe.Actia comitata Villen.Dysdercus sp. (Hem. Pyrrhocorid) - Uganda.Actia crassicornis Mg.Agonopterix applana F. (Lep. Oecophorid) - Europe.Anthophila pariana Clerck (Lep. Glyphipterygid) - Europe.Depressaria heydenii Zell. (Lep. Oecophorid) - Europe.Petrova resinella L. (Lep. Olethreutid) - Europe.Rhyacionia buoliana Schiff. (Lep. Olethreutid) - Europe.Tortrix viridana L. (Lep. Tortricid) - Europe, Italy.Actia diffidens CurranAcleris variana Fernald (Lep. Tortricid) - Canada.Actia eucosmae BezziCrocidosoma plebeiana Zell. (Lep. Olethreutid) - Australia.Actia exoleta Mg.Polia flavicincta Schiff. (Lep. Phalaenid) - Europe.Tortrix viridana L. (Lep. Tortricid) - Germany.Actia flavipes Coq.Brephos infans Mosch. (Lep. Geometrid) - U.S.A.

Cosymbia lumenaria Hb. (Lep. Geometrid) - U.S.A.
Phryganidea californica Pack. (Lep. Diophtid) - U.S.A.

Actia frontalis Macq.

Epiblema pflugiana Haw. (Lep. Olethreutid) - Europe.
Lasiocampa quercus L. (Lep. Lasiocampid) - England.
Laspeyresia cosmophorana Tr. (Lep. Olethreutid) - Europe.
Ourapteryx sambucaria L. (Lep. Geometrid) - England.

Actia hyalinata Mall.

Hyblaea pueria Cram. (Lep. Hyblaeid) - India.
Pyrausta machaeralis Walk. (Lep. Pyraustid) - India, Malaya.

Actia infantula Zett.

Laspeyresia servillana Dup. (Lep. Olethreutid) - Europe.
Petrova resinella L. (Lep. Olethreutid) - Europe.

Actia interrupta Curran

Amelia pallorana Rob. (Lep. Tortricid) - Canada.
Grapholitha molesta Busck (Lep. Olethreutid) - Canada.

Actia latifrons Mg.

Aporia crataegi L. (Lep. Pierid) - Europe, Italy.

Actia mallochiana Bar.

Parnara mathias F. (Lep. Hesperiid) - Malaya.

Actia monticola Mall.

Laphygma sp. (Lep. Phalaenid) - India.
Prodenia sp. (Lep. Phalaenid) - India.
Spodoptera sp. (Lep. Phalaenid) - India.

Actia nana Curran

Earias sp. (Lep. Phalaenid) - Uganda.

Actia nigracula Mall.

Cirphis sp. (Lep. Phalaenid) - Australia.
Cirphis loreyi Dup. (Lep. Phalaenid) - Australia.
Cirphis unipuncta Haw. (Lep. Phalaenid) - Australia.
Laphygma exempta Walk. (Lep. Phalaenid) - Australia.

Actia nudibasis Stein

Rhyacionia buoliana Schiff. (Lep. Olethreutid) - Austria, England.

Actia pilipennis Fall.

Agonopterix costosa Haw. (Lep. Oecophorid) - Europe.
Agonopterix liturella Hb. (Lep. Oecophorid) - Europe.
Agonopterix scopariella Hein. (Lep. Oecophorid) - Europe.
Archips pronubana Hb. (Lep. Tortricid) - Europe, France, Italy.
Batodes angustiorana Haw. (Lep. Tortricid) - England.
Dioryctria abietella D. & S. (Lep. Phycitid) - Europe.
Dioryctria splendidella H.-S. (Lep. Phycitid) - Europe, Germany.
Grapholitha molesta Busck (Lep. Olethreutid) - U.S.A.

Hyponomeuta euonymellus L. (Lep. Hyponomeutid) - Europe.
Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Rumania.
Olethreutes schulziana F. (Lep. Olethreutid) - Europe.
Petrova resinella L. (Lep. Olethreutid) - Europe.
Rhyacionia buoliana Schiff. (Lep. Olethreutid) - Europe, Germany.
Schizura concinna A. & S. (Lep. Notodontid).
Sparganothis pilleriana Schiff. (Lep. Tortricid) - Europe.
Tortrix viridana L. (Lep. Tortricid) - Europe, England, Italy.

Actia pomonellae Schnabl & Mokrz.

Carpocapsa pomonella L. (Lep. Olethreutid) - Europe.
Pectinophora gossypiella Saund. (Lep. Gelechiid) - Europe.

Actia prasinanae Wulp

Halias prasinana L. (Lep. Phalaenid) - Europe.

Actia semilata Mall.

Parnara mathias F. (Lep. Hesperiid) - Malaya.

Actia tibialis R.-D.

Comptosia jourdanaria Vill. (Lep. Geometrid) - Spain.
Earias sp. (Lep. Phalaenid) - India.

Actia versicolor Fall.

Drepana lacertinaria L. (Lep. Drepanid) - Europe.

Acuphocera varia F. - See Cuphocera

Admontia amica Mg.

Tipula sp. (Dipt. Tipulid) - Europe.

Admontia blanda Fall.

Tipula sp. (Dipt. Tipulid) - Germany.

Admontia degeerioides Coq.

Laphygma frugiperda A. & S. (Lep. Phalaenid) - U.S.A.

Admontia demylus Walk.

Neodiprion lecontei Fitch (Hym. Tenthredinid) - U.S.A.

Admontia hylotomae Coq. - See Hylotomomyia

Admontia retiniae Coq.

Pectinophora gossypiella Saund. (Lep. Gelechiid) - U.S.A.
Rhyacionia sp. (Lep. Olethreutid) - U.S.A.

Alophora aureiventris Curran

Dysdercus sidae Montr. (Hem. Pyrrhocorid) - Australia.
Melamphaus faber F. (Hem. Pyrrhocorid) - Malaya.

Alophora nigeriensis Villen.

Dysdercus fasciatus Sign. (Hem. Pyrrhocorid) - S. Rhodesia.
Dysdercus intermedius Dist. (Hem. Pyrrhocorid) - S. Rhodesia.

Dysdercus supersticiosus F. (Hem. Pyrrhocorid) - S. Rhodesia.

Alophora opaca Coq.

Lygus pratensis L. (Hem. Capsid) - Canada.

Alophora subcoleoptrata Rond.

Eurygaster integriceps Put. (Hem. Pentatomid) - Russia.

Anachaetopsis nitidula Rond.

Galerucella luteola Mull. (Col. Galerucid) - France-U.S.A.

Anachaetopsis ocypterina Zett.

Oidaematophorus lithodactylus Tr. (Lep. Pterophorid) - Europe.

Oidaematophorus microdactylus Hb. (Lep. Pterophorid) - Europe.

Oidaematophorus tephrodactylus Hb. (Lep. Pterophorid) - Europe.

Pectinophora gossypiella Saund. (Lep. Gelechiid) - Europe.

Anachaetopsis tortricis Coq.

Anarsia lineatella Zell. (Lep. Gelechiid) - U.S.A.

Ancyliis comptana fragariae W. & R. (Lep. Olethreutid) - U.S.A.

Carpocapsa pomonella L. (Lep. Olethreutid) - U.S.A.

Grapholitha molesta Busck (Lep. Olethreutid) - Canada.

Pectinophora gossypiella Saund. (Lep. Gelechiid) - America.

Thyridopteryx ephemeraeformis Haw. (Lep. Psychid) - U.S.A.

Anachaetopsis vagans Aldr. - See A. tortricis Coq.

Anantha lateralis Mg.

Eurygaster integriceps Put. (Hem. Pentatomid) - Russia.

Anetia - See Lydella

Anisia sp.

Hypera nigrirostris F. (Col. Curculionid) - U.S.A.

Anoxycampta trizonata Zett.

Heterogynis penella Hb. (Lep. Arctiid) - Europe.

Anthoica pumila Macq. - See also Myobia

Anthoica pumila Macq.

Cerceris quinquefasciata Rossi (Hym. Sphegid) - France.

Aplomya affinis Fall.

Acronicta alni L. (Lep. Phalaenid) - Europe.

Acronicta tridens Schiff. (Lep. Phalaenid) - Europe.

Arctia caja L. (Lep. Arctiid) - Europe.

Arctia villica L. (Lep. Arctiid) - Europe.

Artiora evonymaria Schiff. (Lep. Geometrid) - Europe.

Dasychira pudibunda L. (Lep. Lymantriid) - Europe, Czechoslovakia.

Dendrolimus pini L. (Lep. Lasiocampid) - Europe.

Estigmene acrea Dru. (Lep. Arctiid) - U.S.A.

Eucharia festiva Hufn. (Lep. Arctiid) - Europe.

Isia isabella A. & S. (Lep. Arctiid) - U.S.A.
Malacosoma neustria L. (Lep. Lasiocampid) - Europe.
Orgyia gonostigma L. (Lep. Lymantriid) - Europe.
Pachythelia villosella Ochs. (Lep. Psychid) - Europe.
Phragmatobia fuliginosa L. (Lep. Arctiid) - Europe, Canada.
Phragmatobia fuliginosa rubricosa Harr. (Lep. Arctiid) - U.S.A.
Porthetria dispar L. (Lep. Lymantriid) - Europe, N. Africa.
Saturnia pavonia L. (Lep. Saturniid) - Europe.
Saturnia pyri Schiff. (Lep. Saturniid) - Europe.
Spilosoma sp. (Lep. Arctiid) - Czechoslovakia.
Vanessa urticae L. (Lep. Nymphalid) - Europe.

Aplomya caesar Aldr.

Archips argyrospila Walk. (Lep. Tortricid) - N. America, U.S.A.
Archips fumiferana Clem. (Lep. Tortricid) - Canada.
Argyrotaenia citrana Fern. (Lep. Tortricid) - U.S.A.
Crambus sp. (Lep. Crambid) - U.S.A.
Crambus mutabilis Clem. (Lep. Crambid) - U.S.A.
Crambus trisectus Walk. (Lep. Crambid) - U.S.A.
Loxostege commixtalis Walk. (Lep. Pyraustid) - U.S.A.
Loxostege sticticalis L. (Lep. Pyraustid) - U.S.A.
Phlyctaenia tertialis Guen. (Lep. Pyraustid) - U.S.A.
Pyrausta nubilalis Hubn. (Lep. Pyraustid) - Canada, U.S.A.

Aplomya confinis Fall.

Aporia crataegi L. (Lep. Pierid) - Europe, Italy.
Brephidium exilis Boisd. (Lep. Lycaenid) - U.S.A.
Callophrys rubi L. (Lep. Lycaenid) - Europe.
Diacrisia purpurata L. (Lep. Arctiid) - Europe.
Eupithecia sp. (Lep. Geometrid) - Europe.
Gloveria howardi Dyar (Lep. Lasiocampid) - U.S.A.
Lycaena thoe Boisd. (Lep. Lycaenid) - Canada.
Lycaenopsis argiolus L. (Lep. Lycaenid) - England.
Lycaenopsis argiolus pseudargiolus Bdv. & Lec. (Lep. Lycaenid) - N. America.
Lysandra bellargus Rott. (Lep. Lycaenid) - England.
Lysandra coridon Poda (Lep. Lycaenid) - England.
Malacosoma neustria L. (Lep. Lasiocampid) - Italy.
Plebejus melissa Edw. (Lep. Lycaenid) - U.S.A.
Strymon melinus Hb. (Lep. Lycaenid) - U.S.A.
Strymon w-album Knoch. (Lep. Lycaenid) - Britain.
Thecla ilicis Esp. (Lep. Lycaenid) - Europe.
Thecla quercus L. (Lep. Lycaenid) - Europe.

Aplomya epicydes Walk.

Cimbex americana Leach (Hym. Tenthredinid) - U.S.A.

Aplomya helvina Coq.

Amphidasis cognataria Guen. (Lep. Geometrid) - Canada, U.S.A.
Geometrid sp. (Lep.) - U.S.A.
Nacophora quernaria A. & S. (Lep. Geometrid) - U.S.A.

Aplomya trisetosa Coq.

Loxostege commixtalis Walk. (Lep. Pyraustid) - U.S.A.

Nephelodes emmedonia Cram. (Lep. Phalaenid) - U.S.A.

Archytas sp.

Catocala sp. (Lep. Phalaenid) - U.S.A.

Datana integerrima G. & R. (Lep. Notodontid) - U.S.A.

Archytas analis F.

Cirphis sp. (Lep. Phalaenid) - U.S.A.

Cirphis unipuncta Haw. (Lep. Phalaenid) - U.S.A.

Elaphria nucicolora Guen. (Lep. Phalaenid) - U.S.A.

Laphygma frugiperda A. & S. (Lep. Phalaenid) - U.S.A.

Leucania juncicola Guen. (Lep. Phalaenid) - U.S.A.

Leucania latiuscula H.-S. (Lep. Phalaenid) - U.S.A.

Leucania multilinea Walk. (Lep. Phalaenid) - U.S.A.

Malacosoma californica Pack. (Lep. Lasiocampid) - U.S.A.

Malacosoma fragilis Stretch (Lep. Lasiocampid) - U.S.A.

Peridroma margaritosa Haw. (Lep. Phalaenid) - U.S.A.

Prodenia ornithogalli Guen. (Lep. Phalaenid) - U.S.A.

Prodenia praefica Grote (Lep. Phalaenid) - U.S.A.

Archytas apicifera Walk.

Peridroma margaritosa saucia Hb. (Lep. Phalaenid) - U.S.A.

Archytas aterrima R.-D.

Catocala neogama A. & S. (Lep. Phalaenid) - U.S.A.

Cynthia tenera Hb. (Lep. Arctiid) - U.S.A.

Phalaenid sp. (Lep.) - U.S.A.

Plathypena scabra F. (Lep. Phalaenid) - U.S.A.

Archytas basifulva Walk.

Mocis disseverens Walk. (Lep. Phalaenid) - Cuba.

Archytas cirphis Curran

Cirphis sp. (Lep. Phalaenid) - Mexico.

Cirphis cholica Dyar (Lep. Phalaenid) - Mexico.

Archytas cirphisae Curran - See A. cirphis Curran

Archytas metallica R.-D.

Datana angusii G. & R. (Lep. Notodontid) - U.S.A.

Datana integerrima G. & R. (Lep. Notodontid) - U.S.A.

Datana ministra Drury (Lep. Notodontid) - U.S.A.

Datana perspicua G. & R. (Lep. Notodontid) - U.S.A.

Archytas piliventris Wulp

Agrotis ypsilon Rott. (Lep. Phalaenid) - Mexico.

Cirphis sp. (Lep. Phalaenid) - U.S.A.

Cirphis unipuncta Haw. (Lep. Phalaenid) - U.S.A.

Heliothis armigera Hb. (Lep. Phalaenid) - U.S.A.

Hyblaea puera Cram. (Lep. Hyblaeid) - Jamaica.

Laphygma frugiperda A. & S. (Lep. Phalaenid) - Cuba, Jamaica, Mexico, Porto Rico, U.S.A.

Leucania latiuscula H.-S. (Lep. Phalaenid) - U.S.A.

Mocis repanda F. (Lep. Phalaenid) - Jamaica.

Argyrophylax albincisa Wd.

Maruca testulalis Geyer (Lep. Pyraustid) - Cuba.

Pachyzancla periusalis Walk. (Lep. Pyraustid) - Porto Rico.

Protoparce sexta paphus Cram. (Lep. Sphingid) - Brazil.

Argyrophylax atropivora R.-D.

Acherontia atropos L. (Lep. Sphingid) - Europe, Mauritius.

Acherontia lachesis F. (Lep. Sphingid) - Malaya.

Acherontia styx Westw. (Lep. Sphingid) - Malaya.

Acronicta tridens Schiff. (Lep. Phalaenid) - Europe.

Diacrisia strigatula Walk. (Lep. Arctiid) - Malaya.

Herse convolvuli L. (Lep. Sphingid) - Malaya, S. Rhodesia.

Hippotion celerio L. (Lep. Sphingid) - Egypt.

Laphygma exempta Walk. (Lep. Phalaenid) - Rhodesia.

Notodonta anceps Goeze (Lep. Notodontid) - Europe.

Nymphalis io L. (Lep. Nymphalid) - Europe.

Porthetria dispar L. (Lep. Lymantriid) - Europe, N. Africa.

Sphingid sp. (Lep.) - Burma, India.

Sphinx pinastri L. (Lep. Sphingid) - Spain.

Argyrophylax bella Mg.

Argynnis sp. (Lep. Nymphalid) - Europe.

Gastropacha quercifolia L. (Lep. Lasiocampid) - Europe.

Nymphalis antiopa L. (Lep. Nymphalid) - Europe.

Nymphalis io L. (Lep. Nymphalid) - Europe, Yugoslavia.

Nymphalis polychloros L. (Lep. Nymphalid) - Czechoslovakia.

Porthetria dispar L. (Lep. Lymantriid) - Europe.

Trichiura crataegi L. (Lep. Lasiocampid) - Europe.

Vanessa atalanta L. (Lep. Nymphalid) - Europe.

Vanessa cardui L. (Lep. Nymphalid) - Europe.

Vanessa urticae L. (Lep. Nymphalid) - Europe.

Argyrophylax bimaculata Htg. - See Sturmia inconspicua Mg.

Argyrophylax nigrotibialis Bar.

Spodoptera mauritia Bois. (Lep. Phalaenid) - Malaya.

Arrhinodexia eumorphophaga Bar.

Eumorphus marginatus F. (Col. Endomychid) - Malaya.

Arrhinomyia cloacellae Kram. - See also Elodia

Arrhinomyia cloacellae Kram.

Tinea cloacella Haw. (Lep. Tineid) - Europe.

Arrhinomyia innoxia Mg.

Haltica ampelophaga Guer. (Col. Halticid) - Europe.

Arrhinomyia tragica Mg.

Carpocapsa pomonella L. (Lep. Olethreutid) - Europe, England, France, Yugoslavia.

Hypsolophus persicellus F. (Lep. Hyponomeutid) - France.
Polychrosis botrana Schiff. (Lep. Olethreutid) - Russia.
Tortrix viridana L. (Lep. Tortricid) - Lusitania.

Atacta geminata Curran - See Sturmia protoparcis Tns.

Ateloglossa cinerea Coq.

Melanotus sp. (Col. Elaterid) - U.S.A.

Aubaeantia assimilis Tns.

Parallelia bistriaris Hb. (Lep. Phalaenid) - U.S.A.

Bactromyia aurulenta Mg. - See Erycia

Bactromyia fransseni Bar.

Cnaphalocrocis medinalis Guen. (Lep. Pyraustid) - Java, Malaya.

Hedylepta diamenalis Guen. (Lep. Pyraustid) - Ceylon.

Lamprosema annubilata Swinh. (Lep. Pyraustid) - Ceylon.

Pachyzancla bipunctalis F. (Lep. Pyraustid) - Ceylon.

Ballardia pallipes Curran

Agrotis radians Guen. (Lep. Phalaenid) - Australia.

Baumhaueria goniaeformis Mg.

Cucullia verbasci L. (Lep. Phalaenid) - Europe.

Eriogaster lanestris L. (Lep. Lasiocampid) - Europe.

Saturnia pyri Schiff. (Lep. Saturniid) - Europe.

Belvosia analis Macq.

Rothschildia jorullo Westw. (Lep. Saturniid) - San Salvador.

Belvosia bifasciata F.

Anisota rubicunda F. (Lep. Citheroniid) - U.S.A.

Ceratomia amyntor Hb. (Lep. Sphingid) - U.S.A.

Citheronia regalis F. (Lep. Citheroniid) - U.S.A.

Eacles imperialis Dru. (Lep. Citheroniid) - U.S.A.

Hemileuca sp. (Lep. Saturniid) - U.S.A.

Protoparce sexta Joh. (Lep. Sphingid) - Brazil.

Protoparce sexta paphus Cram. (Lep. Sphingid) - Brazil.

Telea polyphema Cram. (Lep. Saturniid) - U.S.A.

Belvosia ciliata Aldr.

Copaxa lavendera West. (Lep. Saturniid) - America.

Belvosia nigrifrons Aldr.

Callosamia calleta West. (Lep. Saturniid) - San Salvador.

Rothschildia orizaba West. (Lep. Saturniid) - San Salvador.

Belvosia recticornis Macq.

Hylesia alinda Druce (Lep. Saturniid) - Mexico.

Hylesia darlingi Dyar (Lep. Saturniid) - Panama Canal Zone.

Belvosia townsendi Aldr.

Eacles imperialis Dru. (Lep. Citheroniid) - U.S.A.

Belvosia unifasciata R.-D.Cirphis unipuncta Haw. (Lep. Phalaenid) - Canada, U.S.A.Spaelotis clandestina Harr. (Lep. Phalaenid) - U.S.A.Bengalia latro de Meij.Dolichoderus bituberculatus Mayr (Hym. Formicid) - Dutch E. Indies, Java.Plagiolepis longipes Jerd. (Hym. Formicid) - Dutch E. Indies.Beskia aelops Walk.Alabama argillacea Hb. (Lep. Phalaenid) - U.S.A.Beskia cornuta Br. & Berg.Mormidea poecila Dall. (Hem. Pentatomid) - Brazil.Bessa remota Aldr.Achaea janata L. (Lep. Phalaenid) - Burma, India, Java, Malaya.Artona catoxantha Hmps. (Lep. Zygaenid) - Burma, Dutch E. Indies, India, Java, Malaya.Artona trisignata Sn. (Lep. Zygaenid).Hyblaea puera Cram. (Lep. Hyblaeid) - Burma, India, Java, Malaya.Levuana iridescens B.-B. (Lep. Zygaenid) - Burma, Fiji, India, Java, Malaya, Malaya-Fiji.Pyrausta machaeralis Walk. (Lep. Pyraustid) - Burma, India, Java, Malaya.Sylepta derogata F. (Lep. Pyraustid) - Burma, India, Java, Malaya.Bessa selecta Mg.Acleris cristana F. (Lep. Tortricid) - Europe.Acleris ferrugana Schiff. (Lep. Tortricid) - Europe.Agonopterix applanata F. (Lep. Oecophorid) - Europe.Archips murinana Hb. (Lep. Tortricid) - Austria.Asthenia pygmaeana Hb. (Lep. Olethreutid) - Europe.Cladonia pectinicornis Geoffr. (Hym. Tenthredinid) - Canada.Clysia ambiguella Hb. (Lep. Phaloniid) - Germany.Emphytus canadensis Kirby (Hym. Tenthredinid) - Canada.Gilpinia polytoma Htg. (Hym. Tenthredinid) - Europe, Canada.Grapholitha molesta Busck (Lep. Olethreutid) - Italy.Hemichroa crocea Geoffr. (Hym. Tenthredinid) - Europe.Hyponomeuta cognatellus Hb. (Lep. Hyponomeutid) - Europe, Italy.Hyponomeuta euonymellus L. (Lep. Hyponomeutid) - Europe, Austria, Germany.Hyponomeuta malinellus Zell. (Lep. Hyponomeutid) - Europe, Rumania, Russia, Serbia.Hyponomeuta padellus L. (Lep. Hyponomeutid) - Europe, England.Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.Monardis plana Kl. (Hym. Tenthredinid) - Europe.Monophadnus pallescens Gmel. (Hym. Tenthredinid) - Europe.Ocneria detrita Esp. (Lep. Lymantriid) - Europe.Platycampus luridiventris Fall. (Hym. Tenthredinid) - Europe.Polychrosis botrana Schiff. (Lep. Olethreutid) - Germany.Priophorus padi L. (Hym. Tenthredinid) - Europe, Russia.

Pristiphora alnivora Htg. (Hym. Tenthredinid) - Upper Silesia.
Pristiphora erichsoni Htg. (Hym. Tenthredinid) - Austria, Canada.
Pristiphora geniculata Htg. (Hym. Tenthredinid) - Europe.
Pristiphora moestus Zadd. (Hym. Tenthredinid) - Russia.
Pristiphora pallipes Lep. (Hym. Tenthredinid) - Europe, Russia.
Pristiphora wesmaeli Tischb. (Hym. Tenthredinid) - Germany.
Pteronidea ribesii Scop. (Hym. Tenthredinid) - Britain, Russia.
Pteronidea salicis L. (Hym. Tenthredinid) - France.
Pteronus miliaris Panz. (Hym. Tenthredinid) - Europe.
Pteronus virescens Htg. (Hym. Tenthredinid) - Europe.
Salebria marmorata Alph. (Lep. Phycitid) - Russia.
Sparganothis pilleriana Schiff. (Lep. Tortricid) - Europe.
Tortrix viridana L. (Lep. Tortricid) - Europe.
Trichiocampus viminalis Fall. (Hym. Tenthredinid) - Europe, Britain.

Bigonichaeta enigmatica Vill. & Niels.

Malacosoma castrensis L. (Lep. Lasiocampid) - Europe.

Bigonichaeta setipennis Fall. - See also Digonochaeta

Bigonichaeta setipennis Fall.

Carpocapsa pomonella L. (Lep. Olethreutid) - Europe.
Crabro cinxius Dhlb. (Hym. Sphegid) - Europe.
Crabro pubescens Shuck. (Hym. Sphegid) - Europe.
Dioryctria abietella D. & S. (Lep. Phycitid) - Europe.
Lasiocampa quercus L. (Lep. Lasiocampid) - Europe.
Laspeyresia strobilella L. (Lep. Olethreutid) - Europe.
Notodonta anceps Goeze (Lep. Notodontid) - Europe.
Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Europe.
Panolis flammea Schiff. (Lep. Phalaenid) - Europe.
Pheosia tremula Cl. (Lep. Notodontid) - Europe.

Billaea irrorata Mg.

Saperda populnea L. (Col. Lamiid) - Europe.

Billaea microcera Rond.

Acronicta aceris L. (Lep. Phalaenid) - France.
Phlogophora meticulosa L. (Lep. Phalaenid) - France.
Potosia aeruginosa Dru. (Col. Cetoniid) - Europe.

Billaea pectinata Mg.

Amphimallon solstitialis L. (Col. Melolonthid) - Europe.
Cetonia aurata L. (Col. Cetoniid) - Europe.
Potosia cuprea F. (Col. Cetoniid) - Europe.
Prionus coriarius L. (Col. Prionid) - Europe.

Billaea subrotundata Rond.

Prionus coriarius L. (Col. Prionid) - Europe.

Biomyia eleodivora Walton

Eleodes tricostata Say (Col. Tenebrionid) - U.S.A.

Biomyia georgiae B. & B.

Calosoma calidum F. (Col. Carabid) - U.S.A.

Calosoma peregrinator Guer. (Col. Carabid) - America, U.S.A.
Calosoma sycophanta L. (Col. Carabid) - Canada, U.S.A.

Biomyia lachnosternae Tns.

Lachnosterna sp. (Col. Melolonthid) - U.S.A.

Blepharidea - See Phryxe

Blepharidopsis nemea Mg.

Abraxas grossulariata L. (Lep. Geometrid) - Europe, Russia, Scotland.

Calymnia affinis L. (Lep. Phalaenid) - Europe.

Depressaria heydenii Zell. (Lep. Oecophorid) - Europe.

Habryntis scita Hb. (Lep. Phalaenid) - Europe.

Malacosoma neustria L. (Lep. Lasiocampid) - Jugoslavia.

Phlogophora meticulosa L. (Lep. Phalaenid) - England.

Thyatira batis L. (Lep. Thyatirid) - Europe.

Blepharigena spinulosa Bigot - See Plagiomima

Blepharipa - See Sturmia

Blepharipeza - See Leschenaultia

Blepharomyia amplicornis Zett."

Biston sp. (Lep. Geometrid) - Russia.

Erannis marginaria F. (Lep. Geometrid) - England.

Blepharomyia pagana Mg.

Panolis flammea Schiff. (Lep. Phalaenid) - Austria, Czechoslovakia.

Zygaena occitanica Vill. (Lep. Zygaenid) - France.

Blepharopoda - See Sturmia

Bogosiella fasciata F.

Dysdercus sp. (Hem. Pyrrhocorid) - Sudan.

Dysdercus supersticiosus F. (Hem. Pyrrhocorid) - S. Rhodesia.

Bogosiella pomeroyi Villen. - See B. fasciata F.

Bombyliomyia abrupta Wd.

Arctiid sp. (Lep.) - U.S.A.

Diacrisia virginica F. (Lep. Arctiid) - U.S.A.

Euchaetias egle Dru. (Lep. Arctiid) - U.S.A.

Halisidota caryae Harr. (Lep. Arctiid) - U.S.A.

Halisidota maculata Harr. (Lep. Arctiid) - U.S.A.

Halisidota tessellaris A. & S. (Lep. Arctiid) - U.S.A.

Hyphantria cunea Dru. (Lep. Arctiid) - U.S.A.

Bonnetia haemorrhoidalis Fall.

Amathes c-nigrum L. (Lep. Phalaenid) - Europe.

Celerio euphorbiae L. (Lep. Sphingid) - Czechoslovakia.

Stilpnotia salicis L. (Lep. Lymantriid) - Europe.

Bonnetia vulpina Fall.Lycophotia porphyrea Schiff. (Lep. Phalaenid) - Europe.Mniotype adusta Esp. (Lep. Phalaenid) - Europe.Sphinx pinastri L. (Lep. Sphingid) - Europe.Bothria - See BotriaBotria sp.Anaphe infracta Wals. (Lep. Thaumetopoeid) - Uganda.Botria frontosa Mg.Vanessa urticae L. (Lep. Nymphalid) - Czechoslovakia.Botria obliquata Fall.Mythimna acetosellae Schiff. (Lep. Phalaenid) - Europe.Bucentes cristata F. - See also SiphonaBucentes cristata F.Pegomyia nigritarsis Zett. (Dipt. Anthomyiid) - Europe.Tipula gigantea Schrank (Dipt. Tipulid) - Britain.Tipula maxima Poda (Dipt. Tipulid) - Europe.Bucentes geniculata DeG. - See 'also SiphonaBucentes geniculata DeG.Tipula sp. (Dipt. Tipulid) - Europe, Britain.Tipula oleracea L. (Dipt. Tipulid) - Germany.Tipula paludosa Mg. (Dipt. Tipulid) - Holland.Cadurcia leefmansi Bar.Artona sp. (Lep. Zygaenid) - Java.Artona catoxantha Hmps. (Lep. Zygaenid) - Malaya.Cadurcia vanderwulpi Bar.Ethmia hilarella Walk. (Lep. Ethmiid) - India.Pyrausta machaeralis Walk. (Lep. Pyraustid) - India.Cadurcia zetterstedti Wulp - See C. vanderwulpi Bar.Campylochaeta inepta Mg.Cidaria galiata Schiff. (Lep. Geometrid) - Europe.Deilinia exanthemata Scop. (Lep. Geometrid) - Europe.Deilinia pusaria L. (Lep. Geometrid) - Europe.Drepana falcataria L. (Lep. Drepanid) - Europe.Eilema unita Schiff. (Lep. Arctiid) - Europe.Ematurga atomaria L. (Lep. Geometrid) - Europe.Eupithecia indignata Hb. (Lep. Geometrid) - Europe.Hydriomena corylata Thnbg. (Lep. Geometrid) - Europe.Pygaera curtula L. (Lep. Notodontid) - Europe.Sphinx pinastri L. (Lep. Sphingid) - Europe.Campylochaeta obscura Fall.Crocallis elinguaris L. (Lep. Geometrid) - Europe.

Campylochaeta pallidipes CurranAutographa orichalcea F. (Lep. Phalaenid) - E. Africa.Carcelia amplexa Coq.Hemerocampa leucostigma A. & S. (Lep. Lymantriid) - U.S.A.Notolophus antiquus L. (Lep. Lymantriid) - U.S.A.Plathypena scabra F. (Lep. Phalaenid) - U.S.A.Carcelia cheloniae Rond.Acantholyda stellata Christ. (Hym. Tenthredinid) - Europe.Ammonoia caecimacula Schiff. (Lep. Phalaenid) - Europe.Archips argyrospila Walk. (Lep. Tortricid) - U.S.A.Arctia caja L. (Lep. Arctiid) - Europe.Arctia villica L. (Lep. Arctiid) - Europe.Callarctia ornata Pack. (Lep. Arctiid) - U.S.A.Callarctia ornata achaia G. & R. (Lep. Arctiid) - Canada.Cimbex femorata L. (Hym. Tenthredinid) - Europe.Diacrisia lubricipeda L. (Lep. Arctiid) - Europe.Diacrisia purpurata L. (Lep. Arctiid) - Europe.Eucharia festiva Hufn. (Lep. Arctiid) - Europe.Habryntis scita Hb. (Lep. Phalaenid) - Europe.Macrothylacia rubi L. (Lep. Lasiocampid) - Europe.Malacosoma americana F. (Lep. Lasiocampid) - U.S.A.Malacosoma castrensis L. (Lep. Lasiocampid) - Europe.Malacosoma disstria Hb. (Lep. Lasiocampid) - Canada.Malacosoma neustria L. (Lep. Lasiocampid) - Europe.Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Europe.Orthosia pistacina F. (Lep. Phalaenid) - Europe.Phalera bucephala L. (Lep. Notodontid) - Europe.Phragmatobia assimilans Walk. (Lep. Arctiid) - Canada.Phragmatobia assimilans franconia Slos. (Lep. Arctiid) - Canada.Phragmatobia fuliginosa L. (Lep. Arctiid) - Europe.Porthetria dispar L. (Lep. Lymantriid) - Europe, Yugoslavia, N. Africa.Stilpnotia salicis L. (Lep. Lymantriid) - Europe.Trachea secalis L. (Lep. Phalaenid) - Europe.Turuptiana permaculata Pack. (Lep. Arctiid) - U.S.A.Tyria jacobaeae L. (Lep. Arctiid) - Europe.Carcelia evolans Wd.Busseola fusca Full. (Lep. Phalaenid) - S. Rhodesia.Cryptothelea junodi Heyl (Lep. Psychid) - S. Africa.Papilio demodocus Esp. (Lep. Papilionid) - Uganda.Carcelia excisa Fall.Abrostola tripartita Hufn. (Lep. Phalaenid) - Europe.Abrostola triplasia L. (Lep. Phalaenid) - Europe.Arctia caja L. (Lep. Arctiid) - Europe.Arctia villica L. (Lep. Arctiid) - Europe.Bupalus piniaria L. (Lep. Geometrid) - Europe, Poland.Callimorpha dominula L. (Lep. Arctiid) - Europe.Cucullia verbasci L. (Lep. Phalaenid) - Europe.Dasychira pudibunda L. (Lep. Lymantriid) - Europe.

Dendrolimus albolineatus Mats. (Lep. Lasiocampid) - Japan.
Dendrolimus jezoensis Mats. (Lep. Lasiocampid) - Japan.
Dendrolimus spectabilis Butl. (Lep. Lasiocampid) - Japan.
Drepana harpagula Esp. (Lep. Drepanid) - Europe.
Endromis versicolor L. (Lep. Endromid) - Europe.
Eublemma pannonica Frr. (Lep. Phalaenid) - Europe.
Eucharis festiva Hufn. (Lep. Arctiid) - Europe.
Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.
Malacosoma castrensis L. (Lep. Lasiocampid) - Europe.
Malacosoma neustria L. (Lep. Lasiocampid) - Europe.
Notolophus antiquus L. (Lep. Lymantriid) - Europe.
Orgyia gonostigma L. (Lep. Lymantriid) - Europe.
Phragmatobia fuliginosa L. (Lep. Arctiid) - Europe.
Porthetria dispar L. (Lep. Lymantriid) - Europe, Czechoslovakia
 N. Africa.
Proserpinus proserpina Pall. (Lep. Sphingid) - Czechoslovakia.
Pterostoma palpina L. (Lep. Notodontid) - Europe.
Pygæa curtula L. (Lep. Notodontid) - Europe.
Saturnia pyri Schiff. (Lep. Saturniid) - Europe.
Sphinx ligustri L. (Lep. Sphingid) - Europe.
Sphinx pinastri L. (Lep. Sphingid) - Europe.
Stilpnotia salicis L. (Lep. Lymantriid) - Europe.
Thaumetopoea processionea L. (Lep. Thaumetopoeid) - Europe.

Carcelia flavicans Macq.

Acronicta psi L. (Lep. Phalaenid) - Europe.
Zygaena purpuralis Brünn. (Lep. Zygaenid) - Europe.

Carcelia flavirostris Wulp

Megalopyge opercularis A. & S. (Lep. Megalopygid) - U.S.A.

Carcelia formosa A. & W.

Agrotis ypsilon Rott. (Lep. Phalaenid) - N. America.
Automeris io F. (Lep. Saturniid) - N. America.

Carcelia gnava Mg.

Arctia caja L. (Lep. Arctiid) - Europe.
Caprinia conchylalis Guen. (Lep. Pyraustid) - Ceylon.
Dasychira pudibunda L. (Lep. Lymantriid) - Europe, Czechoslovakia.
Dendrolimus jezoensis Mats. (Lep. Lasiocampid) - Japan.
Dendrolimus spectabilis Butl. (Lep. Lasiocampid) - Japan.
Malacosoma neustria L. (Lep. Lasiocampid) - Europe, Russia.
Malacosoma neustria testacea Motsch. (Lep. Lasiocampid) - Japan.
Notolophus antiquus L. (Lep. Lymantriid) - Europe.
Porthetria dispar L. (Lep. Lymantriid) - Europe, Bulgaria, Yugoslavia,
 Yugoslavia-U.S.A., U.S.A.
Stauropus alternus Walk. (Lep. Notodontid) - Ceylon.
Stilpnotia salicis L. (Lep. Lymantriid) - Europe, Holland, Hungary,
 U.S.A.

Carcelia kockiana Tns.

Anua sp. (Lep. Phalaenid) - India.
Cirphis unipuncta Haw. (Lep. Phalaenid) - Siam.

Diacrisia obliqua Walk. (Lep. Arctiid) - India.
Eupterote undata Blanch. (Lep. Eupterotid) - India.
Heliothis sp. (Lep. Phalaenid) - India.
Hyblaea puera Cram. (Lep. Hyblaeid) - Burma, India.
Sphingid sp. (Lep.) - India.

Carcelia laxifrons Vill.

Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Bulgaria, U.S.A.
Porthetria dispar L. (Lep. Lymantriid) - U.S.A.

Carcelia lota Mg.

Acronicta psi L. (Lep. Phalaenid) - Europe.
Acronicta tridens Schiff. (Lep. Phalaenid) - Europe.
Malacosoma neustria L. (Lep. Lasiocampid) - Europe.
Monima stabilis View. (Lep. Phalaenid) - Europe.
Pieris brassicae L. (Lep. Pierid) - Europe.
Sphinx pinastri L. (Lep. Sphingid) - Europe.

Carcelia lucorum Mg.

Hyponomeuta euonymellus L. (Lep. Hyponomeutid) - Rumania.
Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.
Porthetria dispar L. (Lep. Lymantriid) - Europe, Russia, N. Africa.
Thaumetopoea processionea L. (Lep. Thaumetopoeid).

Carcelia octava Bar.

Pyrausta coclesalis Walk. (Lep. Pyraustid) - India.

Carcelia protuberans A. & W.

Datana integerrima G. & R. (Lep. Notodontid) - U.S.A.
Hyphantria cunea Dru. (Lep. Arctiid) - U.S.A.
Malacosoma americana F. (Lep. Lasiocampid) - U.S.A.
Malacosoma disstria Hb. (Lep. Lasiocampid) - N. America, U.S.A.

Carcelia reclinata A. & W.

Arctiid sp. (Lep.) - U.S.A.
Diacrisia virginica F. (Lep. Arctiid) - U.S.A.
Estigmene acrea Dru. (Lep. Arctiid) - N. America, U.S.A.
Phragmatobia assimilians franconia Slos. (Lep. Arctiid) - U.S.A.

Carcelia rutilla Rond.

Bupalus piniaria L. (Lep. Geometrid) - Europe, Austria, Czechoslovakia, Germany, Poland.
Dendrolimus pini L. (Lep. Lasiocampid) - Europe.

Carcelia separata Rond.

Porthetria dispar L. (Lep. Lymantriid) - Europe, Poland, U.S.A., N. Africa.

Carcelia setigena Rond.

Fidonia pennigeraria chrysitaria H.G. (Lep. Geometrid) - Europe.

Carceliella octava Bar. - See Carcelia

Carceliopsis sumatrensis Tns. - See Zenillia

Cartocometes io Aldr.

Malacosoma americana F. (Lep. Lasiocampid) - U.S.A.

Malacosoma disstria Hb. (Lep. Lasiocampid) - U.S.A.

Catharosia varicolor Curran

Dysdercus sidae Montr. (Hem. Pyrrhocorid) - Australia.

Celatoria diabroticae Shim.

Ceratoma trifurcata Först. (Col. Galerucid) - U.S.A.

Diabrotica duodecimpunctata F. (Col. Galerucid) - U.S.A.

Diabrotica melanocephala F. (Col. Galerucid) - U.S.A.

Diabrotica soror Lec. (Col. Galerucid) - U.S.A.

Centeter cinerea Aldr.

Anomala cuprea Hope (Col. Rutelid) - Japan.

Anomala geniculata Mots. (Col. Rutelid) - Japan.

Anomala rufocuprea Mots. (Col. Rutelid) - Japan.

Aserica orientalis Mots. (Col. Melolonthid) - Japan.

Heptophylla picea Mots. (Col. Melolonthid) - Japan.

Mimela testaceipes Mots. (Col. Rutelid) - Japan.

Odontria zealandica White (Col. Melolonthid) - Japan-New Zealand.

Popillia japonica Newm. (Col. Rutelid) - Korea, Japan, Japan-U.S.A., U.S.A.

Centeter unicolor Aldr.

Anomala sieversi Heyd. (Col. Rutelid) - U.S.A.

Phyllopertha pubicollis Waterh. (Col. Rutelid) - U.S.A.

Ceracia dentata Coq.

Chortophaga viridifasciata DeG. (Orth. Acridid) - Canada.

Cratypedes neglectus Thom. (Orth. Acridid) - Canada.

Ceratochaeta caudata Rond.

Thaumetopoea processionea L. (Lep. Thaumetopoeid) - Europe.

Thaumetopoea wilkinsoni Tams (Lep. Thaumetopoeid) - Cyprus.

Ceratochaeta erythrostoma Htg.

Dendrolimus pini L. (Lep. Lasiocampid) - Europe, Russia.

Panolis flammea Schiff. (Lep. Phalaenid) - Austria.

Porthetria dispar L. (Lep. Lymantriid) - Europe.

Sphinx pinastri L. (Lep. Sphingid) - Europe, Czechoslovakia, Germany.

Ceratochaeta prima B.B.

Psyche viciella Schiff. (Lep. Psychid) - Europe.

Ceratochaeta secunda B.B.

Thaumetopoea pityocampa Schiff. (Lep. Thaumetopoeid) - Europe, France.

Ceromasia sp.

Diprion sp. (Hym. Tenthredinid) - Germany.

Lycia ursaria Walk. (Lep. Geometrid) - U.S.A.

Phigalia titea Cram. (Lep. Geometrid) - U.S.A.
Pristiphora abbreviatus Htg. (Hym. Tenthredinid) - Russia.

Ceromasia ferruginea Mg.

Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.

Ceromasia florum Macq. - See C. rutila Mg.

Ceromasia inclusa Htg.

Diprion frutetorum F. (Hym. Tenthredinid) - Europe, Germany, Poland.

Diprion laricis Jur. (Hym. Tenthredinid) - Europe.

Diprion pallidus Kl. (Hym. Tenthredinid) - Europe.

Diprion pini L. (Hym. Tenthredinid) - Europe, Poland.

Neodiprion sertifer Geoffr. (Hym. Tenthredinid) - Poland.

Ceromasia interrupta Macq.

Pyrausta nubilalis Hb. (Lep. Pyraustid) - Hungary.

Ceromasia juvenilis Girschn.

Pyrausta nubilalis Hb. (Lep. Pyraustid) - Yugoslavia.

Ceromasia lepida Mg.

Pyrausta nubilalis Hb. (Lep. Pyraustid) - Canada.

Ceromasia myoidea R.-D. - See Lydella grisescens R.-D.

Ceromasia nigripes Fall.

Bupalus piniaria L. (Lep. Geometrid) - Austria.

Ceromasia rutila Mg.

Cingilia catenaria Dru. (Lep. Geometrid) - U.S.A.

Lambdina fiscellaria Guen. (Lep. Geometrid) - Canada.

Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.

Pieris brassicae L. (Lep. Pierid) - France.

Zygaena fausta L. (Lep. Zygaenid) - Czechoslovakia.

Ceromasia senilis Mg.

Achatodes zeae Harr. (Lep. Phalaenid) - U.S.A.

Archanara oblonga Grote (Lep. Phalaenid) - U.S.A.

Arzama obliqua Walk. (Lep. Phalaenid) - U.S.A.

Epiblema otiosana Clem. (Lep. Olethreutid) - U.S.A.

Luperina stipata Morr. (Lep. Phalaenid) - U.S.A.

Macronoctua onusta Grote (Lep. Phalaenid) - U.S.A.

Oligia fractilinea Grote (Lep. Phalaenid) - U.S.A.

Papaipema arctivorens Hmps. (Lep. Phalaenid) - U.S.A.

Papaipema cataphracta Grote (Lep. Phalaenid) - U.S.A.

Papaipema frigida Smith (Lep. Phalaenid) - U.S.A.

Papaipema nebris Guen. (Lep. Phalaenid) - Canada, U.S.A.

Papaipema nebris nitela Guen. (Lep. Phalaenid) - U.S.A.

Papaipema purpurifascia G. & R. (Lep. Phalaenid) - U.S.A.

Pyrausta nubilalis Hb. (Lep. Pyraustid) - Europe, Bulgaria, France, Hungary, Yugoslavia, Rumania, Russia, Spain, Guam, Korea, Japan, Manchuria, Canada, U.S.A.

Sesamia vuteria Stoll. (Lep. Phalaenid) - Spain.

Ceromasia sphenophori Vill.Cosmopolites sordidus Germ. (Col. Curculionid) - Dutch E. Indies.Diaprepes sp. (Col. Curculionid) - Brazil.Rhabdocnemis obscura Boisd. (Col. Curculionid) - Australia, Dutch E. Indies, Fiji, Guam, Hawaii, Hawaii-Fiji, New Guinea-Hawaii.Ceromasia vicinalis Pand.Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.Cerosomyia clathrata Now.Metacrias erichrysa Meyr. (Lep. Arctiid) - New Zealand.Porina despecta Walk. (Lep. Hepialid) - New Zealand.Cerosomyia feredayi Hutt.Liothula omnivora Fered. (Lep. Psychid) - New Zealand.Persectania ewingi Westw. (Lep. Phalaenid) - New Zealand.Cerosomyia marginata Hutt.Agrotis ypsilon Rott. (Lep. Phalaenid) - New Zealand.Ariathisa coma Walk. (Lep. Phalaenid) - New Zealand.Liothula omnivora Fered. (Lep. Psychid) - New Zealand.Morrisonia mutans Walk. (Lep. Phalaenid) - New Zealand.Morrisonia ustistrigata Walk. (Lep. Phalaenid) - New Zealand.Orthoclydon praelectata Walk. (Lep. Geometrid) - New Zealand.Persectania ewingi Westw. (Lep. Phalaenid) - New Zealand.Persectania steropastis Meyr. (Lep. Phalaenid) - New Zealand.Cerosomyia nefaria Hutt.Liothula omnivora Fered. (Lep. Psychid) - New Zealand.Morrisonia insignis Walk. (Lep. Phalaenid) - New Zealand.Proteodes carnifex Butl. (Lep. Oecophorid) - New Zealand.Venusia verriculata Feld. (Lep. Geometrid) - New Zealand.Cerosomyia nyctemeriana Hutt.Leucania purdii Fered. (Lep. Phalaenid) - New Zealand.Nyctemera annulatum Bdv. (Lep. Hypsid) - New Zealand.Chaetexorista sp.Cnidocampa flavescens Walk. (Lep. Limacodid) - Japan.Darna catenata Sn. (Lep. Limacodid) - Celebes.Chaetexorista javana B.B.Chalcocelis albiguttata Snell. (Lep. Limacodid) - Malaya.Cnidocampa flavescens Walk. (Lep. Limacodid) - Japan, U.S.A.Parasa lepida Cram. (Lep. Limacodid) - Malaya.Setora nitens Walk. (Lep. Limacodid) - Dutch E. Indies, Java, Malaya.Thosea sp. (Lep. Limacodid) - Java.Thosea asigna van Eecke (Lep. Limacodid) - Sumatra.Chaetogaedia analis WulpArctiid sp. (Lep.) - U.S.A.Chaetogaedia monticola Big.Cirphis unipuncta Haw. (Lep. Phalaenid) - Hawaii.

Elydna nonagrica Walk. (Lep. Phalaenid) - Hawaii.
Peridroma margaritosa Haw. (Lep. Phalaenid) - U.S.A.
Spodoptera mauritia Boisd. (Lep. Phalaenid) - Hawaii.

Chaetogena rufipalpis Mg.
Vanessa urticae L. (Lep. Nymphalid) - Czechoslovakia.

Chaetolyga setigena Rond. - See Carcelia

Chaetomyia crassiseta Rond.
Porthetria dispar L. (Lep. Lymantriid) - Europe, N. Africa.

Chaetophleps setosa Coq.
Diabrotica melanocephala F. (Col. Galerucid) - U.S.A.

Chaetophlepsis sp.
Catocala antinympha Hb. (Lep. Phalaenid) - U.S.A.

Chaetophlepsis orbitalis Web.
Cingilia catenaria Dru. (Lep. Geometrid) - U.S.A.

Chaetophlepsis tarsalis Tns.
Alypia octomaculata F. (Lep. Phalaenid) - U.S.A.
Pheosia rimosa Pack. (Lep. Notodontid) - U.S.A.
Plathypena scabra F. (Lep. Phalaenid) - U.S.A.

Chaetotachina rustica Mg. - See Guerinia

Cholomyia inaequipes Big.
Conotrachelus juglandis Lec. (Col. Curculionid) - U.S.A.
Conotrachelus nenuphar Hbst. (Col. Curculionid).

Cholomyia longipes F.
Conotrachelus affinis Boh. (Col. Curculionid) - U.S.A.
Conotrachelus aratus Germ. (Col. Curculionid) - U.S.A.
Conotrachelus juglandis Lec. (Col. Curculionid) - U.S.A.
Conotrachelus nenuphar Hbst. (Col. Curculionid) - U.S.A.

Chrysocoma auratum Fall. - See Gymnochaeta aurata Fall.

Chrysotachina alcedo Lw.
Cicinnus melsheimeri Harr. (Lep. Mimallonid) - U.S.A.

Cirillia angustifrons Rond.
Metoponorthus pruinus Brandt (Isopoda) - France.

Cistogaster globosa F.
Aelia acuminata L. (Hem. Pentatomid) - Europe, Germany.

Cistogaster immaculatus Macq.
Euschistus variolarius P. de B. (Hem. Pentatomid) - U.S.A.

Clemelis pullata Mg.
Loxostege sticticalis L. (Lep. Pyraustid) - Europe, Rumania, Russia.

Psychid sp. (Lep.) - Palestine.

Pyrausta nubilalis Hb. (Lep. Pyraustid) - Europe, Russia.

Clytiomyia sp.

Aelia acuminata L. (Hem. Pentatomid) - Italy.

Aelia rostrata Boh. (Hem. Pentatomid) - Italy.

Clytiomyia continua Panz.

Eurydema oleraceum L. (Hem. Pentatomid) - Russia.

Clytiomyia helluo F.

Eurygaster austriaca Schr. (Hem. Pentatomid) - Morocco.

Eurygaster integriceps Put. (Hem. Pentatomid) - Turkey.

Clytiomyia rotundiventris Fall.

Clinocoris griseus L. (Hem. Pentatomid) - Europe.

Cnephalia bisetosa B.B.

Agrotis segetum Schiff. (Lep. Phalaenid) - Russia.

Cnephalia bucephala Mg. - See Spallanzania

Cnephalia hebes Fall. - See Spallanzania bucephala Mg.

Compsilura concinnata Mg.

Abraxas grossulariata L. (Lep. Geometrid) - Europe.

Acronicta sp. (Lep. Phalaenid) - U.S.A.

Acronicta aceris L. (Lep. Phalaenid) - Europe, France.

Acronicta alni L. (Lep. Phalaenid) - Europe.

Acronicta americana Harris (Lep. Phalaenid) - U.S.A.

Acronicta auricoma F. (Lep. Phalaenid) - Europe.

Acronicta cuspidis Hb. (Lep. Phalaenid) - Europe.

Acronicta dactylina Grote (Lep. Phalaenid) - U.S.A.

Acronicta furcifera Guen. (Lep. Phalaenid) - U.S.A.

Acronicta impleta Walk. (Lep. Phalaenid) - U.S.A.

Acronicta impressa Walk. (Lep. Phalaenid) - U.S.A.

Acronicta lanceolaria Grote (Lep. Phalaenid) - U.S.A.

Acronicta megacephala F. (Lep. Phalaenid) - Europe.

Acronicta obliqua A. & S. (Lep. Phalaenid) - U.S.A.

Acronicta psi L. (Lep. Phalaenid) - Europe.

Acronicta rumicis L. (Lep. Phalaenid) - Europe.

Acronicta superans Guen. (Lep. Phalaenid) - U.S.A.

Acronicta tridens Schiff. (Lep. Phalaenid) - Europe.

Aglaope infausta L. (Lep. Zygaenid) - Spain.

Alypia octomaculata F. (Lep. Phalaenid) - U.S.A.

Ampeloeca myron Cram. (Lep. Sphingid) - U.S.A.

Amphidasis cognataria Guen. (Lep. Geometrid) - U.S.A.

Amphion nesus Cram. (Lep. Sphingid) - U.S.A.

Amphipyra pyramidoides Guen. (Lep. Phalaenid) - U.S.A.

Anisota rubicunda F. (Lep. Citheroniid) - U.S.A.

Anisota senatoria A. & S. (Lep. Citheroniid) - U.S.A.

Anisota virginianensis Dru. (Lep. Citheroniid) - U.S.A.

- Aporia crataegi L. (Lep. Pierid) - Italy.
Araschina levana L. (Lep. Nymphalid) - Europe.
Arctia caja L. (Lep. Arctiid) - Europe.
Arctiid sp. (Lep.) - U.S.A.
Arctornis chrysorrhoea L. (Lep. Lymantriid) - Europe.
Autographa brassicae Riley (Lep. Phalaenid) - U.S.A.
Autographa festucae L. (Lep. Phalaenid) - Europe.
Autographa gamma L. (Lep. Phalaenid) - Europe.
Automeris io F. (Lep. Saturniid) - U.S.A.
Barathra brassicae L. (Lep. Phalaenid) - Europe.
Basilarchia archippus Cram. (Lep. Nymphalid) - U.S.A.
Basilarchia astyanax F. (Lep. Nymphalid) - U.S.A.
Battus philenor L. (Lep. Papilionid) - U.S.A.
Bombyx mori L. (Lep. Bombycid) - U.S.A.
Brachlonycha sphinx Hufn. (Lep. Phalaenid) - Europe.
Callosamia promethea Drury (Lep. Saturniid) - U.S.A.
Calocalpe undulata L. (Lep. Geometrid) - U.S.A.
Calpe canadensis Beth. (Lep. Phalaenid) - U.S.A.
Catocala sp. (Lep. Phalaenid) - U.S.A.
Catocala promissa Esp. (Lep. Phalaenid) - Europe.
Celerio gallii Rott. (Lep. Sphingid) - U.S.A.
Celerio gallii intermedia Kirby (Lep. Sphingid) - U.S.A.
Celerio lineata F. (Lep. Sphingid) - U.S.A.
Ceramica picta Harr. (Lep. Phalaenid) - U.S.A.
Ceratomia catalpe Bdv. (Lep. Sphingid) - U.S.A.
Ceratomia undulosa Walk. (Lep. Sphingid) - U.S.A.
Cerura occidentalis Lintner (Lep. Notodontid) - U.S.A.
Cimbex americana Leach (Hym. Tenthredinid) - U.S.A.
Cimbex quadrimaculata humeralis Geoffr. (Hym. Tenthredinid) - Europe.
Cingilia catenaria Dru. (Lep. Geometrid) - U.S.A.
Cirphis unipuncta Haw. (Lep. Phalaenid) - U.S.A.
Cnidocampa flavescens Walk. (Lep. Limacodid) - U.S.A.
Coloradia pandora Blake (Lep. Saturniid) - U.S.A.
Colotois pennaria L. (Lep. Geometrid) - Europe.
Craniophora ligustri Schiff. (Lep. Phalaenid) - Europe.
Croesus latitarsus Nort. (Hym. Tenthredinid) - U.S.A.
Ctenucha virginica Charp. (Lep. Amatid) - U.S.A.
Cucullia lactucae Schiff. (Lep. Phalaenid) - Europe.
Cucullia verbasci L. (Lep. Phalaenid) - Europe, Britain.
Danaus plexippus L. (Lep. Danaid) - U.S.A.
Dasychira pudibunda L. (Lep. Lymantriid) - Europe, Czechoslovakia.
Datana angusii G. & R. (Lep. Notodontid) - U.S.A.
Datana integerrima G. & R. (Lep. Notodontid) - U.S.A.
Datana major G. & R. (Lep. Notodontid) - U.S.A.
Datana ministra Drury (Lep. Notodontid) - Canada, U.S.A.
Datana perspicua G. & R. (Lep. Notodontid) - U.S.A.
Deidamia inscriptum Harr. (Lep. Sphingid) - U.S.A.
Dendrolimus pini L. (Lep. Lasiocampid) - Europe.
Diacrisia lubricipeda L. (Lep. Arctiid) - Europe.
Diacrisia virginica F. (Lep. Arctiid) - U.S.A.
Diloba caeruleocephala L. (Lep. Phalaenid) - Europe, Russia.
Dipterygia scabriuscula L. (Lep. Phalaenid) - Europe.
Drymonia chaonia Hb. (Lep. Notodontid) - Europe.

- Ectropis deodarae Prout (Lep. Geometrid) - India.
Ennomos subsignarius Hb. (Lep. Geometrid) - U.S.A.
Epicnaptera americana Harr. (Lep. Lasiocampid) - U.S.A.
Eriogaster lanestris L. (Lep. Lasiocampid) - Europe.
Erynnis sp. (Lep. Hesperiid) - U.S.A.
Erynnis icelus Scud. & Burg. (Lep. Hesperiid) - U.S.A.
Estigmene acrea Dru. (Lep. Arctiid) - U.S.A.
Euchaetias egle Dru. (Lep. Arctiid) - U.S.A.
Eugonobapta nivosaria Guen. (Lep. Geometrid) - U.S.A.
Euphydryas phaeton Dru. (Lep. Nymphalid) - U.S.A.
Euthisanotia grata F. (Lep. Phalaenid) - U.S.A.
Fentonia marthesia Cram. (Lep. Notodontid) - U.S.A.
Halisidota caryae Harr. (Lep. Arctiid) - U.S.A.
Halisidota harrisii Walsh (Lep. Arctiid) - U.S.A.
Halisidota maculata Harr. (Lep. Arctiid) - U.S.A.
Halisidota tessellaris A. & S. (Lep. Arctiid) - U.S.A.
Hemerocampa leucostigma A. & S. (Lep. Lymantriid) - Canada, U.S.A.
Hemileuca sp. (Lep. Saturniid) - U.S.A.
Hemileuca maia Dru. (Lep. Saturniid) - U.S.A.
Hemileuca oliviae Ckll. (Lep. Saturniid) - U.S.A.
Heterocampa guttivitta Walk. (Lep. Notodontid) - U.S.A.
Heterocampa umbrata Walk. (Lep. Notodontid) - U.S.A.
Hyphantria cunea Dru. (Lep. Arctiid) - Canada, U.S.A.
Hyponomeuta cognatellus Hb. (Lep. Hyponomeutid) - Europe.
Hyponomeuta padellus L. (Lep. Hyponomeutid) - Europe.
Hypsipyla robusta Moore (Lep. Phycitid) - India.
Ichthyura inclusa Hb. (Lep. Notodontid) - U.S.A.
Iphiclidides podalirius L. (Lep. Papilionid) - Europe.
Itame ribearia Fitch (Lep. Geometrid) - U.S.A.
Libythea celtis Fuess. (Lep. Libytheid) - Europe.
Lithophane sp. (Lep. Phalaenid) - U.S.A.
Lithophane antennata Walk. (Lep. Phalaenid) - U.S.A.
Lithosia quadra L. (Lep. Arctiid) - Europe.
Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.
Macrothylacia rubi L. (Lep. Lasiocampid) - Europe.
Malacosoma americana F. (Lep. Lasiocampid) - U.S.A.
Malacosoma disstria Hb. (Lep. Lasiocampid) - U.S.A.
Malacosoma neustria L. (Lep. Lasiocampid) - Europe.
Melitaea harrisii Scud. (Lep. Nymphalid) - U.S.A.
Metanastria hyrtaca Cam. (Lep. Lasiocampid) - Dutch E. Indies, Java.
Mimas tiliae L. (Lep. Sphingid) - Europe.
Monima gothica L. (Lep. Phalaenid) - Europe.
Monima stabilis View. (Lep. Phalaenid) - Europe.
Nadata gibbosa A. & S. (Lep. Notodontid) - U.S.A.
Neurotoma fasciata Nort. (Hym. Tenthredinid) - U.S.A.
Notolophus antiquus L. (Lep. Lymantriid) - U.S.A.
Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Europe, Russia, Spain, N. America, Canada, U.S.A., U.S.A.-Canada.
Nymphalis antiopa L. (Lep. Nymphalid) - Europe, Canada, U.S.A.
Nymphalis io L. (Lep. Nymphalid) - Europe, Yugoslavia.
Nymphalis j-album Bdv. & Lec. (Lep. Nymphalid) - U.S.A.
Nymphalis milberti Godt. (Lep. Nymphalid) - U.S.A.
Nymphalis polychloros L. (Lep. Nymphalid) - Europe.

- Nymphalis xanthomelas Esp. (Lep. Nymphalid) - Europe.
Olene sp. (Lep. Lymantriid) - U.S.A.
Olene basiflava Pack. (Lep. Lymantriid) - U.S.A.
Pachysphinx modesta Harr. (Lep. Sphingid) - U.S.A.
Paonias excaecata A. & S. (Lep. Sphingid) - U.S.A.
Paonias myops A. & S. (Lep. Sphingid) - U.S.A.
Papilio ajax L. (Lep. Papilionid) - U.S.A.
Papilio glaucus turnus L. (Lep. Papilionid) - U.S.A.
Papilio troilus L. (Lep. Papilionid) - U.S.A.
Phalaenid sp. (Lep.) - U.S.A.
Pheosia rimosa Pack. (Lep. Notodontid) - U.S.A.
Phigalia titea Cram. (Lep. Geometrid) - U.S.A.
Phlogophora meticulosa L. (Lep. Phalaenid) - France.
Pholus achemon Dru. (Lep. Sphingid) - U.S.A.
Pholus satellitia pandorus Hb. (Lep. Sphingid) - U.S.A.
Phosphila turbulenta Hb. (Lep. Phalaenid) - U.S.A.
Phyciodes nycteis Dbl. & Hew. (Lep. Nymphalid) - U.S.A.
Pieris brassicae L. (Lep. Pierid) - Europe, Czechoslovakia, France, Rumania, Serbia.
Pieris napi L. (Lep. Pierid) - Europe.
Pieris rapae L. (Lep. Pierid) - Europe, Canada, U.S.A.
Pissodes strobi Peck (Col. Curculionid) - U.S.A.
Plathypena scabra F. (Lep. Phalaenid) - U.S.A.
Plusiodonta compressipalpis Guen. (Lep. Phalaenid) - U.S.A.
Poecilocampa populi L. (Lep. Lasiocampid) - Europe.
Polia adjuncta Bdv. (Lep. Phalaenid) - U.S.A.
Polia legitima Grote (Lep. Phalaenid) - U.S.A.
Polia oleracea L. (Lep. Phalaenid) - Europe.
Polia persicariae L. (Lep. Phalaenid) - Europe.
Polygonia comma Harr. (Lep. Nymphalid) - U.S.A.
Polygonia interrogationis F. (Lep. Nymphalid) - U.S.A.
Porthetria dispar L. (Lep. Lymantriid) - Europe, France, Yugoslavia, Yugoslavia-U.S.A., Russia, N. America, Canada, U.S.A., N. Africa.
Proteides clarus Cram. (Lep. Hesperiid) - U.S.A.
Protoparce quinquemaculata Haw. (Lep. Sphingid) - U.S.A.
Pteronidea ribesii Scop. (Hym. Tenthredinid) - U.S.A.
Pteronus coryla Cress. (Hym. Tenthredinid) - U.S.A.
Pygaera anachoreta F. (Lep. Notodontid) - Europe.
Pyrausta nubilalis Hb. (Lep. Pyraustid) - Europe, Italy, U.S.A.
Rhodophora florida Guen. (Lep. Phalaenid) - U.S.A.
Samia cecropia L. (Lep. Saturniid) - U.S.A.
Schizura badia Pack. (Lep. Notodontid) - U.S.A.
Schizura concinna A. & S. (Lep. Notodontid) - U.S.A.
Schizura unicornis A. & S. (Lep. Notodontid) - U.S.A.
Scoliopteryx libatrix L. (Lep. Phalaenid) - U.S.A.
Simyra albovenosa Goetz (Lep. Phalaenid) - U.S.A.
Simyra henrici Grote (Lep. Phalaenid) - U.S.A.
Smerinthus cerisyi Kirby (Lep. Sphingid) - U.S.A.
Smerinthus jamaicensis geminatus Say (Lep. Sphingid) - U.S.A.
Smerinthus populi L. (Lep. Sphingid) - Europe.
Sphecodina abbottii Swains. (Lep. Sphingid) - U.S.A.
Sphingid sp. (Lep.) - U.S.A.
Sphinx chersis Hb. (Lep. Sphingid) - U.S.A.

Sphinx drupiferarum A. & S. (Lep. Sphingid) - U.S.A.
Sphinx gordius Cram. (Lep. Sphingid) - U.S.A.
Sphinx pinastri L. (Lep. Sphingid) - Europe.
Stauropus fagi L. (Lep. Notodontid) - Europe.
Stilpnolia salicis L. (Lep. Lymantriid) - Europe, Holland, Hungary, Canada, U.S.A.
Symmerista albifrons A. & S. (Lep. Notodontid) - U.S.A.
Telea polyphema Cram. (Lep. Saturniid) - U.S.A.
Thaumetopoea pityocampa Schiff. (Lep. Thaumetopoeid) - Europe.
Thaumetopoea processionea L. (Lep. Thaumetopoeid).
Thaumetopoea wilkinsoni Tams (Lep. Thaumetopoeid) - Cyprus.
Thosea sp. (Lep. Limacodid) - Java.
Thosea cervina Moore (Lep. Limacodid) - Java.
Thosea sinensis Walk. (Lep. Limacodid) - Java.
Timandra amata L. (Lep. Geometrid) - Europe.
Tortrix viridana L. (Lep. Tortricid) - Europe, Italy.
Trachea atriplicis L. (Lep. Phalaenid) - Europe.
Trichiocampus viminalis Fall. (Hym. Tenthredinid) - Europe.
Vanessa atalanta L. (Lep. Nymphalid) - Europe, U.S.A.
Vanessa urticae L. (Lep. Nymphalid) - Europe.
Vanessa virginiensis Drury (Lep. Nymphalid) - U.S.A.
Zygaena occitanica Vill. (Lep. Zygaenid) - France.

Compsilura concinnata sumatrensis Tns.

Cirphis loreyi Dup. (Lep. Phalaenid) - Australia.
Cirphis unipuncta Haw. (Lep. Phalaenid) - Australia.

Compsilura oppugnator Walt. - See Eucelatoria australis Tns.

Copecrypta nitens Wd.

Ogdoconta cinereola Guen. (Lep. Phalaenid) - U.S.A.
Plathypena scabra F. (Lep. Phalaenid) - U.S.A.

Crocota - See Siphona

Crossocosmia flavoscutellata Schin.

Porthetria dispar L. (Lep. Lymantriid) - Europe.

Crossocosmia sericariae Cornalia - See Ugimya

Cryptomeigenia aurifacies Walt.

Lachnosterna sp. (Col. Melolonthid) - Porto Rico, U.S.A.
Lachnosterna citri Sm. (Col. Melolonthid) - Porto Rico.
Lachnosterna guanicana Smyth (Col. Melolonthid) - Porto Rico.
Lachnosterna portoricensis Smyth (Col. Melolonthid) - Porto Rico.
Lachnosterna vandinei Smyth (Col. Melolonthid) - Porto Rico.
Melolonthid sp. (Col.) - Porto Rico.

Cryptomeigenia theutis Walk.

Lachnosterna sp. (Col. Melolonthid) - Canada, U.S.A.
Lachnosterna inversa Horn. (Col. Melolonthid) - U.S.A.

Ctenophorocera blepharipus B.B.

Crocidolomia binotalis Zell. (Lep. Pyraustid) - S. Africa.

Cuphocera sp.Spodoptera mauritia Boisd. (Lep. Phalaenid) - Malaya.Cuphocera pilosa Mall.Cirphis loreyi Dup. (Lep. Phalaenid) - Australia.Cirphis unipuncta Haw. (Lep. Phalaenid) - Australia.Cuphocera pyrrhogaster Rond. - See C. varia F.Cuphocera ruficauda Wulp - See Copecrypta nitens Wd.Cuphocera varia F.Agrotis ypsilon Rott. (Lep. Phalaenid) - Java-S. Celebes.Cirphis sp. (Lep. Phalaenid) - India.Cirphis loreyi Dup. (Lep. Phalaenid) - Australia.Cirphis unipuncta Haw. (Lep. Phalaenid) - Australia.Spodoptera sp. (Lep. Phalaenid) - Malaya.Spodoptera mauritia Boisd. (Lep. Phalaenid) - Ceylon, India, Malaya.Spodoptera pecten Guen. (Lep. Phalaenid) - Malaya.Cuphocera varia malayana Bar.Spodoptera mauritia Boisd. (Lep. Phalaenid) - Malaya.Cyclotaphrys anser Tns.Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Europe.Cyrillia angustifrons Rond. - See CirilliaCyrtophleba coquilletti Aldr.Conistra sp. (Lep. Phalaenid) - U.S.A.Epiglaea apiata Grote (Lep. Phalaenid) - U.S.A.

Phalaenid sp. (Lep.) - U.S.A.

Cyrtophleba ruricola Mg. - See PlagiaDaeochaeta harveyi Tns. - See Bessa selecta Mg.Degeeria albiceps Macq. - See MedinaDegeeria collaris Fall.Galerucella luteola Mull. (Col. Galerucid) - Italy.Degeeria fasciatus Mg. - See MedinaDegeeria fascinans Mg. - See MedinaDegeeria flavicans Gour. - See MedinaDegeeria funebris Mg. - See D. luctuosa Mg.- See also Medina luctuosa Mg.Degeeria luctuosa Mg.Agelastica alni L. (Col. Galerucid) - Pyrenees.

Haltica sp. (Col. Halticid) - France.
Haltica ampelophaga Guer. (Col. Halticid) - France.

Degeeria muscaria Fall. - See Microvibrissina

Dejeania bombylans F.
Heliothis armigera Hb. (Lep. Phalaenid) - S. Rhodesia.

Dejeaniopalpus analis Say - See Genea

Demoticus plebejus Fall.
Eucharhia festiva Hufn. (Lep. Arctiid) - Czechoslovakia.

Deuterammobia acuminata Rond.
Parnassius apollo L. (Lep. Papilionid) - Europe.
Smerinthus populi L. (Lep. Sphingid) - Europe.

Deuterammobia glabriventris Wulp - See D. acuminata Rond.

Dexia sp.
Popillia sp. (Col. Rutelid) - Korea.

Dexia rustica F.
Amphimallon solstitialis L. (Col. Melolonthid) - Europe.
Melolontha hippocastani F. (Col. Melolonthid) - Transylvania.
Melolontha melolontha L. (Col. Melolonthid) - Europe, Transylvania.

Dexia vacua Fall.
Melolontha sp. (Col. Melolonthid) - Europe.
Melolontha hippocastani F. (Col. Melolonthid) - Transylvania.
Melolontha melolontha L. (Col. Melolonthid) - Transylvania.

Dexia ventralis Aldr.
Miridiba koreana N. & K. (Col. Rutelid) - Japan.
Phyllopertha sp. (Col. Rutelid) - Japan.
Popillia sp. (Col. Rutelid) - Korea.
Popillia castanoptera Hope (Col. Rutelid) - Japan.
Popillia japonica Newm. (Col. Rutelid) - Korea, Japan, U.S.A.

Dexiosoma caninum F.
Melolontha sp. (Col. Melolonthid) - Europe.
Melolontha hippocastani F. (Col. Melolonthid) - Transylvania.
Melolontha melolontha L. (Col. Melolonthid) - Transylvania.

Dexodes aurifrons Coq. - See Masicera

Dexodes machaeropsis B.B. - See D. nigripes Fall.
 - See also Lydella nigripes Fall.

Dexodes nigripes Fall.
Athalia colibri Christ. (Hym. Tenthredinid) - Germany.
Diprion sp. (Hym. Tenthredinid) - Europe.
Porthetria dispar L. (Lep. Lymantriid) - Europe.

Pteronidea ribesii Scop. (Hym. Tenthredinid) - Europe.
Thaumetopoea pinivora Tr. (Lep. Thaumetopoeid).
Trichiocampus viminalis Fall. (Hym. Tenthredinid) - Europe.

Diatraeophaga striatalis Tns.

Diatraea sp. (Lep. Crambid) - Dutch E. Indies.
Proceras sacchariphagus Bojer (Lep. Crambid) - Java.
Proceras venosatus Walk. (Lep. Crambid) - Java-Formosa.

Dichaetoneura leucoptera Johns.

Archips sp. (Lep. Tortricid) - America.
Archips cerasivorana Fitch (Lep. Tortricid) - Canada, U.S.A.
Depressaria heracleana L. (Lep. Oecophorid) - U.S.A.
 ? Pectinophora gossypiella Saund. (Lep. Gelechiid) - America.

Didyma exigua Wulp

Acrobasis caryae Grote (Lep. Phycitid) - U.S.A.

Digonochaeta sp.

Forficula auricularia L. (Dermaptera) - U.S.A.

Digonochaeta enigmatica Vill. & Niels. - See Bigonichaeta

Digonochaeta setipennis Fall. - See also Bigonichaeta

Digonochaeta setipennis Fall.

Forficula auricularia L. (Dermaptera) - Europe, Britain-New Zealand, France, Canada, U.S.A.

Dionaea forcipata Mg.

Cassida viridis L. (Col. Cassidid) - Europe.

Dionaea nitidula Mg.

Saperda populnea L. (Col. Lamiid) - Europe.

Diplostichus janithrix Htg.

Diprion sp. (Hym. Tenthredinid) - Germany.
Diprion frutetorum F. (Hym. Tenthredinid) - Europe.
Diprion pini L. (Hym. Tenthredinid) - Europe, Czechoslovakia, England, Holland, Poland.
Diprion similis Htg. (Hym. Tenthredinid) - Europe.
Diprion virens Kl. (Hym. Tenthredinid) - Europe.
Gilpinia polytoma Htg. (Hym. Tenthredinid) - Europe.

Diplostichus tenthredinum B. & B.

Diprion pini L. (Hym. Tenthredinid) - Holland.

Discochaeta cognata Schin. - See D. hyponomeutae Rond.

Discochaeta euonymellae Ratz.

Abraxas pantaria L. (Lep. Geometrid) - France.
Hypena rostralis L. (Lep. Phalaenid) - Europe.
Hyponomeuta cognatellus Hb. (Lep. Hyponomeutid) - Europe, France.

Hyponomeuta euonymellus L. (Lep. Hyponomeutid) - Europe, Rumania.
Hyponomeuta malinellus Zell. (Lep. Hyponomeutid) - Europe, Bulgaria, France, Serbia.
Hyponomeuta padellus L. (Lep. Hyponomeutid) - Europe, Bulgaria, France.
Hyponomeuta rorellus Hb. (Lep. Hyponomeutid) - Europe.
Sparganothis pilleriana Schiff. (Lep. Tortricid) - France.
Tortrix viridana L. (Lep. Tortricid) - Europe, Italy.

Discochaeta hyponomeutae Rond.

Hyponomeuta malinellus Zell. (Lep. Hyponomeutid) - France, Serbia.
Hyponomeuta padellus L. (Lep. Hyponomeutid) - Italy.

Discochaeta muscaria Fall. - See Microvibrissina

Dolichocolon orbitale Bar.

Pyrausta machaeralis Walk. (Lep. Pyraustid) - India.

Doryphorophaga aberrans Tns.

Blepharida rhois Förs. (Col. Halticid) - U.S.A.
Leptinotarsa decemlineata Say (Col. Chrysomelid) - U.S.A., U.S.A. - France.

Doryphorophaga australis Reinh.

Leptinotarsa decemlineata Say (Col. Chrysomelid) - U.S.A.
Leptinotarsa defecta Stal (Col. Chrysomelid) - U.S.A.

Doryphorophaga doryphorae Riley - See Phorocera

Drepanoglossa floridensis Tns.

Plodia interpunctella Hb. (Lep. Phycitid) - U.S.A.

Echinodes rufomaculatus DeG.

Dendrolimus pini L. (Lep. Lasiocampid) - Poland.
Eucharis festiva Hufn. (Lep. Arctiid) - Europe.

Echinomyia - See Tachina Meig.

Echinomyia dendrolimi Mats. - See Tachina magna Giglio-Tos

Echinomyia magnicornis Zett. - See Eudoromyia

Echinomyia tessellata F. - See Eudoromyia magnicornis Zett.

Eleodiphaga caffreyi Walt.

Eleodes extricata Say (Col. Tenebrionid) - U.S.A.
Eleodes obsoleta Say (Col. Tenebrionid) - U.S.A.

Eleodiphaga pollinosa Walt.

Eleodes hispilabrus Say (Col. Tenebrionid) - U.S.A.

Elephantocera greeni Tns.

Grapholitha molesta Busck (Lep. Olethreutid) - Canada.

Elodia cloacellae Kram. - See also Arrhinomyia

Elodia cloacellae Kram.

Pristiphora abietina Christ. (Hym. Tenthredinid) - Austria.

Elpe inepta Mg.

Plathypena scabra F. (Lep. Phalaenid) - U.S.A.

Eoacemyia bakeri Tns. - See E. errans Wd.

Eoacemyia errans Wd.

Acridid sp. (Orth.) - Malaya.

Epalpus signiferus Walk.

Lithophane sp. (Lep. Phalaenid) - U.S.A.

Epicampocera conspersa Mg.

Monima pulverulenta Esp. (Lep. Phalaenid) - Europe.

Monima stabilis View. (Lep. Phalaenid) - Europe.

Epicampocera crassiseta Rond.

Porthetria dispar L. (Lep. Lymantriid) - Europe.

Thaumatopoea processionea L. (Lep. Thaumatopoeid) - Europe.

Epicampocera obscura Coq.

Danaus plexippus L. (Lep. Danaid) - U.S.A.

Papilio ajax L. (Lep. Papilionid) - U.S.A.

Epicampocera setifacies Rond.

Papilio machaon L. (Lep. Papilionid) - Europe, Cyprus.

Epicampocera succincta Mg.

Saturnia pavonia L. (Lep. Saturniid) - Europe.

Epigrymyia floridensis Tns. - See Drepanoglossa

Epineura rubens Villen.

Antestia faceta Germ. (Hem. Pentatomid) - Uganda.

Antestia lineaticollis Stal (Hem. Pentatomid) - East Africa, Uganda.

Eriothrix rufomaculata DeG. - See Echinodes rufomaculatus DeG.

Ernestia sp.

Amphipyra pyramidoides Guen. (Lep. Phalaenid) - U.S.A.

Barathra curialis Smith (Lep. Phalaenid) - U.S.A.

Chorizagrotis auxiliaris Grote (Lep. Phalaenid) - U.S.A.

Cosmia canescens Behr. (Lep. Phalaenid) - U.S.A.

Datana ministra Drury (Lep. Notodontid) - U.S.A.

Diacrisia virginica F. (Lep. Arctiid) - U.S.A.

Ennomos subsignarius Hb., (Lep. Geometrid) - U.S.A.

Estigmene acrea Dru. (Lep. Arctiid) - U.S.A.

Euchaetias egle Dru. (Lep. Arctiid) - U.S.A.

Eupsilia devia Grote (Lep. Phalaenid) - U.S.A.

Lithophane sp. (Lep. Phalaenid) - U.S.A.
Lithophane antennata Walk. (Lep. Phalaenid) - U.S.A.
Phalaenid sp. (Lep.) - U.S.A.

Ernestia aldrichi Tns.

Hyphantria cunea Dru. (Lep. Arctiid) - Canada.

Ernestia ampelus Walk.

Datana integerrima G. & R. (Lep. Notodontid) - U.S.A.
Hyphantria cunea Dru. (Lep. Arctiid) - Canada.
Malacosoma americana F. (Lep. Lasiocampid) - U.S.A.
Malacosoma disstria Hb. (Lep. Lasiocampid) - U.S.A.

Ernestia caesia Fall.

Harmodia caesia Borkh. (Lep. Phalaenid) - Europe.

Ernestia connivans Zett.

Polia persicariae L. (Lep. Phalaenid) - Europe.

Ernestia consobrina Mg.

Barathra brassicae L. (Lep. Phalaenid) - Russia.
Cucullia artemisiae Hufn. (Lep. Phalaenid) - Europe.
Eriogaster lanestris L. (Lep. Lasiocampid) - Czechoslovakia.
Polia oleracea L. (Lep. Phalaenid) - Russia.
Porthetria dispar L. (Lep. Lymantriid) - Europe, N. Africa.
Saturnia pavonia L. (Lep. Saturniid) - Europe.

Ernestia johnsoni Toth.

Hyphantria cunea Dru. (Lep. Arctiid) - U.S.A.

Ernestia minor Vill. & Niels. - See E. nielseni Vill.

Ernestia nielseni Vill.

Calymnia trapezina L. (Lep. Phalaenid) - Europe.
Monima pulverulenta Esp. (Lep. Phalaenid) - Europe.

Ernestia radicum F.

Agrotis orthogonia Morr. (Lep. Phalaenid) - Canada.
Celerio gallii Rott. (Lep. Sphingid) - Europe.
Diacrisia lubricipeda L. (Lep. Arctiid) - Europe.
Lophopteryx camelina L. (Lep. Notodontid) - Europe.
Malacosoma castrensis L. (Lep. Lasiocampid) - Europe.
Nymphalis io L. (Lep. Nymphalid) - Europe.
Panolis flammea Schiff. (Lep. Phalaenid) - Europe.
Pergesa elpenor L. (Lep. Sphingid) - Europe.

Ernestia rudis Fall.

Dendrolimus pini L. (Lep. Lasiocampid) - Europe, Russia.
Dendrolimus segregatus Butl. (Lep. Lasiocampid) - Russia.
Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.
Monima stabilis View. (Lep. Phalaenid) - Europe.
Panolis flammea Schiff. (Lep. Phalaenid) - Europe, Austria, Czechoslovakia, Finland, Germany, Holland, Poland.
Porthetria dispar L. (Lep. Lymantriid) - Czechoslovakia.

Erycia aurulenta Mg.

- Abraxas sylvata Scop. (Lep. Geometrid) - Europe.
Collix sparsata Tr. (Lep. Geometrid) - Europe.
Drepana cultraria F. (Lep. Drepanid) - Europe.
Drepana falcataria L. (Lep. Drepanid) - Europe.
Eupithecia actaeata Waldendorf (Lep. Geometrid) - Europe.
Halias prasinana L. (Lep. Phalaenid) - Europe.
Hyponomeuta sp. (Lep. Hyponomeutid) - France.
Hyponomeuta cognatellus Hb. (Lep. Hyponomeutid) - Europe.
Hyponomeuta padellus L. (Lep. Hyponomeutid) - Europe.
Pygaera anachoreta F. (Lep. Notodontid) - Europe.
Strymon w-album Knoch. (Lep. Lycaenid) - England.

Erycia basifulva Bezzi

- Tirathaba rufivena Walk. (Lep. Galleriid) - Malaya.
Tirathaba trichogramma Meyr. (Lep. Galleriid) - Fiji, Malaya.

Erycia bezzii Bar.

- Euproctis bipunctapex Hmps. (Lep. Lymantriid) - India.
Telicota palmarum Moore (Lep. Hesperiid) - Malaya.

Erycia deckeri Curran - See MasiceraErycia fatua Mg.

- Arctornis chrysorrhoea L. (Lep. Lymantriid) - Europe.
Cingilia catenaria Dru. (Lep. Geometrid) - Canada.
Euphydryas aurinia Rott. (Lep. Nymphalid) - Europe, England.
Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.
Melitaea athalia Rott. (Lep. Nymphalid) - Europe.
Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Europe.
Nymphalis io L. (Lep. Nymphalid) - Europe.
Porthetria dispar L. (Lep. Lymantriid) - Europe, N. Africa.
Zygaena fausta L. (Lep. Zygaenid) - Europe.

Erycia festinans Mg. - See E. fatua Mg.Erycia gyrovaga Rond. - See also Gyrovaga vicina Zett.Erycia gyrovaga Rond.

- Celerio gallii Rott. (Lep. Sphingid) - Europe.
Celerio lineata F. (Lep. Sphingid) - Algeria.
Celerio lineata livornica Esp. (Lep. Sphingid) - Algiers.
Celerio vespertilio Esp. (Lep. Sphingid) - Europe.
Proserpinus proserpina Pall. (Lep. Sphingid) - Europe.

Erycia myoidea R.-D. - See Lydella grisescens R.-D.Erycia nymphaledophaga Bar.

- Papilio demoleus L. (Lep. Papilionid) - India.

Erycia schnabli Vill.

- Malaecosoma neustria L. (Lep. Lasiocampid) - Europe.

Erynnia nitida R.-D. - See also Erynniopsis rondanii Tns.

Erynnia nitida R.-D.

Galerucella luteola Mull. (Col. Galerucid) - Europe, France-U.S.A.

Erynniopsis rondanii Tns. - See also Erynnia nitida R.-D.

Erynniopsis rondanii Tns.

Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.

Sparganothis pilleriana Schiff. (Lep. Tortricid) - France.

Erythroceras scutellaris R.-D.

Abraxas pantaria L. (Lep. Geometrid) - Spain.

Eubiomyia calosomae Coq.

Calosoma calidum F. (Col. Carabid) - N. America, U.S.A.

Calosoma frigidum Kby. (Col. Carabid) - U.S.A.

Calosoma sycophanta L. (Col. Carabid) - U.S.A.

Eubrachymera debilis Tns.

Neurotoma inconspicua Nort. (Hym. Tenthredinid) - U.S.A.

Eucarcelia kockiana Tns. - See Zenillia

Eucelatoria armigera Coq.

Diprion sp. (Hym. Tenthredinid) - U.S.A.

Heliothis armigera Hb. (Lep. Phalaenid) - U.S.A.

Prodenia praefica Grote (Lep. Phalaenid) - U.S.A.

Eucelatoria australis Tns.

Alabama argillacea Hb. (Lep. Phalaenid) - St. Vincent.

Anomis luridula Guen. (Lep. Phalaenid) - Peru.

Anticarsia gemmatalis Hb. (Lep. Phalaenid) - Peru.

Calpodus ethlius Cram. (Lep. Hesperiid) - Barbados, St. Vincent.

Laphygma frugiperda A. & S. (Lep. Phalaenid) - Peru.

Leucania latiuscula H.-S. (Lep. Phalaenid) - Porto Rico.

Prodenia eridania Cram. (Lep. Phalaenid) - Peru.

Prodenia sunia Guen. (Lep. Phalaenid) - Peru.

Eucelatoria comosa Wulp

Laphygma exigua Hb. (Lep. Phalaenid) - U.S.A.

Eucelatoria rubentis Coq. - See E. comosa Wulp

Eucoronimya hastata Coq.

Pectinophora gossypiella Saund. (Lep. Gelechiid) - U.S.A.

Eudoromyia magnicornis Zett.

Agrotis sp. (Lep. Phalaenid) - Europe.

Agrotis segetum Schiff. (Lep. Phalaenid) - Bulgaria.

Euxoa tritici L. (Lep. Phalaenid) - Bulgaria.

Laphygma exigua Hb. (Lep. Phalaenid) - Anatolia.

Mniotype adusta Esp. (Lep. Phalaenid) - Europe.
Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Europe.
Panolis flammea Schiff. (Lep. Phalaenid) - Germany, Poland.
Porthetria dispar L. (Lep. Lymantriid) - Europe, Russia, U.S.A.,
 N. Africa.

Eulasiona nigra Curran

Archips rosana L. (Lep. Tortricid) - Canada.

Eulasiona spinosa Coq.

Alsophila pometaria Harr. (Lep. Geometrid) - U.S.A.
Brephos infans Mosch. (Lep. Geometrid) - U.S.A.
Erannis tiliaria Harr. (Lep. Geometrid) - U.S.A.
Pyreferra hesperidago Guen. (Lep. Phalaenid) - U.S.A.

Euloewia globosa Tns.

Anthonomus grandis Boh. (Col. Curculionid) - U.S.A.
Chalcodermus aeneus Boh. (Col. Curculionid) - U.S.A.
Conotrachelus affinis Boh. (Col. Curculionid) - U.S.A.
Conotrachelus anaglypticus Say (Col. Curculionid) - U.S.A.
Conotrachelus aratus Germ. (Col. Curculionid) - U.S.A.
Conotrachelus nenuphar Hbst. (Col. Curculionid) - U.S.A.

Eumasicera sp.

Acronicta sp. (Lep. Phalaenid) - U.S.A.
Acronicta impleta Walk. (Lep. Phalaenid) - U.S.A.

Eumasicera sternalis Coq.

Anisota rubicunda F. (Lep. Citheroniid) - U.S.A.
Anisota senatoria A. & S. (Lep. Citheroniid) - U.S.A.

Eumogenia dysderci Tns.

Dysdercus sp. (Hem. Pyrrhocorid) - Brazil.

Euphorocera - See Phorocera

Eupogona - See Epicampocera

Euproctimya pyrrhaspis Vill. - See Lydellina

Eurygaster setosa Dol. - See Tachina munda Wd.

Eutachina - See Exorista

Euthryptocera latifrons Rond.

Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Europe.
Zygaena filipendulae L. (Lep. Zygaenid) - Europe.

Eutorocca fasciata Tns. - See Torocca

Eutritochaeta carpocapsae Tns. - See Phorocera noctuiformis Smith

Eutrixa sp.

Popillia japonica Newm. (Col. Rutelid) - Japan.

Eutrixa exile Coq. - See E. masuria Walk.

Eutrixa masuria Walk.

Lachnosterna sp. (Col. Melolonthid) - U.S.A.

Eutrixoides jonesii Walt.

Lachnosterna sp. (Col. Melolonthid) - Porto Rico, U.S.A.

Lachnosterna guanicana Smyth (Col. Melolonthid) - Porto Rico.

Lachnosterna portoricensis Smyth (Col. Melolonthid) - Porto Rico.

Lachnosterna vandinei Smyth (Col. Melolonthid) - Porto Rico.

Eutrixopsis javana Tns.

Leucopholis irrorata Chevr. (Col. Melolonthid) - Philippines.

Popillia japonica Newm. (Col. Rutelid) - Korea and Japan into U.S.A.

Euzenillia variabilis Coq. - See Lixophaga

Euzenilliopsis diatraeae Tns. - See Lixophaga

Eversmannia ruficauda Zett.

Hydriomena coerulata F. (Lep. Geometrid) - Europe.

Notodonta phoebe Scriba (Lep. Notodontid) - Europe.

Exorista auct. nec Meig. - See Zenillia

Exorista civilis Rond.

Loxostege sticticalis L. (Lep. Pyraustid) - Jugoslavia.

Pyrausta nubilalis Hb. (Lep. Pyraustid) - Europe, Russia.

Exorista civiloides Bar.

Acontia notabilis Walk. (Lep. Phalaenid) - India.

Cirphis sp. (Lep. Phalaenid) - India.

Cirphis unipuncta Haw. (Lep. Phalaenid) - Siam.

Hyblaea puera Cram. (Lep. Hyblaeid) - Burma, India.

Laphygma sp. (Lep. Phalaenid) - India.

Pyrausta machaeralis Walk. (Lep. Pyraustid) - India.

Tiracola plagiata Walk. (Lep. Phalaenid) - Malaya.

Exorista dubia Fall. - See Lypha

Exorista erucarum Rond.

Athalia colibri Christ. (Hym. Tenthredinid) - Germany.

Cladius comari Stein. (Hym. Tenthredinid) - Europe.

Exorista fallax Mg.

Dasychira mendosa Hb. (Lep. Lymantriid) - India.

Dendrolimus pini L. (Lep. Lasiocampid) - Europe, Russia.

Heliothis dipsacea L. (Lep. Phalaenid) - Russia.

Hyblaea puera Cram. (Lep. Hyblaeid) - India.

Laphygma exigua Hb. (Lep. Phalaenid) - Anatolia.

Spodoptera mauritia Boisd. (Lep. Phalaenid) - India.

Thalassodes digressa Walk. (Lep. Geometrid) - Italian Somaliland.

Exorista hirsuta O.S. - See Phryxe vulgaris Fall.

Exorista impotens Rond. - See also Tachina

Exorista impotens Rond.

Notolophus antiquus L. (Lep. Lymantriid) - Europe.

Exorista japonica Tns.

Lymantria xyliana Swinh. (Lep. Lymantriid) - Formosa.

Porthetria dispar L. (Lep. Lymantriid) - Europe, Japan, U.S.A., N. Africa.

Exorista larvarum L. - See also E. mella Walk.

Exorista larvarum L.

Acantholyda stellata Christ. (Hym. Tenthredinid) - Europe.

Acronicta sp. (Lep. Phalaenid) - U.S.A.

Acronicta americana Harris (Lep. Phalaenid) - U.S.A.

Acronicta rubricoma Guen. (Lep. Phalaenid) - U.S.A.

Acronicta rumicis L. (Lep. Phalaenid) - Europe.

Agrotis exclamationis L. (Lep. Phalaenid) - Russia.

Agrotis segetum Schiff. (Lep. Phalaenid) - Europe, Russia.

Andraca bipunctata Walk. (Lep. Bombycid) - Japan.

Arctia caja L. (Lep. Arctiid) - Europe.

Arctia villica L. (Lep. Arctiid) - Europe.

Arctornis chrysorrhoea L. (Lep. Lymantriid) - Europe.

Argynnis paphia L. (Lep. Nymphalid) - Czechoslovakia.

Autographa gamma L. (Lep. Phalaenid) - Czechoslovakia.

Autographa iota L. (Lep. Phalaenid) - Europe.

Barathra brassicae L. (Lep. Phalaenid) - Europe, Russia.

Bombyx mori L. (Lep. Bombycid) - Japan.

Callosamia promethea Drury (Lep. Saturniid) - U.S.A.

Catocala fraxini L. (Lep. Phalaenid) - Europe.

Celerio euphorbiae L. (Lep. Sphingid) - Europe.

Celerio gallii Rott. (Lep. Sphingid) - Europe.

Cucullia prenanthis Boisd. (Lep. Phalaenid) - Europe.

Cycnia tenera Hb. (Lep. Arctiid) - U.S.A.

Dasychira fascelina L. (Lep. Lymantriid) - Europe.

Dasychira groenlandica Wck. (Lep. Lymantriid) - Europe.

Dasychira mendosa Hb. (Lep. Lymantriid) - Formosa.

Dasychira pudibunda L. (Lep. Lymantriid) - Czechoslovakia.

Datana integerrima G. & R. (Lep. Notodontid) - U.S.A.

Datana ministra Drury (Lep. Notodontid) - Canada, U.S.A.

Dendrolimus pini L. (Lep. Lasiocampid) - Europe, Russia.

Diacrisia lubricipeda L. (Lep. Arctiid) - Europe.

Diacrisia virginica F. (Lep. Arctiid) - U.S.A.

Diprion pini L. (Hym. Tenthredinid) - Europe.

Doclostaurus maroccanus Thnb. (Orth. Acridid) - Spain.

Epicnaptera americana Harr. (Lep. Lasiocampid) - U.S.A.

Estigmene acrea Dru. (Lep. Arctiid) - U.S.A.

Euchaetias egle Dru. (Lep. Arctiid) - U.S.A.

Eucharhia festiva Hufn. (Lep. Arctiid) - Europe.

- Euxoa tritici L. (Lep. Phalaenid) - Russia.
Gastropacha quercifolia L. (Lep. Lasiocampid) - Europe.
Halisidota harrisii Walsh (Lep. Arctiid) - U.S.A.
Halisidota tessellaris A. & S. (Lep. Arctiid) - U.S.A.
Heliothis dipsacea L. (Lep. Phalaenid) - Russia.
Hemerocampa leucostigma A. & S. (Lep. Lymantriid) - Canada, U.S.A.
Hemileuca oliviae Ckll. (Lep. Saturniid) - U.S.A.
Hyponomeuta euonymellus L. (Lep. Hyponomeutid) - Europe.
Ichthyura inclusa Hb. (Lep. Notodontid) - U.S.A.
Isia isabella A. & S. (Lep. Arctiid) - U.S.A.
Lasiocampa quercus L. (Lep. Lasiocampid) - Europe.
Loxostege sticticalis L. (Lep. Pyraustid) - Russia.
Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.
Lymantria obfuscata Walk. (Lep. Lymantriid) - India.
Macroglossum stellatarum L. (Lep. Sphingid) - Europe.
Macrothylacia rubi L. (Lep. Lasiocampid) - Europe.
Malacosoma americana F. (Lep. Lasiocampid) - U.S.A.
Malacosoma castrensis L. (Lep. Lasiocampid) - Europe.
Malacosoma disstria Hb. (Lep. Lasiocampid) - U.S.A.
Malacosoma neustria L. (Lep. Lasiocampid) - Europe, Poland.
Malacosoma neustria testacea Motsch. (Lep. Lasiocampid) - Japan.
Melitaea didyma Esp. (Lep. Nymphalid) - Europe.
Notolophus antiquus L. (Lep. Lymantriid) - Canada, U.S.A.
Notolophus posticus Walk. (Lep. Lymantriid) - Formosa.
Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Europe, Rumania, U.S.A.
Nymphalis antiopa L. (Lep. Nymphalid) - Europe, U.S.A.
Nymphalis io L. (Lep. Nymphalid) - Europe.
Nymphalis polychloros L. (Lep. Nymphalid) - Europe.
Ocneria detrita Esp. (Lep. Lymantriid) - Europe, Austria.
Olene basiflava Pack. (Lep. Lymantriid) - U.S.A.
Olene vagans B. & McD. (Lep. Lymantriid) - Canada.
Olethreutes hercyniana Tr. (Lep. Olethreutid) - Europe.
Orgyia ericae Germ. (Lep. Lymantriid) - Europe.
Orgyia gonostigma L. (Lep. Lymantriid) - Europe.
Orthosia humilis F. (Lep. Phalaenid) - Europe.
Panolis flammea Schiff. (Lep. Phalaenid) - Europe.
Papilio machaon L. (Lep. Papilionid) - Europe.
Pergesa elpenor L. (Lep. Sphingid) - France.
Pergesa porcellus L. (Lep. Sphingid) - Europe.
Pieris brassicae L. (Lep. Pierid) - France.
Polygonia interrogationis F. (Lep. Nymphalid) - U.S.A.
Porthetria dispar L. (Lep. Lymantriid) - Europe, Czechoslovakia, France,
 Yugoslavia-U.S.A., Poland, Rumania, Russia, Spain, U.S.A., N. Africa.
Prodenia litura F. (Lep. Phalaenid) - Egypt.
Proserpinus proserpina Pall. (Lep. Sphingid) - France.
Pseudodura dasychiroides Strand (Lep. Lymantriid) - Formosa.
Pygaera anastomosis L. (Lep. Notodontid) - Europe.
Pyreferra hesperidago Guen. (Lep. Phalaenid) - U.S.A.
Saturnia pyri Schiff. (Lep. Saturniid) - Europe.
Schizura concinna A. & S. (Lep. Notodontid) - U.S.A.
Simyra henrici Grote (Lep. Phalaenid) - U.S.A.
Stilpnotia salicis L. (Lep. Lymantriid) - Europe, Austria, Bulgaria,
 Hungary, Poland, Canada, U.S.A.

Vanessa urticae L. (Lep. Nymphalid) - Europe.
Zygaena ephialtes L. (Lep. Zygaenid) - Europe.

Exorista macrocera R.-D.

Malacosoma castrensis L. (Lep. Lasiocampid) - Europe.

Exorista mella Walk. - See also E. larvarum L.

Exorista mella Walk.

Macremphytus variana Nort. (Hym. Tenthredinid) - U.S.A.

Exorista mungomeryi Bar.

Laphygma exempta Walk. (Lep. Phalaenid) - Queensland.

Exorista noctuarum Rond.

Cosmotriche potatoria L. (Lep. Lasiocampid) - Europe.

Loxostege sticticalis L. (Lep. Pyraustid) - Russia.

Porthetria dispar L. (Lep. Lymantriid) - Europe, N. Africa.

Pyrausta nubilalis Hb. (Lep. Pyraustid) - Russia.

Exorista psychidarum Bar.

Mahasena corbetti Tams (Lep. Psychid) - Malaya.

Exorista simulans Mg. - See also Guerinia

Exorista simulans Mg.

Heliothis armigera Hb. (Lep. Phalaenid) - Russia.

Laphygma exigua Hb. (Lep. Phalaenid) - Anatolia.

Lasiocampa quercus L. (Lep. Lasiocampid) - Europe.

Loxostege sticticalis L. (Lep. Pyraustid) - Rumania.

Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia, Russia.

Malacosoma neustria L. (Lep. Lasiocampid) - Europe.

Nymphalis polychloros L. (Lep. Nymphalid) - Europe.

Porthetria dispar L. (Lep. Lymantriid) - Europe, Russia, N. Africa.

Stilpnotia salicis L. (Lep. Lymantriid) - Europe.

Exorista vidua Mg.

Eucharis festiva Hufn. (Lep. Arctiid) - Europe.

Macrothylacia rubi L. (Lep. Lasiocampid) - Europe.

Phragmatobia fuliginosa L. (Lep. Arctiid) - Europe.

Exoristoides johnsoni Coq.

Acheta assimilis F. (Orth. Gryllid) - U.S.A.

Exoristoides slossonae Coq.

Epilachna varivestis Muls. (Col. Coccinellid) - U.S.A.

Exoristoides urichi Aldr.

Calpodes ethlius Cram. (Lep. Hesperiid) - Trinidad.

Fabriciella ferox Panz.

Actinotia polyodon Cl. (Lep. Phalaenid) - Europe.

Feria prolixa Mg.

Pyrausta prophyalis Schiff. (Lep. Pyraustid) - Europe.

Fischeria bicolor R.-D.

Alophia combustella H.S. (Lep. Phycitid) - Europe.

Salebria palumbella Schiff. (Lep. Phycitid) - Europe.

Frauenfeldia rubricosa Mg. - See Tricogena trilineata Mg.

Freraea albipennis Zett.

Harpalus rufipes DeG. (Col. Carabid) - Europe.

Freraea denudata Zett.

Carabus scheidleri Pz. (Col. Carabid) - Europe.

Frivaldzkia distincta Mg.

Deilinia exanthemata Scop. (Lep. Geometrid).

Deilinia pusaria L. (Lep. Geometrid).

Drepana falcataria L. (Lep. Drepanid).

Ematurga atomaria L. (Lep. Geometrid).

Eupithecia indigata Hb. (Lep. Geometrid).

Hydriomena corylata Thnbg. (Lep. Geometrid).

Sphinx pinastri L. (Lep. Sphingid).

Frontina sp.

Ichthyura apicalis Walk. (Lep. Notodontid) - U.S.A.

Ichthyura inclusa Hb. (Lep. Notodontid) - U.S.A.

Lamprosema annubilata Swinh. (Lep. Pyraustid) - Ceylon.

Strymon melinus Hb. (Lep. Lycaenid) - U.S.A.

Frontina aletiae Riley - See Achaetoneura

Frontina ancilla Walk. - See Achaetoneura parancilla Tns.

Frontina archippivora Will. - See Achaetoneura

Frontina armigera Coq. - See Eucelatoria

Frontina frenchii Will. - See Achaetoneura

Frontina laeta Mg.

Malacosoma castrensis L. (Lep. Lasiocampid) - Europe.

Smerinthus ocellatus L. (Lep. Sphingid) - Europe.

Sphinx ligustri L. (Lep. Sphingid) - Czechoslovakia.

Frontina malacosomae Curran - See Achaetoneura frenchii Will.

Frontina sordida Curran - See Achaetoneura frenchii Will.

Frontina tenthredinarum Tns. - See Bessa selecta Mg.

Frontina violenta Walk. - See Achaetoneura testacea Web.

Frontinella parancilla Tns. - See Achaetoneura

Gaedia ignavus Nish.

Arctornis chrysorrhoea L. (Lep. Lymantriid) - Japan.

Bombyx mori L. (Lep. Bombycid) - Japan.

Gaedia puellae Nish.

Bombyx mori L. (Lep. Bombycid) - Japan.

Gaediogonia jacobsoni Tns.

Cirphis unipuncta Haw. (Lep. Phalaenid) - Siam.

Spodoptera sp. (Lep. Phalaenid) - Malaya.

Spodoptera mauritia Boisd. (Lep. Phalaenid) - Malaya.

Gaediopsis ocellaris Coq.

Plathypena scabra F. (Lep. Phalaenid) - U.S.A.

Genea analis Say

? Pectinophora gossypiella Saund. (Lep. Gelechiid) - America.

Glaucophana amasiae B.B.

Depressaria sp. (Lep. Oecophorid) - Europe.

? Pectinophora gossypiella Saund. (Lep. Gelechiid) - Europe.

Gonia sp.

Agrotis exclamationis L. (Lep. Phalaenid) - Russia.

Agrotis orthogonia Morr. (Lep. Phalaenid) - Canada.

Agrotis segetum Schiff. (Lep. Phalaenid) - Russia.

Euxoa conspicua Hb. (Lep. Phalaenid) - Russia.

Euxoa ochrogaster Guen. (Lep. Phalaenid) - U.S.A.

Euxoa tritici L. (Lep. Phalaenid) - Russia.

Heliothis armigera Hb. (Lep. Phalaenid) - S. Rhodesia.

Lithophane antennata Walk. (Lep. Phalaenid) - U.S.A.

Spaelotis ravida Schiff. (Lep. Phalaenid) - Russia.

Gonia aldrichi Toth.

Euxoa ochrogaster Guen. (Lep. Phalaenid) - Canada.

Gonia bimaculata Wd.

Agrotis segetum Schiff. (Lep. Phalaenid) - Rhodesia, S. Africa.

Apocheima cinerarius Ersch. (Lep. Geometrid) - Russia.

Heliothis armigera Hb. (Lep. Phalaenid) - Italian Somaliland, S. Africa.

Pterotocera declinata Stgr. (Lep. Geometrid) - Russia.

Gonia brevipulvilli Toth.

Agrotis orthogonia Morr. (Lep. Phalaenid) - Canada.

Gonia capitata DeG.

Agrotis exclamationis L. (Lep. Phalaenid) - Russia.

Agrotis orthogonia Morr. (Lep. Phalaenid) - N. America, Canada.

Agrotis segetum Schiff. (Lep. Phalaenid) - Europe, Czechoslovakia,

Russia, Ukraine, N. America, S. Rhodesia.

Agrotis ypsilon Rott. (Lep. Phalaenid) - N. America, Egypt.

Crymodes devastator Brace (Lep. Phalaenid) - N. America.
Euxoa ochrogaster Guen. (Lep. Phalaenid) - N. America, Canada.
Feltia sp. (Lep. Phalaenid) - N. America.
Heliothis armigera Hb. (Lep. Phalaenid) - U.S.A.
Laphygma frugiperda A. & S. (Lep. Phalaenid) - N. America, U.S.A.
Peridroma margaritosa saucia Hb. (Lep. Phalaenid) - N. America.

Gonia cilipeda Rond. - See G. bimaculata Wd.

Gonia crassicornis F.

Laphygma exigua Hb. (Lep. Phalaenid) - U.S.A.
Laphygma frugiperda A. & S. (Lep. Phalaenid) - Cuba, Porto Rico.

Gonia divisa Mg.

Agrotis segetum Schiff. (Lep. Phalaenid) - Czechoslovakia.

Gonia exul Will.

Agrotis ypsilon Rott. (Lep. Phalaenid) - U.S.A.

Gonia fasciata Mg.

Anthophora acervorum L. (Hym. Apid) - Europe.
Bombus terrestris L. (Hym. Apid) - Europe.
Panolis flammea Schiff. (Lep. Phalaenid) - Europe, Poland.

Gonia flaviceps Zett.

Phragmatobia cervina Fall. (Lep. Arctiid) - Europe.

Gonia foersteri Mik.

Arctia caja L. (Lep. Arctiid) - Europe.

Gonia fuscicollis Toth.

Euxoa ochrogaster Guen. (Lep. Phalaenid) - Canada.

Gonia jacobsoni Tns.

Spodoptera mauritia Boisd. (Lep. Phalaenid) - Malaya.

Gonia longiforceps Toth.

Agrotis orthogonia Morr. (Lep. Phalaenid) - U.S.A.
Euxoa tristicula Morr. (Lep. Phalaenid) - U.S.A.

Gonia munroi Curran - See Pseudogonia cinerascens Rond.

Gonia ornata Mg.

Agrotis exclamationis L. (Lep. Phalaenid) - Russia.
Agrotis segetum Schiff. (Lep. Phalaenid) - Russia.
Agrotis vestigialis Rott. (Lep. Phalaenid) - Europe.
Pachythelia villosella Ochs. (Lep. Psychid) - Europe.

Gonia pallens Wd.

Melipotis walkeri Butl. (Lep. Phalaenid) - Peru.

Gonia pruinescens Vill.

Agrotis ypsilon Rott. (Lep. Phalaenid) - India.

Gonia sagax Tns.

Alsophila pometaria Harr. (Lep. Geometrid) - U.S.A.

Gonia sequax Will.

Peridroma margaritosa Haw. (Lep. Phalaenid) - U.S.A.

Gonia texensis Reinh. - See G. crassicornis F.

Goniocera enigmatica Vill. & Niels. - See Bigonichaeta

Goniomima unifasciata R.-D. - See Belvosia

Goniophana heterocera Macq. - See Tritaxys

Guerinia cinerascens Belanovskii

Loxostege sticticalis L. (Lep. Pyraustid) - Europe, Bulgaria, Czechoslovakia, Russia.

Guerinia erucarum auct. nec Rond. - See G. cinerascens Belanovskii

Guerinia nymphaeum Rond.

Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.

Guerinia rustica Mg.

Dendrolimus pini L. (Lep. Lasiocampid) - Russia.

Guerinia simulans Mg. - See also Exorista

Guerinia simulans Mg.

Harpiphorus tarsatus Say (Hym. Tenthredinid) - Canada.

Macremphytus variana Nort. (Hym. Tenthredinid) - U.S.A.

Rhogogaster viridis L. (Hym. Tenthredinid) - Europe.

Tenthredella flavicornis F. (Hym. Tenthredinid) - Europe.

Tenthredo arcuata Först. (Hym. Tenthredinid) - Europe.

Tenthredopsis campestris L. (Hym. Tenthredinid) - Europe.

Tenthredopsis coqueberti Kl. (Hym. Tenthredinid) - Europe.

Gymnobasis microcera Rond. - See Billaea

Gymnochaeta aurata Fall.

Horisme tersata Schiff. (Lep. Geometrid) - Europe.

Gymnochaeta ruficornis Will.

Papaipema nebris Guen. (Lep. Phalaenid) - U.S.A.

Gymnochaeta viridis Fall.

Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.

Ortholitha limatata Scop. (Lep. Geometrid) - Europe.

Pettilampa minima Haw. (Lep. Phalaenid) - Europe.

Gymnodexia atkinsoni Bar.

Curculionid sp. (Col.) - Burma.

Gymnodexia indica Bar.Melolonthid sp. (Col.) - India.Gymnopareia aegyptiaca Vill.Prodenia sp. (Lep. Phalaenid) - Egypt.Gymnophthalma americana Tns.Schizura concinna A. & S. (Lep. Notodontid) - U.S.A.Gymnophthalma pilipennis Fall.Archips sp. (Lep. Tortricid) - Europe.? Pectinophora gossypiella Saund. (Lep. Gelechiid) - Europe.Rhyacionia sp. (Lep. Olethreutid) - Europe.Gymnosoma fuliginosa R.-D.Chlorochroa sayi Stal (Hem. Pentatomid) - U.S.A.Euschistus variolarius P. de B. (Hem. Pentatomid) - U.S.A.Gymnosoma rotundata L.Aelia triticiperda Pomel (Hem. Pentatomid) - Morocco.Chlorochroa juniperina L. (Hem. Pentatomid) - Europe.Dociostaurus maroccanus Thnb. (Orth. Acridid) - Europe.Dolycoris baccarum L. (Hem. Pentatomid) - Cyprus.Palomena prasina L. (Hem. Pentatomid) - Europe.Piezodorus lituratus F. (Hem. Pentatomid) - Europe.Rhaphigaster nebulosa Poda (Hem. Pentatomid) - Europe.Gymnostylia argentina BrèthesOeceticus platensis Berg. (Lep. Psychid) - Argentina.Gyrovaga vicina Zett. - See also Erycia gyrovaga Rond.Gyrovaga vicina Zett.Diprion pini L. (Hym. Tenthredinid) - Europe.Neodiprion sertifer Geoffr. (Hym. Tenthredinid) - Europe.Halidaya sp.Parnara sp. (Lep. Hesperiid) - Malaya.Parnara bada Moore (Lep. Hesperiid) - Malaya.Parnara mathias F. (Lep. Hesperiid) - Malaya.Halidaya luteicornis Walk.Parnara sp. (Lep. Hesperiid) - India.Parnara bada Moore (Lep. Hesperiid) - Malaya.Parnara mathias F. (Lep. Hesperiid) - India, Malaya.Hamaxia incongrua Walk.Popillia sp. (Col. Rutelid) - China, India, Korea.Popillia japonica Newm. (Col. Rutelid) - Japan.Hapalioloemus machaeralis Bar.Pyrausta machaeralis Walk. (Lep. Pyraustid) - India.

Helomyia laterans Mg.

Eurygaster integriceps Put. (Hem. Pentatomid) - Europe.

Hemimasicera - See Erycia

Heteropterina heteroneura Mg.

Salebria marmorata Alph. (Lep. Phycitid) - Russia.

Hexamera sp.

Oncopera sp. (Lep. Hepialid) - Australia.

Oncopera rufobrunnea Tindale (Lep. Hepialid) - Australia.

Hilarella dira R.-D. - See H. stictica Mg.

Hilarella stictica Mg.

Ammophila sabulosa L. (Hym. Sphegid) - Europe.

Histochoeta marmorata F. - See also Istocheta

Histochoeta marmorata F.

Phytodecta rufipes DeG. (Col. Chrysomelid) - Europe.

Homoeonychia lithosiophaga Rond.

Eilema caniola Hb. (Lep. Arctiid) - Europe.

Homoeonychia rapae Smith - See Obolocera

Hyalomyodes triangulifera Lw.

Epilachna varivestis Muls. (Col. Coccinellid) - U.S.A.

Haltica bimarginata Say (Col. Halticid) - U.S.A.

Hylotomyia hylotomae Coq.

Arge sp. (Hym. Tenthredinid) - U.S.A.

Heterocampa guttivitta Walk. (Lep. Notodontid) - U.S.A.

Neodiprion lecontei Fitch (Hym. Tenthredinid) - U.S.A.

Hyphantrophaga hyphantriae Tns. - See Zenillia

Hypochoeta eudryae Smith - See Chaetophlepsis tarsalis Tns.

Hypochoeta longicornis Schin. - See Elpe inepta Mg.

Hypostena sp. - See also Lixophaga

Hypostena sp.

Monoxia puncticollis Say (Col. Galerucid) - U.S.A.

Hypostena grisea Curran - See Lixophaga diatraeae Tns.

Hypostena mediocris Aldr. - See Lixophaga

Hypostena plumbea Aldr. - See Lixophaga

Hypostena setiventris Macq.

Tetrix bipunctata L. (Orth. Acridid) - Europe.

Hypostena variabilis Coq. - See Lixophaga

Hystriicia lupina Swed. - See Hystriicina

Hystriicina lupina Swed.

Oncopera sp. (Lep. Hepialid) - Australia.

Porina sp. (Lep. Hepialid) - New Zealand.

Porina despecta Walk. (Lep. Hepialid) - New Zealand.

Ictericophyto spinosa Coq. - See Eulasonia

Istocheta marmorata F. - See also Histochaeta

Istocheta marmorata F.

Arctia caja L. (Lep. Arctiid) - Europe.

Arctia villica L. (Lep. Arctiid) - Europe.

Callarctia quenseli Payk. (Lep. Arctiid) - Europe.

Cucullia verbasci L. (Lep. Phalaenid) - Europe.

Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.

Malacosoma neustria L. (Lep. Lasiocampid) - Europe.

Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Britain.

Porthetria dispar L. (Lep. Lymantriid) - Europe, N. Africa.

Jaynesleskia sp.

Diatraea saccharalis F. (Lep. Crambid) - Argentina.

Jaynesleskia jaynesi Aldr.

Diatraea saccharalis F. (Lep. Crambid) - Argentina.

Larvaevora - See Tachina Meig.

Leschenaultia sp.

Hemerocampa leucostigma A. & S. (Lep. Lymantriid) - U.S.A.

Malacosoma disstria Hb. (Lep. Lasiocampid) - Canada.

Leschenaultia adusta Lw.

Coloradia pandora Blake (Lep. Saturniid) - U.S.A.

Halisidota caryae Harr. (Lep. Arctiid) - Canada, U.S.A.

Halisidota harrisii Walsh (Lep. Arctiid) - U.S.A.

Halisidota maculata Harr. (Lep. Arctiid) - Canada, U.S.A.

Halisidota tessellaris A. & S. (Lep. Arctiid) - U.S.A.

Malacosoma disstria Hb. (Lep. Lasiocampid) - Canada.

Leschenaultia exul Tns.

Malacosoma americana F. (Lep. Lasiocampid) - U.S.A.

Malacosoma disstria Hb. (Lep. Lasiocampid) - U.S.A.

Leschenaultia fulvipes Big.

Hemileuca sp. (Lep. Saturniid) - U.S.A.

Leschenaultia leucophrys Wd.Paonias excaecata A. & S. (Lep. Sphingid) - U.S.A.Sphinx chersis Hb. (Lep. Sphingid) - Canada, U.S.A.Leskia aurea Fall.Carpocapsa pomonella L. (Lep. Olethreutid) - Europe, France, Italy.Conopia conopiformis Esp. (Lep. Aegeriid) - Europe.Conopia formicaeformis Esp. (Lep. Aegeriid) - Europe, France.Conopia scoliaeformis Borkh. (Lep. Aegeriid) - Europe.Conopia vespiformis L. (Lep. Aegeriid) - Europe.Dipsosphesia ichneumoniformis Esp. (Lep. Aegeriid) - Europe.Euzophera bigella Zell. (Lep. Phycitid) - France.Paranthrene tabaniformis Rott. (Lep. Aegeriid) - Europe.? Pectinophora gossypiella Saund. (Lep. Gelechiid) - Europe.Rhyacionia buoliana Schiff. (Lep. Olethreutid) - Europe.Leskiomima tenera Wd.Acrobasis juglandis LeB. (Lep. Phycitid) - U.S.A.Desmia funeralis Hb. (Lep. Pyraustid) - U.S.A.Grapholitha molesta Busck (Lep. Olethreutid) - U.S.A.Leskiopalpus diadema Wd.Diatraea sp. (Lep. Crambid) - Br. Guiana, Trinidad.Diatraea saccharalis F. (Lep. Crambid) - Brazil, Dutch Guiana, Porto Rico.Leucostoma atra Tns.Nabis roseipennis Reut. (Hem. Nabid) - U.S.A.Linnaemyia affinis CortiHeliothis armigera Hb. (Lep. Phalaenid) - S. Africa.Linnaemyia agilis CurranHeliothis armigera Hb. (Lep. Phalaenid) - S. Africa, Tanganyika.Linnaemyia angulicornis SpeiserCirphis loreyi Dup. (Lep. Phalaenid) - S. Rhodesia.Linnaemyia anthracina ThompsonParasemia parthenos Harr. (Lep. Arctiid) - Canada.Linnaemyia compta Fall. - See L. compta Fall.Linnaemyia compta Fall.Agrotis orthogonia Morr. (Lep. Phalaenid) - Canada.Agrotis ypsilon Rott. (Lep. Phalaenid) - Europe, N. America.Chorizagrotis auxiliaris Grote (Lep. Phalaenid) - U.S.A.Copablepharon viridisparsa Dod. (Lep. Phalaenid) - N. America.Euxoa messoria Harr. (Lep. Phalaenid) - N. America.Euxoa tristicula Morr. (Lep. Phalaenid) - N. America, U.S.A.Feltia subterranea F. (Lep. Phalaenid) - U.S.A.Laphygma frugiperda A. & S. (Lep. Phalaenid).

Peridroma margaritosa Haw. (Lep. Phalaenid) - U.S.A.
Phalaenid sp. (Lep.) - U.S.A.
Polia goodelli acutermis Smith (Lep. Phalaenid) - N. America.
Saturnia pavonia L. (Lep. Saturniid) - Europe.

Linnaemyia fulvicauda Walt.

Mocis repanda F. (Lep. Phalaenid) - Jamaica, Porto Rico.

Linnaemyia longirostris Macq.

Heliothis armigera Hb. (Lep. Phalaenid) - S. Africa.

Linnaemyia nigripalpus Tryon

Cirphis unipuncta Haw. (Lep. Phalaenid) - Australia.

Lispidea sp.

Argyrotaenia citrana Fern. (Lep. Tortricid) - U.S.A.

Lixophaga sp. - See also Hypostena

Lixophaga sp.

Carpocapsa pomonella L. (Lep. Olethreutid) - U.S.A.

Diatraea saccharalis F. (Lep. Crambid) - Porto Rico.

Lixophaga diatraeae Tns.

Diatraea sp. (Lep. Crambid) - Cuba, Cuba-Mexico, Cuba-U.S.A., Haiti, Jamaica, Porto Rico, St. Lucia, Santo Domingo.

Diatraea canella Hmps. (Lep. Crambid) - Porto Rico-Br. Guiana.

Diatraea lineolata Walk. (Lep. Crambid) - Cuba.

Diatraea saccharalis F. (Lep. Crambid) - Antigua, Antigua-St. Lucia, Barbados, Br. Guiana, Cuba, Cuba-Antigua, Cuba-Br. Guiana, Cuba-Mexico, Cuba-St. Kitts, Cuba-St. Lucia, Cuba-U.S.A., Greater Antilles, Haiti, Jamaica, N. America, Porto Rico, Porto Rico-Br. Guiana, Santo Domingo, St. Kitts, St. Lucia, Trinidad, U.S.A.

Lixophaga mediocris Aldr.

Grapholitha molesta Busck (Lep. Olethreutid) - U.S.A.

Rhyacionia frustrana Comst. (Lep. Olethreutid) - Philippines.

Lixophaga plumbea Aldr.

Ancylis comptana fragariae W. & R. (Lep. Olethreutid) - U.S.A.

Grapholitha molesta Busck (Lep. Olethreutid) - Canada, U.S.A.

Phalonia oenotherana Riley (Lep. Phalonid) - U.S.A.

Rhyacionia frustrana Comst. (Lep. Olethreutid) - U.S.A.

Lixophaga variabilis Coq.

Ancylis comptana fragariae W. & R. (Lep. Olethreutid) - U.S.A.

Carpocapsa pomonella L. (Lep. Olethreutid) - U.S.A.

Desmia funeralis Hb. (Lep. Pyraustid) - U.S.A.

Epiblema otiosana Clem. (Lep. Olethreutid) - U.S.A.

Epiblema strenuana Walk. (Lep. Olethreutid) - U.S.A.

Grapholitha molesta Busck (Lep. Olethreutid) - U.S.A.

Laspeyresia caryana Fitch (Lep. Olethreutid) - U.S.A.

Papaipema nebris Guen. (Lep. Phalaenid) - U.S.A.

Papaipema nebris nitela Guen. (Lep. Phalaenid) - U.S.A.
Pyrausta nubilalis Hb. (Lep. Pyraustid) - N. America, U.S.A.
Pyrausta penitalis Grote (Lep. Pyraustid) - U.S.A.

Lydella sp.

Cingilia catenaria Dru. (Lep. Geometrid) - U.S.A.

Lydella albisquama Zett.

Ammoconia caecimacula Schiff. (Lep. Phalaenid) - Europe.
Notodonta anceps Goeze (Lep. Notodontid) - Europe.
Pergesa porcellus L. (Lep. Sphingid) - Europe.

Lydella ambulans Rond.

Cossus cossus L. (Lep. Cossid) - Europe.

Lydella armigera Coq. - See Eucelatoria

Lydella casta Rond.

Anthophila nemorana Hb. (Lep. Glyphipterygid) - Italy.
Nyctemera annulatum Bdv. (Lep. Hypsid) - New Zealand.
Tyria jacobaeae L. (Lep. Arctiid) - New Zealand.

Lydella crassiseta Tasch.

Porthetria dispar L. (Lep. Lymantriid) - Europe.

Lydella delecta Curran

Autographa californica Speyer (Lep. Phalaenid) - Canada.

Lydella dimmocki Aldr.

Metrona bivittata Say (Col. Cassidid) - U.S.A.

Lydella eufitchiae Tns.

Alsophila pometaria Harr. (Lep. Geometrid) - U.S.A.
Halisidota tessellaris A. & S. (Lep. Arctiid) - Canada.
Hypena humuli Harr. (Lep. Phalaenid) - U.S.A.
Lambdina fiscellaria Guen. (Lep. Geometrid) - Canada, U.S.A.

Lydella grisescens R.-D.

Archips rosana L. (Lep. Tortricid) - Europe.
Hydroecia immanis Guen. (Lep. Phalaenid) - U.S.A.
Papaipema appasionata Harvey (Lep. Phalaenid) - Canada.
Papaipema nebris Guen. (Lep. Phalaenid) - U.S.A.
Papaipema nebris nitela Guen. (Lep. Phalaenid) - U.S.A.
Papaipema purpurifascia G. & R. (Lep. Phalaenid) - Canada.
Pyrausta nubilalis Hb. (Lep. Pyraustid) - Europe, Italy, Japan, N. America, Canada, U.S.A.

Lydella hyphantriae Toth.

Ceramica picta Harr. (Lep. Phalaenid) - U.S.A.
Diacrisia virginica F. (Lep. Arctiid) - U.S.A.
Halisidota harrisii Walsh (Lep. Arctiid) - U.S.A.
Halisidota tessellaris A. & S. (Lep. Arctiid) - U.S.A.
Hyphantria cunea Dru. (Lep. Arctiid) - Canada, U.S.A.
Lithophane sp. (Lep. Phalaenid) - U.S.A.

Lydella lepida Mg.

Thaumetopoea pityocampa Schiff. (Lep. Thaumetopoeid).

Lydella nigripes Fall. - See also Dexodes

Lydella nigripes Fall.

Abrostola tripartita Hufn. (Lep. Phalaenid) - Europe.

Abrostola triplasia L. (Lep. Phalaenid) - Europe.

Acosmetia caliginosa Hb. (Lep. Phalaenid) - Europe.

Acronicta megacephala F. (Lep. Phalaenid) - Europe.

Acronicta rumicis L. (Lep. Phalaenid) - Europe.

Acronicta tridens Schiff. (Lep. Phalaenid) - Europe.

Amathes c-nigrum L. (Lep. Phalaenid) - Europe.

Amathes xanthographa Schiff. (Lep. Phalaenid) - Europe.

Aporia crataegi L. (Lep. Pierid) - Europe, Russia, Ukraine.

Archips murinana Hb. (Lep. Tortricid) - Czechoslovakia.

Arctia caja L. (Lep. Arctiid) - Europe.

Arctornis chrysorrhoea L. (Lep. Lymantriid) - Europe.

Arenostola elymi Tr. (Lep. Phalaenid) - Europe.

Autographa gamma L. (Lep. Phalaenid) - Europe.

Barathra brassicae L. (Lep. Phalaenid) - Europe.

Brephos parthenias L. (Lep. Geometrid) - Europe.

Bupalus piniaria L. (Lep. Geometrid) - Europe, Czechoslovakia, France, Germany, Poland, Russia. "

Calophasia casta Borkh. (Lep. Phalaenid) - Europe.

Calymnia trapezina L. (Lep. Phalaenid) - Europe.

Canthylidia scutosa Schiff. (Lep. Phalaenid) - Europe.

Celerio euphorbiae L. (Lep. Sphingid) - Europe.

Cucullia artemisiae Hufn. (Lep. Phalaenid) - Europe.

Cucullia asteris Schiff. (Lep. Phalaenid) - Europe.

Cucullia verbasci L. (Lep. Phalaenid) - Europe.

Dendrolimus pini L. (Lep. Lasiocampid) - Europe.

Dryobotodes protea Borkh. (Lep. Phalaenid) - Europe.

Ematurga atomaria L. (Lep. Geometrid) - Europe, Germany.

Eriogaster lanestris L. (Lep. Lasiocampid) - Europe.

Eupithecia innotata Hufn. (Lep. Geometrid) - Europe.

Eupithecia virgaureata Dbl. (Lep. Geometrid) - Europe.

Eurrhpara urticata L. (Lep. Pyraustid) - Europe.

Heliothis dipsacea L. (Lep. Phalaenid) - Europe.

Hybernina sp. (Lep. Geometrid) - Europe.

Hydriomena badiata Schiff. (Lep. Geometrid) - Europe.

Hyponomeuta padellus L. (Lep. Hyponomeutid) - Europe.

Larentia clavaria Haw. (Lep. Geometrid) - Europe.

Leucania pallens L. (Lep. Phalaenid) - Europe.

Malacosoma neustria L. (Lep. Lasiocampid) - Europe, Poland.

Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Europe.

Nymphalis io L. (Lep. Nymphalid) - Europe.

Nymphalis polychloros L. (Lep. Nymphalid) - Europe.

Oligia literosa Haw. (Lep. Phalaenid) - Europe.

Oxycesta geographica F. (Lep. Phalaenid) - Europe.

Panolis flammea Schiff. (Lep. Phalaenid) - Poland.

Phalera bucephala L. (Lep. Notodontid) - Europe.

Phragmatobia fuliginosa L. (Lep. Arctiid) - Europe.

Polia oleracea L. (Lep. Phalaenid) - Russia.
Polia pisi L. (Lep. Phalaenid) - Europe.
Porthetria dispar L. (Lep. Lymantriid) - Europe, Yugoslavia,
 Yugoslavia-U.S.A., Poland, Russia, U.S.A., N. Africa.
Salebria marmorata Alph. (Lep. Phycitid) - Russia.
Scotogramma trifolii Rott. (Lep. Phalaenid) - Europe.
Synopsia sociaria Hb. (Lep. Geometrid) - Europe.
Thaumetopoea pinivora Tr. (Lep. Thaumetopoeid) - Europe.
Thaumetopoea processionea L. (Lep. Thaumetopoeid) - Europe.
Vanessa urticae L. (Lep. Nymphalid) - Europe.
Zeiraphera griseana Hb. (Lep. Olethreutid) - Czechoslovakia.

Lydella pinivora Ratz.

Porthetria dispar L. (Lep. Lymantriid) - Europe.

Lydella senilis Mg. - See Ceromasia

Lydella stabulans Mg.

Abraxas grossulariata L. (Lep. Geometrid) - Europe.
Harmodia cucubali Schiff. (Lep. Phalaenid) - Europe.
Polia serena Schiff. (Lep. Phalaenid) - Europe.
Pyrausta nubilalis Hb. (Lep. Pyraustid) - France.
Xanthoecia flavago Schiff. (Lep. Phalaenid) - Europe.

Lydella stabulans grisea R.-D. - See L. grisea R.-D.

Lydellina pyrrhaspis Vill.

Euproctis sp. (Lep. Lymantriid) - India.

Lydina aenea Mg.

Acrobasis zelleri Rag. (Lep. Phycitid) - Poland.
Panolis flammea Schiff. (Lep. Phalaenid) - Poland.

Lypha dubia Fall.

Lycaenopsis argiolus L. (Lep. Lycaenid) - Europe.
Melasoma populi L. (Col. Chrysomelid) - Europe, Italy.
Operophtera brumata L. (Lep. Geometrid) - Russia.
Rhyacionia buoliana Schiff. (Lep. Olethreutid) - Austria.

Machaira serriventris Rond. - See Compsilura concinnata Mg.

Macquartia chalconota Mg.

Chrysomela varians Schaller (Col. Chrysomelid) - Europe, England.
Sylepta ruralis Scop. (Lep. Pyraustid) - Europe.

Macquartia occlusa Rond.

Phytodecta olivaceus Först. (Col. Chrysomelid) - Europe.

Macquartia praefica Mg.

Chrysomela varians Schaller (Col. Chrysomelid) - Europe.
Melasoma tremulae F. (Col. Chrysomelid) - Europe.

Macquartia tenebricosa Mg.Chrysomela varians Schaller (Col. Chrysomelid) - Britain.Macronichia conica R.-D.Odynerus parietum L. (Hym. Vespidae) - Europe.Polistes gallicus L. (Hym. Vespidae) - Europe.Macronichia polyodon Mg.Abraxas grossulariata L. (Lep. Geometrid) - Europe.Bombus terrestris L. (Hym. Apidae) - Europe.Crabro cinxius Dhlb. (Hym. Sphegidae) - Europe.Crabro elongatulus Lind. (Hym. Sphegidae) - Europe.Macronychia - See MacronichiaMadremyia saundersii Will.Agrotis ypsilon Rott. (Lep. Phalaenidae).Argynnis cybele F. (Lep. Nymphalidae) - N. America.Autographa californica Speyer (Lep. Phalaenidae) - N. America, Canada.Cingilia catenaria Dru. (Lep. Geometrid) - Canada, U.S.A.Deuteronomos magnarius Guen. (Lep. Geometrid) - N. America, Canada.Ennomos subsignarius Hb. (Lep. Geometrid) - U.S.A.Lambdina fiscellaria Guen. (Lep. Geometrid) - Canada, U.S.A.Lambdina somnaria Hult. (Lep. Geometrid) - U.S.A.Malacosoma disstria Hb. (Lep. Lasiocampidae) - U.S.A.Nygmia phaeorrhoea Don. (Lep. Lymantriidae) - U.S.A.Nymphalis antiopa L. (Lep. Nymphalidae) - N. America, Canada.Peridroma margaritosa Haw. (Lep. Phalaenidae) - N. America, U.S.A.Pieris occidentalis Reak. (Lep. Pieridae) - U.S.A.Masicera sp.Anisota rubicunda F. (Lep. Citheroniidae) - U.S.A.Apogonia destructor Ritz. (Col. Melolonthidae) - Dutch E. Indies.Colias philodice eurytheme Bdv. (Lep. Pieridae) - U.S.A.Dendrolimus spectabilis Butl. (Lep. Lasiocampidae) - Korea.Icerya aegyptiaca Dougl. (Hem. Coccidae) - Ceylon.Neodiprion lecontei Fitch (Hym. Tenthredinidae) - U.S.A.Simyra albovenosa Goeze (Lep. Phalaenidae) - U.S.A.Masicera abdominalis WulpMegastes grandalis Guen. (Lep. Pyraustidae) - Trinidad.Masicera archippivora Will. - See AchaetoneuraMasicera aurifrons Coq.Anisota senatoria A. & S. (Lep. Citheroniidae) - U.S.A.Masicera bremsii Macq.Nymphalis io L. (Lep. Nymphalidae) - Europe.Masicera brevis Macq.Hyponomeuta vigintipunctatus Ratz. (Lep. Hyponomeutidae) - Europe.

Masicera caespitum Macq.Aporia crataegi L. (Lep. Pierid) - Europe, Italy.Dendrolimus pini L. (Lep. Lasiocampid) - Europe, Russia.Dendrolimus segregatus Butl. (Lep. Lasiocampid) - Russia.Masicera crataegellae R.-D.Scoparia crataegella Hb. (Lep. Pyraustid) - Europe.Masicera datanarum Tns. - See Achaetoneura frenchii Will.Masicera deckeri CurranPapaipema nebris nitela Guen. (Lep. Phalaenid) - U.S.A.Masicera eufitchiae Tns. - See LydellaMasicera exilis Coq.Chelymorpha cassidea F. (Col. Cassidid) - U.S.A.Masicera falculae R.-D.Drepana falcataria L. (Lep. Drepanid) - Europe.Masicera fatua Mg. - See EryciaMasicera festinans Mg. - See Erycia fatua Mg.Masicera flavicans GoureauOperophtera brumata L. (Lep. Geometrid) - France.Masicera frenchii Will. - See AchaetoneuraMasicera myoidea R.-D. - See Lydella grisescens R.-D.Masicera oculata Bar.Parnara bada Moore (Lep. Hesperiid) - Malaya.Parnara mathias F. (Lep. Hesperiid) - Malaya.Masicera pauciseta Coq. - See Achaetoneura archippivora Will.Masicera pavoniae R.-D. - See M. sylvatica Fall.Masicera pratensis Mg.Acherontia atropos L. (Lep. Sphingid) - Europe.Celerio euphorbiae L. (Lep. Sphingid) - Europe.Cosmotriche potatoria L. (Lep. Lasiocampid) - Europe.Pergesa elpenor L. (Lep. Sphingid) - Europe.Saturnia pavonia L. (Lep. Saturniid) - Europe.Saturnia pyri Schiff. (Lep. Saturniid) - Europe, Rumania.Saturnia spini Schiff. (Lep. Saturniid) - Europe.Smerinthus ocellatus L. (Lep. Sphingid) - Europe.Smerinthus populi L. (Lep. Sphingid) - Europe.Sphinx pinastri L. (Lep. Sphingid) - Europe.Masicera pupivora R.-D.Archips rosana L. (Lep. Tortricid) - Europe.

Masicera rutila Mg.Archips fumiferana Clem. (Lep. Tortricid) - Canada.Hypena humuli Harr. (Lep. Phalaenid) - U.S.A.Masicera scutellata Zett.Dendrolimus pini L. (Lep. Lasiocampid) - Russia.Masicera senilis Mg. - See CeromasiaMasicera silvatica Fall. - See M. sylvatica Fall.Masicera sylvatica Fall.Apopestes spectrum Esp. (Lep. Phalaenid) - Europe.Celerio euphorbiae L. (Lep. Sphingid) - Europe.Celerio gallii Rott. (Lep. Sphingid) - Europe.Celerio vespertilio Esp. (Lep. Sphingid) - Europe.Cucullia verbasci L. (Lep. Phalaenid) - Europe.Dendrolimus pini L. (Lep. Lasiocampid) - Europe, Russia.Gastropacha quercifolia L. (Lep. Lasiocampid) - Europe.Lasiocampa quercus L. (Lep. Lasiocampid) - Europe.Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.Mimas tiliae L. (Lep. Sphingid) - Europe.Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Europe.Phragmatiphila typhae Thnbg. (Lep. Phalaenid) - Europe.Pieris brassicae L. (Lep. Pierid) - Europe.Porthetria dispar L. (Lep. Lymantriid) - U.S.A.Saperda populnea L. (Col. Lamiid) - Europe.Saturnia pavonia L. (Lep. Saturniid) - Europe.Saturnia pyri Schiff. (Lep. Saturniid) - Europe, Rumania.Saturnia spini Schiff. (Lep. Saturniid) - Europe.Sphinx ligustri L. (Lep. Sphingid) - Europe.Masicera tantilla WulpXubida dentilineatella B. & McD. (Lep. Crambid) - Mexico.Masicera tenthredinarum Tns. - See Bessa selecta Mg.Masiceropsis pauciseta Coq. - See Achaetoneura archippivora Will.Medina albiceps Macq.Artona catoxantha Hmpsn. (Lep. Zygaenid) - Dutch E. Indies, Java, Malaya.Medina fasciata Mg.Arge rosae L. (Hym. Tenthredinid) - Europe.Medina fascinans Mg.Pristiphora erichsoni Htg. (Hym. Tenthredinid) - Europe.Medina flavicans Gour.Pteronidea ribesii Scop. (Hym. Tenthredinid) - Europe, France.Medina luctuosa Mg. - See also Degeeria

Medina luctuosa Mg.Acleris maccana Tr. (Lep. Tortricid) - Europe.Epiblema curvinervis Hb. (Lep. Olethreutid) - Europe.Medinodexia fulviventris Tns.Aulacophora abdominalis F. (Col. Galerucid) - Ceylon.Aulacophora stevensi Baly (Col. Galerucid) - Ceylon.Megapariopsis opaca Coq.Ligyrys rugiceps Lec. (Col. Dynastid) - U.S.A.Meigenia sp.Phaedon cochleariae F. (Col. Chrysomelid) - Russia.Meigenia bisignata Mg.Agelastica alni L. (Col. Galerucid) - Europe, Germany.Chrysomela varians Schaller (Col. Chrysomelid) - Europe.Gymnancyla canella Schiff. (Lep. Phycitid) - Europe.Melasoma populi L. (Col. Chrysomelid) - Europe.Melasoma tremulae F. (Col. Chrysomelid) - Europe.Phytodecta rufipes DeG. (Col. Chrysomelid) - Europe.Porthetria dispar L. (Lep. Lymantriid) - Europe, N. Africa.Salebria semirubella Sc. (Lep. Phycitid) - Europe.Meigenia floralis Fall. - See also M. mutabilis Fall.Meigenia floralis Fall.Colaspidema atrum Ol. (Col. Chrysomelid) - France.Crioceris sp. (Col. Criocerid).Crioceris asparagi L. (Col. Criocerid) - Europe, France.Crioceris quatuordecimpunctata Scop. (Col. Criocerid) - Europe.Gastroidea polygoni L. (Col. Chrysomelid) - France.Gastroidea viridula DeG. (Col. Chrysomelid) - Europe, France.Phaedon cochleariae F. (Col. Chrysomelid) - Britain, Finland, France.Meigenia mutabilis Fall. - See also M. floralis Fall.Meigenia mutabilis Fall.Athalia colibri Christ. (Hym. Tenthredinid) - Europe.Chorthippus parallelus Zett. (Orth. Acridid) - Europe.Diprion pini L. (Hym. Tenthredinid) - Europe.Doclostaurus maroccanus Thnb. (Orth. Acridid) - Spain.Hyponomeuta sedellus Labr. (Lep. Hyponomeutid) - France.Meigenia websteri Tns. - See Achaetoneura archippivora Will.Melanophora atra Macq.Pegomyia hyoscyami Panz. (Dipt. Anthomyiid) - Czechoslovakia.Melanophora roralis L.Porcellio scaber L. (Isopoda) - England, France.Pyralis farinalis L. (Lep. Pyralid) - Europe.

Meriania argentifera Mg. - See M. histrio Mg.

Meriania histrio Mg.

Mythimna oxalina Hb. (Lep. Phalaenid) - Europe.

Metachaeta helymus Walk. - See Wagneria carbonaria Panz.

Metadexia basalis G.-T.

Conotrachelus juglandis Lec. (Col. Curculionid) - U.S.A.

Metagonistylum minense Tns.

Diatraea sp. (Lep. Crambid) - Brazil-Br. Guiana.

Diatraea albicrinella Box (Lep. Crambid) - Lower Amazon.

Diatraea saccharalis F. (Lep. Crambid) - Brazil, Br. Guiana, Dutch Guiana, Lower Amazon-Br. Guiana & St. Lucia, Porto Rico, Trinidad.

Metaplagia occidentalis Coq.

Sphinx luscitiosa Clem. (Lep. Sphingid) - U.S.A.

Metavoria orientalis Tns.

Protoparce sexta Joh. (Lep. Sphingid) - U.S.A.

Metopia argentata Macq.

Stizus tridens F. (Hym. Sphegid) - Europe.

Metopia leucocephala Rossi

Bembix rostrata L. (Hym. Sphegid) - Europe.

Colletes daviesanus Smith (Hym. Apid) - England.

Crabro peltarius Schreb. (Hym. Sphegid) - Europe.

Halictus sexcinctus F. (Hym. Apid) - Europe.

Philanthus triangulus F. (Hym. Sphegid) - Europe.

Metopia tincta Mg. - See Bessa selecta Mg.

Micropalpus haemorrhoidalis Fall. - See Bonnetia

Micropalpus pictus Mg. - See Bonnetia haemorrhoidalis Fall.

Micropalpus vulpinus Fall. - See Bonnetia vulpina Fall.

Microphthalma disjuncta Wied.

Amphimallon solstitialis L. (Col. Melolonthid) - Russia.

Anisoplia austriaca Hbst. (Col. Rutelid) - Russia.

Euethola rugiceps Lec. (Col. Dynastid) - U.S.A.

Lachnosterna sp. (Col. Melolonthid) - N. America, Canada, U.S.A.

Laphygma exigua Hb. (Lep. Phalaenid) - Anatolia.

Melolontha hippocastani F. (Col. Melolonthid) - Europe, Russia, Transylvania.

Melolontha melolontha L. (Col. Melolonthid) - Transylvania.

Polyphylla fullo L. (Col. Melolonthid) - Europe, Russia.

Microphthalma michiganensis Tns.

Lachnosterna sp. (Col. Melolonthid) - Canada-New Zealand.

Lachnosterna anxia Lec. (Col. Melolonthid) - Canada.
Odontria zealandica White (Col. Melolonthid) - Canada-New Zealand.
Pseudoholophylla fufuracea Burm. (Col. Melolonthid) - Australia.

Microphthalma phyllophagae Curran - See M. michiganensis Tns.

Microphthalma pruinosa Coq.

Lachnosterna sp. (Col. Melolonthid) - N. America, U.S.A.

Microtachina erucarum auct. nec Rond. - See Guerinia cinerascens Belanovskii

Microtachina nymphaeum Rond. - See Guerinia

Microvibrissina muscaria Fall.

Stiroma pteridis Boh. (Hem. Delphacid) - Britain.

Miltogramma germari Mg.

Anthophora bimaculata Panz. (Hym. Apid) - Europe.

Miltogramma macquarti R.-D.

Colletes succinctus L. (Hym. Apid) - Europe.

Miltogramma murinum Mg.

Autographa chrysis L. (Lep. Phalaenid) - Europe.

Megachile circumcincta Kirby (Hym. Apid) - Europe.

Trachusa serratulae Panz. (Hym. Apid) - Europe.

Miltogramma oestraceum Fall.

Anthophora acervorum L. (Hym. Apid) - Europe.

Dasypoda plumipes Panz. (Hym. Apid) - Europe.

Miltogramma punctatum Mg.

Colletes daviesanus Smith (Hym. Apid) - Europe.

Colletes fodiens Fourcr. (Hym. Apid) - Europe.

Podalonia viatica L. (Hym. Sphegid) - Europe.

Minella nitens Zett.

Colaspidema atrum Ol. (Col. Chrysomelid) - France.

Mintho praeceps Scop. - See M. rufiventris Fall.

Mintho rufiventris Fall.

Antitype polymita L. (Lep. Phalaenid) - Europe.

Morinia pullula Zett.

Phaedon armoraciae L. (Col. Chrysomelid) - Europe.

Myiapis angellozi Seguy

Apis mellifera L. (Hym. Apid) - France.

Myiobia - See Myobia

Myiocera cremiodes Walk.

Lachnosterna sp. (Col. Melolonthid) - Canada, U.S.A.

Myiocera ferina Fall.Dorcus parallelepipedus L. (Col. Lucanid) - Europe.Myiophasia aenea Wd.Conotrachelus juglandis Lec. (Col. Curculionid) - U.S.A.Conotrachelus nenuphar Hbst. (Col. Curculionid) - N. & S. America.Curculio auriger Casey (Col. Curculionid) - U.S.A.Curculio caryae Horn (Col. Curculionid) - U.S.A.Curculio proboscideus F. (Col. Curculionid) - U.S.A.Myiophasia globosa Tns. - See EuloewiaMyiophasia metallica Tns.Sphenophorus incurrens Gyll. (Col. Curculionid) - Mexico.Myobia bezziana Bar.Zeuzera multistrigata Moore (Lep. Cossid) - India.Myobia diaphana Rond.Olethreutes lucivagana Zell. (Lep. Olethreutid) - Europe.Myobia inanis Fall.Monima sp. (Lep. Phalaenid) - Europe.Myobia pumila Macq. - See also AnthoicaMyobia pumila Macq.Crioceris asparagi L. (Col. Criocerid) - Europe.Mystacella postera WulpPlathypena scabra F. (Lep. Phalaenid) - U.S.A.Nemoraea capensis R.-D.Diparopsis castanea Hmps. (Lep. Phalaenid) - S. Rhodesia.Nemoraea glabrata Mg.Panolis flammea Schiff. (Lep. Phalaenid) - Holland.Nemoraea leucaniae Kirkp. - See Winthemia quadripustulata F.Nemoraea pellucida Mg.Amphidasia betularia L. (Lep. Geometrid) - Europe.Diacrisia lubricipeda L. (Lep. Arctiid) - Europe.Euplexia lucipara L. (Lep. Phalaenid) - Europe.Monima stabilis View. (Lep. Phalaenid) - England.Trachea atriplicis L. (Lep. Phalaenid) - Europe.Nemoraea rubrica Mg.Colocasia coryli L. (Lep. Phalaenid) - Europe.Conisania leineri Frr. (Lep. Phalaenid) - Europe.Polia aliena Hb. (Lep. Phalaenid) - Europe.Sphinx ligustri L. (Lep. Sphingid) - Europe.

Nemorilla anomala Vill.Cirphis unipuncta Haw. (Lep. Phalaenid) - Siam.Nemorilla floralis Fall.Acleris minuta Rob. (Lep. Tortricid) - U.S.A.Acrobasis caryae Grote (Lep. Phycitid) - U.S.A.Acrobasis juglandis LeB. (Lep. Phycitid) - U.S.A.Ancylis comptana fragariae W. & R. (Lep. Olethreutid) - U.S.A.Anthophila pariana Clerck (Lep. Glyphipterygid) - Canada.Archips argyrospila Walk. (Lep. Tortricid) - U.S.A.Archips fumiferana Clem. (Lep. Tortricid) - Canada.Archips pronubana Hb. (Lep. Tortricid) - Italy.Archips rosana L. (Lep. Tortricid) - Canada, U.S.A.Argyrotaenia politana Haw. (Lep. Tortricid) - Russia, Silesia.Depressaria depressella Hb. (Lep. Oecophorid) - Russia.Desmia funeralis Hb. (Lep. Pyraustid) - U.S.A.Filatima persicaeella Murt. (Lep. Gelechiid) - U.S.A.Glyphodes unionalis Hb. (Lep. Pyraustid) - Italy.Heliothis armigera Hb. (Lep. Phalaenid) - St. Croix, Virgin Is.Laphygma frugiperda A. & S. (Lep. Phalaenid) - St. Croix.Loxostege sticticalis L. (Lep. Pyraustid) - Rumania.Maruca testulalis Geyer (Lep. Pyraustid) - Cuba.Pachyzancla bipunctalis F. (Lep. Pyraustid) - Porto Rico.Phlyctaenia tertialis Guen. (Lep. Pyraustid) - U.S.A.Pilocrocis tripunctata F. (Lep. Pyraustid) - U.S.A.Polychrosis botrana Schiff. (Lep. Olethreutid) - Russia.Prodenia sunia Guen. (Lep. Phalaenid) - St. Croix.Psammotis hyalinalis Hb. (Lep. Pyraustid) - Serbia.Pyrausta ainsliei Heinr. (Lep. Pyraustid) - U.S.A.Pyrausta machaeralis Walk. (Lep. Pyraustid) - Burma, India.Pyrausta nubilalis Hb. (Lep. Pyraustid) - Europe, Italy, Russia, Japan-U.S.A., N. America, Canada, U.S.A.Pyrausta penitalis Grote (Lep. Pyraustid) - U.S.A.Sparganothis pilleriana Schiff. (Lep. Tortricid) - France.Zeiraphera griseana Hb. (Lep. Olethreutid) - Czechoslovakia.Nemorilla floralis maculosa Mg.Pyrausta nubilalis Hb. (Lep. Pyraustid) - Europe, Italy, N. America.Sophronia humerella Schiff. (Lep. Gelechiid) - France.Nemorilla gymnodiscus B.B.Zygaena sp. (Lep. Zygaenid) - Europe.Nemorilla maculosa Mg.Acleris ferrugana Schiff. (Lep. Tortricid) - Europe.Acleris variana Fernald (Lep. Tortricid) - Canada.Acrobasis caryae Grote (Lep. Phycitid) - U.S.A.Acrobasis consociella Hb. (Lep. Phycitid) - Europe.Agonopterix cyanarivora Meyr. (Lep. Oecophorid) - Morocco.Amorbia emigratella Busck (Lep. Tortricid) - U.S.A.Anthophila pariana Clerck (Lep. Glyphipterygid) - U.S.A.Archips cerasivorana Fitch (Lep. Tortricid) - U.S.A.

Archips murinana Hb. (Lep. Tortricid) - Europe, Czechoslovakia.
Autographa gamma L. (Lep. Phalaenid) - Europe.
Carpocapsa pomonella L. (Lep. Olethreutid) - Europe.
Epilachna varivestis Muls. (Col. Coccinellid) - U.S.A.
Ethmia bipunctella F. (Lep. Ethmiid) - Europe.
Eurrhyncha urticata L. (Lep. Pyraustid) - Europe.
Grapholitha molesta Busck (Lep. Olethreutid) - Canada.
Hymenia recurvalis F. (Lep. Pyraustid) - U.S.A.
Hyponomeuta vigintipunctatus Ratz. (Lep. Hyponomeutid) - Italy.
Loxostege sticticalis L. (Lep. Pyraustid) - Europe, Russia.
Polia persicariae L. (Lep. Phalaenid) - Europe.
Pyrausta nubilalis Hb. (Lep. Pyraustid) - Europe, Canada.
Pyrausta tyralis Guen. (Lep. Pyraustid) - U.S.A.
Rhodophaea suavelle Zinck. (Lep. Phycitid) - Europe.
Sparganothis pilleriana Schiff. (Lep. Tortricid) - Europe.
Sylepta ruralis Scop. (Lep. Pyraustid) - Europe.
Tortrix viridana L. (Lep. Tortricid) - Italy.
Zeiraphera griseana Hb. (Lep. Olethreutid) - Czechoslovakia.

Nemorilla mirabilis B.B.

Stilpnolia salicis L. (Lep. Lymantriid) - Europe.

Nemorilla notabilis Mg.

Anacampsis populella Clerck (Lep. Gelechiid) - Europe.
Archips podana Scop. (Lep. Tortricid) - England.
Autographa festucae L. (Lep. Phalaenid) - Europe.
Epiblema udmanniana L. (Lep. Olethreutid) - Europe.
Glyphodes unionalis Hb. (Lep. Pyraustid) - Italy.
Hyponomeuta malinellus Zell. (Lep. Hyponomeutid) - Europe, Russia.
Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Europe.
Sylepta ruralis Scop. (Lep. Pyraustid) - Europe.

Nemorilla phycitae LeB.

Grapholitha molesta Busck (Lep. Olethreutid) - U.S.A.

Neocelatoria ferox Walt.

Diabrotica melanocephala F. (Col. Galerucid) - U.S.A.

Neopales aurescens Tns.

Euproctis bipunctapex Hmps. (Lep. Lymantriid) - India.

Neopales comstocki Will. - See also Phorocera

Neopales comstocki Will.

Diprion sp. (Hym. Tenthredinid) - U.S.A.

Neopales macra Wulp

Neodiprion lecontei Fitch (Hym. Tenthredinid) - U.S.A.

Neopales pavida Mg.

Accleris ferrugana Schiff. (Lep. Tortricid) - Europe.
Acronicta tridens Schiff. (Lep. Phalaenid) - Europe.

- Agrotis segetum Schiff. (Lep. Phalaenid) - Czechoslovakia.
Allantus cingillum Kl. (Hym. Tenthredinid) - Europe.
Amathes rhamboidea Esp. (Lep. Phalaenid) - Europe.
Amathes xanthographa Schiff. (Lep. Phalaenid) - Europe.
Autographa gamma L. (Lep. Phalaenid) - Europe, Czechoslovakia.
Bombyx mori L. (Lep. Bombycid) - Japan.
Dasyochira selenitica Esp. (Lep. Lymantriid) - Europe.
Desmolimus pini L. (Lep. Lasiocampid) - Europe, Austria.
Eriogaster catax L. (Lep. Lasiocampid) - Europe.
Eriogaster lanestris L. (Lep. Lasiocampid) - Czechoslovakia.
Loxostege sticticalis L. (Lep. Pyraustid) - Russia.
Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.
Malacosoma neustria L. (Lep. Lasiocampid) - Europe, Poland.
Malacosoma neustria testacea Motsch. (Lep. Lasiocampid) - Japan.
Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Europe, Bulgaria.
Orgyia ericae Germ. (Lep. Lymantriid) - Europe.
Panolis flammea Schiff. (Lep. Phalaenid) - Europe, Czechoslovakia, Poland.
Porthetria dispar L. (Lep. Lymantriid) - Europe, N. Africa.
Sparganothis pilleriana Schiff. (Lep. Tortricid) - France.
Stilpnotia salicis L. (Lep. Lymantriid) - Europe, Holland.
Thaumetopoea pinivora Tr. (Lep. Thaumetopoeid).
Thaumetopoea processionea L. (Lep. Thaumetopoeid) - Europe.
Tortrix viridana L. (Lep. Tortricid) - Europe, Italy.

Neopales tortricis Coq. - See Phorocera

Neophyto nocturnalis Walt.

Lachnosterca sp. (Col. Melolonthid) - U.S.A.

Obolocera rapae Smith

Pieris rapae L. (Lep. Pierid) - U.S.A.

Ochroa genia ormioides Tns.

- Adcretus sinicus Burm. (Col. Rutelid) - Formosa-Hawaii.
Anomala orientalis Waterh. (Col. Rutelid) - Japan, Korea.
Anomala rufocuprea Mots. (Col. Rutelid) - Japan, Korea.
Popillia japonica Newm. (Col. Rutelid) - China, Japan & Korea into U.S.A.
Popillia mutans Newm. (Col. Rutelid) - Korea.

Ocyptera bicolor Ol.

Rhaphigaster nebulosa Poda (Hem. Pentatomid) - Europe.

Ocyptera brassicaria F.

Dolycoris baccarum L. (Hem. Pentatomid) - Europe.

Ocypterodes euchenor Walk.

Chlorocerca sayi Stal (Hem. Pentatomid) - U.S.A.

Ocypterocera dampfi Aldr.

Schistocerca cancellata Serv. (Orth. Acridid) - C. America, Guatemala, Mexico, Tropical America.

Oedematocera gilvipes Coq.

Schistocerca cancellata Serv. (Orth. Acridid) - Mexico.

Pales aurescens Tns. - See Neopales

Pales bellierella R.-D. - See Neopales pavida Mg.

Pales cilipeda Rond. - See Neopales pavida Mg.

Pales pavida Mg. - See Neopales

Pales pumicata Mg.

Autographa gamma L. (Lep. Phalaenid) - Europe.

Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.

Thaumetopoea processionea L. (Lep. Thaumetopoeid) - Europe.

Pandelleia sexpunctata Pand.

Otiorrhynchus sulcatus F. (Col. Curculionid) - Germany.

Panzeria minor Vill. & Niels. - See Ernestia nielsenii Vill.

Panzeria penitalis Coq. - See Pyraustomyia

Panzeria rudis Fall. - See Ernestia

Parachaeta bicolor Macq.

Isia isabella A. & S. (Lep. Arctiid) - U.S.A.

Parachaeta fusca Tns. - See P. bicolor Macq.

Paradexodes epilachnae Aldr.

Epilachna defecta Muls. (Col. Coccinellid) - Mexico.

Epilachna varivestis Muls. (Col. Coccinellid) - Mexico, U.S.A.

Paraerynnia vibrissata Rond.

Sparganothis pilleriana Schiff. (Lep. Tortricid) - France.

Parafeburia maculata Fall.

Oniscus asellus L. (Isopoda) - England, France.

Porcellio scaber L. (Isopoda) - England, France.

Parafrontina apicalis B.B. - See Achaetoneura archippivora Will.

Paragusia elegantula Zett.

Formica fusca cinerea Mayr (Hym. Formicid) - Europe.

Paraphorantha brasiliiana Tns.

Dysdercus sp. (Hem. Pyrrhocorid) - Brazil.

Paraphorantha dimidiata Tns.

Dysdercus sp. (Hem. Pyrrhocorid) - Brazil.

Paraphorocera senilis Mg. - See Ceromasia

Parasetigena platensis Brèthes
Oeceticus platensis Berg. (Lep. Psychid) - Argentina.

Parasetigena segregata Rond. - See Phorocera sylvestris R.-D.

Parasetigena sylvestris R.-D. - See Phorocera

Paratachina ingens B.B.
Heliopsis armigera Hb. (Lep. Phalaenid) - S. Africa.

Paratheresia sp.
Diatraea brunescens Box (Lep. Crambid) - Venezuela.
Diatraea canella Hmps. (Lep. Crambid) - Trinidad.

Paratheresia claripalpis Wulp
Acrotomopus atropunctellus Boh. (Col. Curculionid) - Argentina.
Diatraea sp. (Lep. Crambid) - Argentina, Br. Guiana, C. America, Mexico, Peru, Trinidad.
Diatraea busckella Dyar & Heinr. (Lep. Crambid) - Panama.
Diatraea canella Hmps. (Lep. Crambid) - Br. Guiana, Trinidad, Venezuela.
Diatraea dyari Box (Lep. Crambid) - Argentina.
Diatraea grandiosella Dyar (Lep. Crambid) - C. America.
Diatraea impersonatella Walk. (Lep. Crambid) - Dutch Guiana.
Diatraea saccharalis F. (Lep. Crambid) - Argentina, Barbados, C. America, Honduras, Mexico, Peru, Peru-U.S.A., Porto Rico, S. America, Trinidad, Tucuman, U.S.A.

Paratheresia diatraeae Brèthes - See P. claripalpis Wulp

Paratheresia signifera Tns. - See P. claripalpis Wulp

Parerynnia vibrissata Rond. - See Paraerynnia

Parexorista - See Carcelia

Pelatachina pellucida Coq.
Nymphalis antiopa L. (Lep. Nymphalid) - U.S.A.
Nymphalis milberti Godt. (Lep. Nymphalid) - U.S.A.
Vanessa atalanta L. (Lep. Nymphalid) - U.S.A.

Pelatachina tibialis Fall.
Conopia tipuliformis Clerck (Lep. Aegeriid) - Europe.
Habryntis scita Hb. (Lep. Phalaenid) - Europe.
Lycophotia porphyrea Schiff. (Lep. Phalaenid) - Europe.
Nymphalis antiopa L. (Lep. Nymphalid) - Europe.
Nymphalis io L. (Lep. Nymphalid) - Europe.
Nymphalis polychloros L. (Lep. Nymphalid) - Europe.
Polia oleracea L. (Lep. Phalaenid) - Europe.
Saperda populnea L. (Col. "Lamiid") - Europe.
Thaumetopoea pityocampa Schiff. (Lep. Thaumetopoeid) - Europe.
Vanessa urticae L. (Lep. Nymphalid) - Europe.

Peletieria sp.Agrotis orthogonia Morr. (Lep. Phalaenid) - U.S.A.Peletieria ferina Zett.Hyphoraia aulica L. (Lep. Arctiid) - Europe.Lasiocampa trifolii Esp. (Lep. Lasiocampid) - Europe.Parasemia plantaginis L. (Lep. Arctiid) - Europe.Peletieria nigricornis Mg.Agrotis segetum Schiff. (Lep. Phalaenid) - Europe, Czechoslovakia, Russia.Agrotis vestigialis Rott. (Lep. Phalaenid) - Europe.Agrotis ypsilon Rott. (Lep. Phalaenid) - Russia.Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.Papilio machaon L. (Lep. Papilionid) - Europe.Peletieria prompta Mg. - See P. nigricornis Mg.Peletieria robusta Wd.Agrotis orthogonia Morr. (Lep. Phalaenid) - Canada, U.S.A.Cirphis sp. (Lep. Phalaenid) - U.S.A.Cirphis microgonia Hmps. (Lep. Phalaenid) - Barbados.Cirphis unipuncta Haw. (Lep. Phalaenid) - U.S.A.Leucania latiuscula H.-S. (Lep. Phalaenid) - U.S.A.Peletieria tessellata F.Agrotis segetum Schiff. (Lep. Phalaenid) - Russia.Perichaeta unicolor Fall. - See PolichetaPeteina erinaceus F.Autographa gamma L. (Lep. Phalaenid) - Europe.Cucullia asteris Schiff. (Lep. Phalaenid) - Europe.Zonosoma alternata Fall. (Dipt. Trypetid) - Europe.Pexomyia genalis Aldr.Popillia japonica Newm. (Col. Rutelid) - Japan.Phasia sp.Aelia acuminata L. (Hem. Pentatomid) - Italy, Russia.Aelia rostrata Boh. (Hem. Pentatomid) - Italy.Eurygaster integriceps Put. (Hem. Pentatomid) - Turkey.Phasia crassipennis F.Aelia sp. (Hem. Pentatomid) - Europe.Aelia furcula Fieb. (Hem. Pentatomid).Carpocoris pudicus Poda (Hem. Pentatomid) - Europe.Dolycoris baccarum L. (Hem. Pentatomid) - Europe.Eurygaster sp. (Hem. Pentatomid) - Europe.Eurygaster integriceps Put. (Hem. Pentatomid) - Europe, Russia, Turkey.Eurygaster maura L. (Hem. Pentatomid) - Russia.Rhaphigaster nebulosa Poda (Hem. Pentatomid) - Europe.

Phasia occidentis Walk.

Nysius ericae Schill. (Hem. Lygaeid) - U.S.A.

Phenicellia haematodes Mg.

Eucharis festiva Hufn. (Lep. Arctiid) - Europe.

Phoenicella haematodes Mg. - See Phenicellia

Phorantha occidentis Walk.

Blissus leucopterus Say (Hem. Lygaeid) - U.S.A.

Miris dolobratus L. (Hem. Capsid) - U.S.A.

Phorichaeta cinerosa Coq. - See Wagneria

Phorichaeta sequax Will. - See Wagneria

Phorinia aurifrons R.-D.

Diarsia brunnea Schiff. (Lep. Phalaenid) - Europe.

Hyponomeuta padellus L. (Lep. Hyponomeutid) - Italy.

Phorinia verritus Walk.

Dasychirana crenulata B.B. (Lep. Lymantriid) - Uganda.

Phoriniophylax foeda Tns. - See P. phoeda Tns.

Phoriniophylax phoeda Tns.

Telicota palmarum Moore (Lep. Hesperiid) - Malaya.

Phorocera sp.

Acronicta betulae Riley (Lep. Phalaenid) - U.S.A.

Alabama argillacea Hb. (Lep. Phalaenid) - Trinidad.

Archips postvittana Walk. (Lep. Tortricid) - New Zealand.

Diprion pini L. (Hym. Tenthredinid) - Bulgaria.

Nymphalis antiopa L. (Lep. Nymphalid) - U.S.A.

Phorocera agilis R.-D. - See P. sylvestris R.-D.

Phorocera assimilis Fall.

Aporia crataegi L. (Lep. Pierid) - Europe, Italy, Russia.

Araschina levana L. (Lep. Nymphalid) - Europe.

Barathra brassicae L. (Lep. Phalaenid) - Europe.

Cossus cossus L. (Lep. Cossid) - Europe.

Cucullia verbasci L. (Lep. Phalaenid) - Europe.

Dasychira pudibunda L. (Lep. Lymantriid) - Europe, Czechoslovakia.

Diprion pini L. (Hym. Tenthredinid) - Europe.

Eucharis festiva Hufn. (Lep. Arctiid) - Europe.

Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.

Malacosoma franconica Esp. (Lep. Lasiocampid) - Europe.

Ortalis stabilis R.-D. (Dipt. Ortalid) - Europe.

Thaumetopoea processionea L. (Lep. Thaumetopoeid) - Europe.

Phorocera blepharipa B.B. - See P. coerulea Jeann.

Phorocera bombycivora R.-D.Lasiocampa trifolii Esp. (Lep. Lasiocampid) - Europe.Phorocera caesifrons Macq.Erannis defoliaria Clerck (Lep. Geometrid) - Europe.Eucharhia festiva Hufn. (Lep. Arctiid) - Europe.Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.Operophtera sp. (Lep. Geometrid) - Europe.Phorocera casta Rond. - See LydellaPhorocera claripennis Macq.Actebia fennica Tausch. (Lep. Phalaenid) - U.S.A.Amathes c-nigrum L. (Lep. Phalaenid) - U.S.A.Anisota rubicunda F. (Lep. Citheroniid) - U.S.A.Anisota senatoria A. & S. (Lep. Citheroniid) - U.S.A.Automeris io F. (Lep. Saturniid) - U.S.A.Callosamia promethea Drury (Lep. Saturniid) - U.S.A.Ceratomia catalpe Bdv. (Lep. Sphingid) - U.S.A.Cingilia catenaria Dru. (Lep. Geometrid) - U.S.A.Cirphis unipuncta Haw. (Lep. Phalaenid) - Canada, U.S.A.Colias philodice eurytheme Bdv. (Lep. Pierid) - U.S.A.Crambus sp. (Lep. Crambid) - U.S.A.Crambus mutabilis Clem. (Lep. Crambid) - U.S.A.Crambus trisectus Walk. (Lep. Crambid) - U.S.A.Datana sp. (Lep. Notodontid) - U.S.A.Datana angusii G. & R. (Lep. Notodontid) - U.S.A.Datana integerrima G. & R. (Lep. Notodontid) - U.S.A.Datana ministra Drury (Lep. Notodontid) - U.S.A.Datana perspicua G. & R. (Lep. Notodontid) - U.S.A.Diprion sp. (Hym. Tenthredinid) - U.S.A.Diprion similis Htg. (Hym. Tenthredinid) - U.S.A.Epilachna varivestis Muls. (Col. Coccinellid) - U.S.A.Euchaetias egle Dru. (Lep. Arctiid) - U.S.A.Halisidota tessellaris A. & S. (Lep. Arctiid) - U.S.A.Heliothis armigera Hb. (Lep. Phalaenid) - U.S.A.Hemerocampa leucostigma A. & S. (Lep. Lymantriid) - U.S.A.Hemileuca sp. (Lep. Saturniid) - U.S.A.Hemileuca oliviae Ckll. (Lep. Saturniid) - U.S.A.Hyphantria cunea Dru. (Lep. Arctiid) - U.S.A.Itame sulphurea Pack. (Lep. Geometrid) - U.S.A.Laphygma frugiperda A. & S. (Lep. Phalaenid) - U.S.A.Lithophane sp. (Lep. Phalaenid) - U.S.A.Lymire edwardsi Grote (Lep. Amatid) - U.S.A.Malacosoma sp. (Lep. Lasiocampid) - Canada.Malacosoma americana F. (Lep. Lasiocampid) - U.S.A.Malacosoma disstria Hb. (Lep. Lasiocampid) - U.S.A.Megalopyge crispata Pack. (Lep. Megalopygid) - U.S.A.Megalopyge opercularis A. & S. (Lep. Megalopygid) - U.S.A.Mocis repanda F. (Lep. Phalaenid) - Porto Rico.Neodiprion lecontei Fitch (Hym. Tenthredinid) - U.S.A.Neodiprion virginiana Rohw. (Hym. Tenthredinid) - U.S.A.

Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Canada.
Peridroma margaritosa Haw. (Lep. Phalaenid) - U.S.A.
Philtraea elegantaria Hy. Edw. (Lep. Geometrid) - U.S.A.
Phyciodes nycteis Dbl. & Hew. (Lep. Nymphalid) - U.S.A.
Pieris rapae L. (Lep. Pierid) - U.S.A.
Plathypena scabra F. (Lep. Phalaenid) - U.S.A.
Polygonia comma Harr. (Lep. Nymphalid) - U.S.A.
Polygonia interrogationis F. (Lep. Nymphalid) - U.S.A.
Porthetria dispar L. (Lep. Lymantriid) - U.S.A.
Prodenia praefica Grote (Lep. Phalaenid) - U.S.A.
Proteides clarus Cram. (Lep. Hesperiid) - U.S.A.
Samia cecropia L. (Lep. Saturniid) - U.S.A.
Schizura concinna A. & S. (Lep. Notodontid) - U.S.A.
Scotogramma trifolii Rott. (Lep. Phalaenid) - U.S.A.
Stilpnotia salicis L. (Lep. Lymantriid) - U.S.A.
Thyridopteryx ephemeraeformis Haw. (Lep. Psychid) - U.S.A.
Utethesia bella L. (Lep. Arctiid) - U.S.A.

Phorocera clathrata Now. - See Cerosomyia

Phorocera coccyx A. & W. - See P. longiuscula Walk.

Phorocera coerulea Jeann.

Heliothis armigera Hb. (Lep. Phalaenid) - S. Africa.

Phorocera comstocki Will. - See also Neopales

Phorocera comstocki Will.

Cossula magnifica Sterck. (Lep. Cossid) - U.S.A.
Megathymus yuccae Bdv. & Lec. (Lep. Hesperiid) - U.S.A.
Olycella junctolineella Hulst. (Lep. Phycitid) - U.S.A.
Pyrausta penitalis Grote (Lep. Pyraustid) - U.S.A.

Phorocera doryphorae Riley

Epilachna vari vestis Muls. (Col. Coccinellid) - U.S.A.
Leptinotarsa decemlineata Say (Col. Chrysomelid) - Canada, Canada & U.S.A.-France, U.S.A.

Phorocera echinura R.-D.

Lasiocampa quercus L. (Lep. Lasiocampid) - Europe.
Lasiocampa trifolii Esp. (Lep. Lasiocampid) - Europe.
Saturnia pyri Schiff. (Lep. Saturniid) - Europe.

Phorocera efferata Hutt. - See Cerosomyia clathrata Now.

Phorocera erecta Coq.

Desmia funeralis Hb. (Lep. Pyraustid) - U.S.A.
Grapholitha molesta Busck (Lep. Olethreutid) - Canada.
Loxostege similalis Guen. (Lep. Pyraustid) - U.S.A.
Pyrausta nubilalis Hb. (Lep. Pyraustid) - Japan-U.S.A., Canada, U.S.A.
Sarothripus revayana Scop. (Lep. Phalaenid) - U.S.A.

Phorocera fasciata Egg.

Celerio euphorbiae L. (Lep. Sphingid) - Europe.

Diprion sp. (Hym. Tenthredinid) - Germany.
Lasiocampa trifolii Esp. (Lep. Lasiocampid) - Europe.

Phorocera feredayi Hutt. - See Cerosomyia

Phorocera flavicauda Wulp - See (Male) Mystacella postera Wulp
 (Female) Gaediopsis ocellaris Coq.

Phorocera floridensis Tns.

Anticarsia gemmatilis Hb. (Lep. Phalaenid) - U.S.A.
Calpodes ethlius Cram. (Lep. Hesperiid) - St. Vincent.
Ichthyura apicalis Walk. (Lep. Notodontid) - U.S.A.
Ichthyura inclusa Hb. (Lep. Notodontid) - U.S.A.
Laphygma frugiperda A. & S. (Lep. Phalaenid) - U.S.A.
Plathypena scabra F. (Lep. Phalaenid) - U.S.A.
Saperda sp. (Col. Lamiid) - U.S.A.

Phorocera fuscimacula A. & W.

Hemerocampa vetusta Boisd. (Lep. Lymantriid) - U.S.A.
Telea polyphema Cram. (Lep. Saturniid) - U.S.A.

Phorocera halisidotae A. & W.

Halisidota maculata Harr. (Lep. Arctiid) - U.S.A.

Phorocera hamata A. & W.

Diprion similis Htg. (Hym. Tenthredinid) - N. America.

Phorocera lata Zett.

Diprion pini L. (Hym. Tenthredinid) - Europe.

Phorocera leucaniae Coq.

Cirphis unipuncta Haw. (Lep. Phalaenid) - U.S.A.
Datana ministra Drury (Lep. Notodontid) - U.S.A.
Hemerocampa leucostigma A. & S. (Lep. Lymantriid) - U.S.A.
Hyphantria cunea Dru. (Lep. Arctiid) - Canada.
Loxostege similalis Guen. (Lep. Pyraustid) - U.S.A.
Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Canada, U.S.A.

Phorocera longiuscula Walk.

Phobetron pithecium A. & S. (Lep. Limacodid) - U.S.A.
Sibine stimulea Clem. (Lep. Limacodid) - U.S.A.

Phorocera magna Bar.

Thosea sp. (Lep. Limacodid) - India.
Thosea cervina Moore (Lep. Limacodid) - Ceylon.
Thosea moluccana Roepke (Lep. Limacodid) - Batjan, Moluccas.

Phorocera marginalis A. & W.

Semiothisa punctolineata Pack. (Lep. Geometrid) - U.S.A.

Phorocera marginata Hutt. - See Cerosomyia

Phorocera meracanthae Greene

Meracantha contracta P. de B. (Col. Tenebrionid) - U.S.A.

Phorocera myioidea R.-D. - See Lydella grisescens R.-D.

Phorocera nefaria Hutt. - See Cerosomyia

Phorocera noctuiformis Smith

Carpocapsa pomonella L. (Lep. Olethreutid) - U.S.A.

? Pectinophora gossypiella Saund. (Lep. Gelechiid) - U.S.A.

Phorocera nyctemeriana Hutt. - See Cerosomyia

Phorocera pachypyga A. & W.

Malacosoma disstria Hb. (Lep. Lasiocampid) - U.S.A.

Nygmia phaeorrhoea Don. (Lep. Lymantriid) - N. America.

Phorocera parva Big.

Argyrotaenia velutinana Walk. (Lep. Tortricid) - U.S.A.

Fidonia pennigeraria chrysitaria H.G. (Lep. Geometrid) - Europe.

Phlyctaenia rubigalis Guen. (Lep. Pyraustid) - U.S.A.

Phorocera promiscua Tns. - See Achaetoneura archippivora Will.

Phorocera rufipalpis Mg.

Acronicta aceris L. (Lep., Phalaenid) - Europe.

Sphinx ligustri L. (Lep. Sphingid) - Europe.

Phorocera rusti Aldr.

Mocis repanda F. (Lep. Phalaenid) - Argentina.

Phorocera saundersii Will. - See Madremyia

Phorocera signata A. & W.

Cossula magnifica Sterck. (Lep. Cossid) - U.S.A.

Phorocera slossonae Tns.

Alsophila pometaria Harr. (Lep. Geometrid) - U.S.A.

Erannis tiliaria Harr. (Lep. Geometrid) - U.S.A.

Phorocera sternalis Coq.

Acronicta impressa Walk. (Lep. Phalaenid) - U.S.A.

Phorocera sylvestris R.-D.

Diprion pini L. (Hym. Tenthredinid) - Europe.

Lymantria monacha L. (Lep. Lymantriid) - Europe, Austria, Czechoslovakia, Germany, Poland, Sweden.

Nygmia phaeorrhoea Don. (Lep. Lymantriid) - U.S.A.

Porthetria dispar L. (Lep. Lymantriid) - Europe, Austria, France,

Jugoslavia, Jugoslavia-U.S.A., Poland, U.S.A., N. Africa.

Stilpnotia salicis L. (Lep. Lymantriid) - Hungary.

Phorocera tachinomoides Tns.

Malacosoma americana F. (Lep. Lasiocampid) - U.S.A.

Phorocera texana A. & W.

Melitara sp. (Lep. Phycitid) - U.S.A.

Phorocera tibialis R.-D.Thyatira batis L. (Lep. Thyatirid) - Europe.Phorocera tortricis Coq.Acleris minuta Rob. (Lep. Tortricid) - U.S.A.Anthophila pariana Clerck (Lep. Glyphipterygid) - U.S.A.Archips argyrospila Walk. (Lep. Tortricid) - U.S.A.Archips cerasivorana Fitch (Lep. Tortricid) - Canada, U.S.A.Mineola indiginella Zell. (Lep. Phycitid) - U.S.A.Pterophorus periscelidactylus Fitch (Lep. Pterophorid) - Canada.Phorocera xanthura WulpOeceticus platensis Berg. (Lep. Psychid) - Argentina.Phorostoma sp.Diatraea sp. (Lep. Crambid) - Mexico.Diatraea grandiosella Dyar (Lep. Crambid) - Mexico.Diatraea saccharalis F. (Lep. Crambid) - Mexico.Phryno alacris Mg.Pristiphora erichsoni Htg. (Hym. Tenthredinid) - Canada.Phryno vetula Mg.Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.Phryxe nemea Mg. - See BlepharidopsisPhryxe vulgaris Fall. - See also ZenilliaPhryxe vulgaris Fall.Abraxas grossulariata L. (Lep. Geometrid) - Europe.Acronicta auricoma F. (Lep. Phalaenid) - Europe.Acronicta psi L. (Lep. Phalaenid) - Europe.Agrotis segetum Schiff. (Lep. Phalaenid) - Czechoslovakia.Alsophila pometaria Harr. (Lep. Geometrid) - U.S.A.Anthocaris cardamines L. (Lep. Pierid) - Europe.Aporia crataegi L. (Lep. Pierid) - Europe, Germany, Italy, Russia, Ukraine.Araschina levana L. (Lep. Nymphalid) - Europe.Archips argyrospila Walk. (Lep. Tortricid) - U.S.A.Archips fumiferana Clem. (Lep. Tortricid) - Canada, U.S.A.Argynnis lathonia L. (Lep. Nymphalid) - Europe.Autographa gamma L. (Lep. Phalaenid) - Europe, Poland.Boarmia bistorta Goeze (Lep. Geometrid) - Europe.Calymnia trapezina L. (Lep. Phalaenid) - Europe.Carpocapsa pomonella L. (Lep. Olethreutid) - England.Cingilia catenaria Dru. (Lep. Geometrid) - Canada, U.S.A.Cirphis unipuncta Haw. (Lep. Phalaenid) - Canada, U.S.A.Cosmotriche potatoaria L. (Lep. Lasiocampid) - Europe.Cosymbia linearia Hb. (Lep. Geometrid) - Europe.Cucullia anthemidis Guen. (Lep. Phalaenid) - Europe.Cucullia asteris Schiff. (Lep. Phalaenid) - Europe.Cucullia verbasci L. (Lep. Phalaenid) - Europe.

- Danaus plexippus L. (Lep. Danaid) - U.S.A.
Dasychira pudibunda L. (Lep. Lymantriid) - Europe.
Dendrolimus pini L. (Lep. Lasiocampid) - Europe, Russia.
Diacrisia purpurata L. (Lep. Arctiid) - Europe.
Diphtera alpium Osbeck (Lep. Phalaenid) - Europe.
Diprion pini L. (Hym. Tenthredinid) - Europe.
Dryobotodes protea Borkh. (Lep. Phalaenid) - Europe.
Ennomos subsignarius Hb. (Lep. Geometrid) - U.S.A.
Erannis defoliaria Clerck (Lep. Geometrid) - Europe, Czechoslovakia.
Erannis tiliaria Harr. (Lep. Geometrid) - U.S.A.
Eremobia ochroleuca Schiff. (Lep. Phalaenid) - Europe.
Eucharis festiva Hufn. (Lep. Arctiid) - Europe.
Eupithecia innotata Hufn. (Lep. Geometrid) - Europe.
Euplexia lucipara L. (Lep. Phalaenid) - Europe.
Evergestis extimalis Scop. (Lep. Pyraustid) - Europe, Russia.
Hadena reticulata Vill. (Lep. Phalaenid) - Europe.
Halias prasinana L. (Lep. Phalaenid) - Europe.
Harmodia cucubali Schiff. (Lep. Phalaenid) - Europe.
Hemileuca sp. (Lep. Saturniid) - U.S.A.
Hydriomena dotata L. (Lep. Geometrid) - Europe.
Hyponomeuta padellus L. (Lep. Hyponomeutid) - Europe.
Itame wauaria L. (Lep. Geometrid) - Europe.
Leucania albipuncta Schiff. (Lep. Phalaenid) - Europe.
Leucania lithargyria Esp. (Lep. Phalaenid) - Europe.
Lithophane antennata Walk. (Lep. Phalaenid) - U.S.A.
Loxostege commixtalıs Walk. (Lep. Pyraustid) - U.S.A.
Malacosoma neustria L. (Lep. Lasiocampid) - Yugoslavia.
Melitaea athalia Rott. (Lep. Nymphalid) - Europe.
Neodiprion sertifer Geoffr. (Hym. Tenthredinid) - Austria.
Notolophus antiquus L. (Lep. Lymantriid) - Europe.
Nymgia phaeorrhoea Don. (Lep. Lymantriid) - Europe.
Nymphalis antiopa L. (Lep. Nymphalid) - Europe.
Nymphalis io L. (Lep. Nymphalid) - Europe, Yugoslavia, Sweden.
Nymphalis polychloros L. (Lep. Nymphalid) - Czechoslovakia.
Nymphalis xanthomelas Esp. (Lep. Nymphalid) - Europe.
Operophtera brumata L. (Lep. Geometrid) - Europe.
Ophiura pastinum Tr. (Lep. Phalaenid) - Europe.
Panolis flammea Schiff. (Lep. Phalaenid) - Europe, Czechoslovakia, Poland.
Parasemia plantaginis L. (Lep. Arctiid) - Europe.
Pergesa porcellus L. (Lep. Sphingid) - Europe.
Phalaena typica L. (Lep. Phalaenid) - Europe.
Phalaenid sp. (Lep.) - U.S.A.
Phlogophora meticulosa L. (Lep. Phalaenid) - Europe.
Pieris brassicae L. (Lep. Pierid) - Europe, England, France, Russia.
Pieris daplidice L. (Lep. Pierid) - Europe.
Pieris napi L. (Lep. Pierid) - France, Sweden.
Pieris rapae L. (Lep. Pierid) - Europe, England, France, Russia, U.S.A.
Polia advena Schiff. (Lep. Phalaenid) - Europe.
Polia persicariae L. (Lep. Phalaenid) - Europe.
Polia suasa Schiff. (Lep. Phalaenid) - Sweden.
Porthetria dispar L. (Lep. Lymantriid) - Russia.
Pyrausta penitalis Grote (Lep. Pyraustid) - U.S.A.

Rhyacionia buoliana Schiff. (Lep. Olethreutid) - Europe.
Sphinx pinastri L. (Lep. Sphingid) - Europe, Austria.
Synchlora rubrifrontaria Pack. (Lep. Geometrid) - U.S.A.
Thaumetopoea pityocampa Schiff. (Lep. Thaumetopoeid) - Europe.
Thaumetopoea processionea L. (Lep. Thaumetopoeid) - Europe.
Tholera cespitis Schiff. (Lep. Phalaenid) - Europe.
Thymelicus lineola Ochs. (Lep. Hesperiid) - Europe.
Vanessa urticae L. (Lep. Nymphalid) - Europe, Russia.
Zeiraphera griseana Hb. (Lep. Olethreutid) - Czechoslovakia.
Zygaena sp. (Lep. Zygaenid) - Europe.
Zygaena achilleae Esp. (Lep. Zygaenid) - Europe.
Zygaena filipendulae L. (Lep. Zygaenid) - Europe.
Zygaena lonicerae Schev. (Lep. Zygaenid) - Europe.

Phyto melanocephala Mg.

Armadillidium vulgare Latr. (Isopoda) - England.
Oniscus asellus L. (Isopoda) - England.
Porcellio scaber L. (Isopoda) - England, France.

Phytomyia nitidiventris Rond. - See Phytomyptera

Phytomyptera gracilariae Hering

Gracilaria roscipennella Hb. (Lep. Gracilariid) - Switzerland.

Phytomyptera leucoptera Johns.

Archips cerasivorana Fitch (Lep. Tortricid) - Canada.
Epiblema strenuana Walk. (Lep. Olethreutid) - Canada.

Phytomyptera nigrina Stein - See P. nitidiventris Rond.

Phytomyptera nitidiventris Rond.

Clysia ambiguella Hb. (Lep. Phaloniid) - France.
Epinotia immundana F. (Lep. Olethreutid) - Europe.
Gypsonoma neglectana Dup. (Lep. Olethreutid) - Italy.
Pectinophora gossypiella Saund. (Lep. Gelechiid) - Europe.
Phalonia sp. (Lep. Phaloniid) - Europe.
Polychrosis sp. (Lep. Olethreutid) - Europe.
Polychrosis botrana Schiff. (Lep. Olethreutid) - Europe, France, Russia, Tyrol.
Recurvaria nanella Hb. (Lep. Gelechiid) - Italy.
Tortrix viridana L. (Lep. Tortricid) - Europe, Italy.

Phytomyptera nitidiventris unicolor Rond.

Zelleria oleastrella Mill. (Lep. Hyponomeutid) - Italy.

Phytomyzoptera gracilariae Hering - See Phytomyptera

Phytorophaga ventralis Bezzi

Phytorus dilatatus Jac. (Col. Eumolpid) - Dutch E. Indies.

Plagia americana Wulp - See Voria ruralis Fall.

Plagia ayerzia Brèthes - See Voria

Plagia buccata B.B. - See P. ruricola Mg.

Plagia elata Mg.

Arctornis chrysorrhoea L. (Lep. Lymantriid) - Europe.

Plagia ruralis Fall. - See Voria

Plagia ruricola Mg.

Apoestes spectrum Esp. (Lep. Phalaenid) - Europe.

Caradrina blanda Schiff. (Lep. Phalaenid) - Europe.

Gonospileia glyphica L. (Lep. Phalaenid) - Europe.

Gonospileia mi Clerck (Lep. Phalaenid) - Europe.

Polia serena Schiff. (Lep. Phalaenid) - Europe.

Plagioderophagus niger Bar.

Plagiodera rufescens Gyll. (Col. Chrysomelid) - India.

Plagiomima spinulosa Bigot

Cirphis unipuncta Haw. (Lep. Phalaenid) - U.S.A.

Plesina maculata Fall. - See Parafeburia

Podomyia atkinsoni Aubertin

Xyleutes ceramica Walk. (Lep. Cossid) - Burma.

Podomyia setosa Dol.

Prodenia sp. (Lep. Phalaenid) - India.

Prodenia litura F. (Lep. Phalaenid) - Malaya.

Policheta unicolor Fall.

Croesus septentrionalis L. (Hym. Tenthredinid) - Europe.

Polychaetoneura elyi Walt. - See Actia pilipennis Fall.

Polychnomyia flavohalterata Bisch.

Amphicallia bellatrix Dalm. (Lep. Arctiid) - Nyasaland.

Amphicallia thewalli Druce (Lep. Arctiid) - Nyasaland.

Prosenia lacertosa Wulp

Lachnosterna sp. (Col. Melolonthid) - Mexico.

Prosenia siberita F.

Adoretus compressus Web. (Col. Rutelid) - Dutch E. Indies, W. Java.

Anomala sp. (Col. Rutelid) - W. Java.

Apogonia destructor Ritz. (Col. Melolonthid) - W. Java.

Aserica castanea Arr. (Col. Melolonthid) - U.S.A.

Lachnosterna smithi Arr. (Col. Melolonthid) - Java-Mauritius.

Lepadoretus compressus Web. (Col. Rutelid) - Dutch E. Indies.

Popillia sp. (Col. Rutelid) - India, Korea.

Popillia japonica Newm. (Col. Rutelid) - Japan & Korea into U.S.A., U.S.A.

Serica sp. (Col. Melolonthid) - Java.

Prosopaea deserticola Rhodendorf

Laphygma exigua Hb. (Lep. Phalaenid) - Russia.

Prosopaea fugax Rond. - See Bessa selecta Mg.

Prosopaea indica Curran

Plecoptera reflexa Guen. (Lep. Phalaenid) - India.

Prosopaea nigricans Egg.

Acronicta euphorbiae Schiff. (Lep. Phalaenid) - Europe.

Lithosia quadra L. (Lep. Arctiid) - Europe.

Ocnogyna baeticum Ramb. (Lep. Arctiid) - Europe.

Polia pisi L. (Lep. Phalaenid) - Czechoslovakia.

Prosopaea paradoxa B.B.

Cirphis unipuncta Haw. (Lep. Phalaenid) - Siam.

Prosopaea scutellaris Fall.

Acronicta euphorbiae euphrasiae Brahm. (Lep. Phalaenid) - Europe.

Conistra rubiginea Schiff. (Lep. Phalaenid) - Europe.

Prosopodes fugax Rond. - See Bessa selecta Mg.

Prosopodopsis fasciatus Wd.

Pyrausta coclesalis Walk. (Lep. Pyraustid) - India.

Prothysiricia sp. - See Hexamera

Pseudatractocera calosomae Coq. - See Eubiomyia

Pseudochaeta argentifrons Coq.

Illice nexa Boisd. (Lep. Arctiid) - U.S.A.

Pseudocypthera erythrope Bezzi

Scotinophara coarctata F. (Hem. Pentatomid) - Malaya.

Pseudogonia cinerascens Rond.

Agrotis segetum Schiff. (Lep. Phalaenid) - S. Rhodesia.

Spodoptera sp. (Lep. Phalaenid) - Siam.

Spodoptera mauritia Boisd. (Lep. Phalaenid) - India.

Pseudogonia hebes Fall.

Agrotis segetum Schiff. (Lep. Phalaenid) - Czechoslovakia.

Pseudopachystylum goniaeoides Zett.

Pamphilus vafer L. (Hym. Tenthredinid) - Europe.

Pseudoperichaeta insidiosa R.-D.

Archips sp. (Lep. Tortricid) - Britain.

Archips crataegana Hb. (Lep. Tortricid) - England.

Archips pronubana Hb. (Lep. Tortricid) - England.

Glyphodes unionalis Hb. (Lep. Pyraustid) - France.

Grapholitha molesta Busck (Lep. Olethreutid) - Europe-U.S.A., U.S.A.

Parnara guttata Brem. (Lep. Hesperiid) - China.
Phalonia roseana Haw. (Lep. Phaloniid) - Europe.
Pyrausta nubilalis Hb. (Lep. Pyraustid) - Europe, Dalmatia, England, France, France-U.S.A., Italy, Yugoslavia, Russia, Canada, U.S.A.
Sparganothis pilleriana Schiff. (Lep. Tortricid) - France.
Tholeria polygonalis Hb. (Lep. Pyraustid) - Yugoslavia.
Tortrix viridana L. (Lep. Tortricid) - Europe, Italy.

Pseudoptilops nitida Rond.

Cassida nobilis L. (Col. Cassidid) - Germany.

Cassida vittata Villers (Col. Cassidid) - Germany.

Pseudotachinomyia webberi Smith - See Phorocera slossonae Tns.

Ptilocerina atramentaria Mg. - See Trisoneura

Ptilodexia abdominalis R.-D.

Lachnosterna sp. (Col. Melolonthid) - Canada.

Ptilodexia harpasa Walk.

Lachnosterna sp. (Col. Melolonthid) - U.S.A.

Lachnosterna hogardi Blanch. (Col. Melolonthid) - Haiti.

Ptilodexia tibialis R.-D.

Lachnosterna sp. (Col. Melolonthid) - N. America, Canada, U.S.A.

Ptychomyia parallela Mg.

Psylla mali Schm. (Hem. Psyllid) - Poland.

Ptychomyia remota Aldr. - See Bessa

Ptychomyia selecta Mg. - See Bessa

Ptychoneura cylindrica Fall.

Crabro cinxius Dhlb. (Hym. Sphegid) - Europe.

Ptychoneura melaleuca Mg.

Crabro cinxius Dhlb. (Hym. Sphegid) - Europe.

Ptychoneura rufitarsis Mg. - See P. melaleuca Mg.

Pyraustomyia penitalis Coq.

Pyrausta ainsliei Heinr. (Lep. Pyraustid) - U.S.A.

Pyrausta nubilalis Hb. (Lep. Pyraustid) - N. America.

Pyrausta penitalis Grote (Lep. Pyraustid) - U.S.A.

Racodineura sp.

Forficula auricularia L. (Dermaptera) - U.S.A.

Racodineura antiqua Mg.

Forficula auricularia L. (Dermaptera) - Europe, Britain, Britain-New Zealand, U.S.A.

Forficula tomis Kol. (Dermaptera) - Europe, Russia.

Monima miniosa Schiff. (Lep. Phalaenid) - Europe.
Porthetria dispar L. (Lep. Lymantriid) - Europe, Russia, N. Africa.

Racodineura yponomeutae Rond.

Hyponomeuta cognatellus Hb. (Lep. Hyponomeutid) - Europe.
Hyponomeuta malinellus Zell. (Lep. Hyponomeutid) - Europe.
Hyponomeuta vigintipunctatus Ratz. (Lep. Hyponomeutid) - Europe.

Reaumuria pacifica Tns. - See Gonia pallens Wd.

Redtenbacheria insignis Egg.

Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.

Rhacodineura - See Racodineura

Rhamphina discalis Tns.

Ligyris maimon Er. (Col. Dynastid) - Peru.

Rhaphis elongata Wulp

Phassus malabaricus Moore (Lep. Hepialid) - Ceylon.

Rhinophora lepida Mg.

Porcellio scaber L. (Isopoda) - France.

Rhinotachina proletaria Egg.

Conopia sp. (Lep. Aegeriid) - Europe.

Rhodogyne rotundata L. - See Gymnosoma

Rhynchista prolixa Mg. - See Feria

Roeselia antiqua Mg. - See Racodineura

Rondania dimidiata Mg.

Brachycerus undatus F. (Col. Curculionid) - Italy.
Brachyderes incanus L. (Col. Curculionid) - Holland.
Cleonus mendicus Gyll. (Col. Curculionid) - Italy.
Larinus cynarae F. (Col. Curculionid) - Italy.
Larinus scolymi Ol. (Col. Curculionid) - Italy.
Liparus germanus L. (Col. Curculionid) - Czechoslovakia.

Rondania dispar Duf.

Brachyderes lusitanicus F. (Col. Curculionid) - Europe.

Rondaniooestrus apivorus Villen.

Apid sp. (Hym.) - S. Africa.
Apis sp. (Hym. Apid) - Uganda.
Apis mellifera L. (Hym. Apid) - S. Africa.

Rutilia sp.

Dasygnathus sp. (Col. Dynastid) - Australia.
Lepidiota frenchi Blkb. (Col. Melolonthid) - Australia.

Rutilia inornata G. & M.Anoplognathus sp. (Col. Rutelid) - Queensland.Dasygnathus sp. (Col. Dynastid) - Queensland.Rutilia pellucens Macq.Lepidiota rothei Blkb. (Col. Melolonthid) - Queensland.Rutilia splendida Don.Dasygnathus sp. (Col. Dynastid) - Queensland.Salmacia - See GoniaSchistocercophaga dampfi Aldr. - See OedematoceraSchistochilus aristatus Aldr. - See Diatraeophaga striatalis Tns.Schizocerophaga leibyi Tns.Archips cerasivorana Fitch (Lep. Tortricid) - U.S.A.Sterictiphora cellularis Say (Hym. Tenthredinid) - N. America.Schizotachina vitinervis ThompsonPectinophora gossypiella Saund. (Lep. Gelechiid) - America.Scotia saturniae R.-D. - See Thrycolyga grandis Zett.Senotainia trilineata WulpDiabrotica melanocephala F. (Col. Galerucid) - U.S.A.Sericophoromyia dasyops Wd.Anomis flava F. (Lep. Phalaenid) - S. Africa.Sericophoromyia marshalli Villen. - See S. dasyops Wd.Sericophoromyia ruficrura Vill.Anaphe venata Butl. (Lep. Thaumetopoeid) - Nigeria.Servillia lurida F.Acronicta aceris L. (Lep. Phalaenid) - Europe.Celerio euphorbiae L. (Lep. Sphingid) - Europe.Cucullia verbasci L. (Lep. Phalaenid) - Europe.Sesiophaga glirina Rond.Chamaesphecia empiformis Esp. (Lep. Aegeriid) - Europe.Chamaesphecia leucopsiformis Esp. (Lep. Aegeriid) - Europe.Siphona cristata F. - See also BucentesSiphona cristata F.Agrotis segetum Schiff. (Lep. Phalaenid) - Czechoslovakia, Germany.Autographa gamma L. (Lep. Phalaenid) - Europe, Czechoslovakia.Collix sparsata Tr. (Lep. Geometrid) - Europe.Leucania obsoleta Hb. (Lep. Phalaenid) - Europe.

Polia pisi L. (Lep. Phalaenid) - Europe.
Polia suasa Schiff. (Lep. Phalaenid) - Sweden.
Pyrausta aurata Scop. (Lep. Pyraustid) - Europe.
Thaumetopoea pityocampa Schiff. (Lep. Thaumetopoeid) - Europe.

Siphona geniculata DeG. - See also Bucentes

Siphona geniculata DeG.

Barathra brassicae L. (Lep. Phalaenid) - Europe, Britain, Russia.
Ochropleura plecta L. (Lep. Phalaenid) - Europe.

Siphona plusiae Coq.

Phryganidia californica Pack. (Lep. Diophtid) - U.S.A.

Siphophyto floridensis Tns.

? Pectinophora gossypiella Saund. (Lep. Gelechiid) - America.
Sitotroga sp. (Lep. Gelechiid) - America.

Siphophyto neomexicana Tns. - See S. floridensis Tns.

Siphosturmiopsis phyciodis Coq.

Phyciodes tharos Dru. (Lep. Nymphalid) - Canada.

Sisyropa sp.

Diacrisia maculosa Stoll. (Lep. Arctiid) - S. Nigeria.
Hemerocampa leucostigma A. & S. (Lep. Lymantriid) - U.S.A.

Sisyropa eudryae Tns.

Acronicta sp. (Lep. Phalaenid) - U.S.A.
Alypia octomaculata F. (Lep. Phalaenid) - U.S.A.
Automeris io F. (Lep. Saturniid) - U.S.A.
Estigmene acrea Dru. (Lep. Arctiid) - U.S.A.
Euthisanotia grata F. (Lep. Phalaenid) - Canada, U.S.A.
Euthisanotia unio Hb. (Lep. Phalaenid) - U.S.A.

Sisyropa thermophila Wd.

Amyna octo Guen. (Lep. Phalaenid) - India.
Tiracola plagiata Walk. (Lep. Phalaenid) - Malaya.

Spallanzania bucephala Mg.

Agrotis exclamationis L. (Lep. Phalaenid) - Russia.
Agrotis segetum Schiff. (Lep. Phalaenid) - Europe, Czechoslovakia, Russia, Ukraine.
Agrotis ypsilon Rott. (Lep. Phalaenid) - Russia.
Euxoa tritici L. (Lep. Phalaenid) - Russia.
Heliothis armigera Hb. (Lep. Phalaenid) - Russia.
Heliothis dipsacea L. (Lep. Phalaenid) - Russia.
Phragmatobia fuliginosa L. (Lep. Arctiid) - Europe.

Spallanzania hesperidarum Will. " See Acroglossa

Spathimeigenia sp.

Zadiprion vallicola Rohw. (Hym. Tenthredinid) - Mexico.

Spathimeigenia aurifrons CurranDiprion sp. (Hym. Tenthredinid) - Canada.Spathimeigenia spinigera Tns.Neodiprion affinis Rohw. (Hym. Tenthredinid) - U.S.A.Neodiprion edwardsi Nort. (Hym. Tenthredinid) - U.S.A.Neodiprion lecontei Fitch (Hym. Tenthredinid) - U.S.A.Sphecapata conica Fall.Crabro peltarius Schreb. (Hym. Sphegid) - Europe.Oxybelus uniglumis L. (Hym. Sphegid) - Europe.Philanthus triangulus F. (Hym. Sphegid) - Europe.Sphecapata pelopei Rond.Sceliphron spirifex F. (Hym. Sphegid) - Europe.Staurochaeta albocingulata Fall.Monoctenus juniperi L. (Hym. Tenthredinid) - Europe.Staurochaeta vibrissata Rond.Sparganothis pilleriana Schiff. (Lep. Tortricid) - Europe.Steiniella callida Mg.Melasoma populi L. (Col. Chrysomelid) - Europe.Melasoma tremulae F. (Col. Chrysomelid) - Europe.Stomatodexia sp.Diatraea sp. (Lep. Crambid) - Br. Guiana.Diatraea canella Hmps. (Lep. Crambid) - Br. Guiana, Dutch Guiana.Diatraea saccharalis F. (Lep. Crambid) - Br. Guiana, Dutch Guiana.Stomatodexia diadema Wd. - See LeskiopalpusStomatomyia acuminata Rond.Agrotis ypsilon Rott. (Lep. Phalaenid) - S. Celebes.Blaps halophila Fisch. (Col. Tenebrionid) - Russia.Opatrum sabulosum L. (Col. Tenebrionid) - Russia.Pedinus femoralis L. (Col. Tenebrionid) - Russia.Platyscelis gages Fisch. (Col. Tenebrionid) - Russia.Stomatomyia bezziana Bar.Nephantis serinopa Meyr. (Lep. Xyloryctid) - Ceylon.Stomatomyia filipalpis Rond.Canephora unicolor Hufn. (Lep. Psychid) - Europe.Oreopsyche atra L. (Lep. Psychid) - Europe.Stomatomyia metallica Vill.Caradrina sp. (Lep. Phalaenid) - S. Africa, S. Rhodesia.Sturmia sp.Amphion nessus Cram. (Lep. Sphingid) - U.S.A.

Anisota rubicunda F. (Lep. Citheroniid) - U.S.A.
Anisota senatoria A. & S. (Lep. Citheroniid) - U.S.A.
Arge sp. (Hym. Tenthredinid) - U.S.A.
Heliothis armigera Hb. (Lep. Phalaenid) - S. Rhodesia.
Prodenia litura F. (Lep. Phalaenid) - Nyasaland.

Sturmia albifrons Walk.

Cirphis unipuncta Haw. (Lep. Phalaenid) - Canada.

Sturmia angustifrons Vill.

Heliothis armigera Hb. (Lep. Phalaenid) - Rhodesia.

Sturmia atropivora R.-D. - See Argyrophylax

Sturmia auratocauda Curran

Anomis sp. (Lep. Phalaenid) - Gold Coast, Nigeria.

Sylepta derogata F. (Lep. Pyraustid) - Gold Coast, Nigeria.

Sturmia bella Mg. - See Argyrophylax

Sturmia bimaculata Htg. - See S. inconspicua Mg.

Sturmia bimaculata gilva Htg. - See S. inconspicua gilva Htg.

Sturmia chatterjeeana Bar.

Euproctis bipunctapex Hmps. (Lep. Lymantriid) - India.

Sturmia chatterjeei Curran

Acherontia lachesis F. (Lep. Sphingid) - India.

Sturmia dilabida Vill.

Herse convolvuli L. (Lep. Sphingid) - S. Rhodesia.

Laphygma exigua Hb. (Lep. Phalaenid) - S. Rhodesia.

Nadiasa concolor Walk. (Lep. Lasiocampid) - S. Africa.

Sturmia distincta Wd. - See S. protoparcis Tns.

Sturmia elzneri Tns.

Lepidoderma albohirtum Waterh. (Col. Melolonthid) - Australia.

Sturmia fraudulentus Wulp

Erynnis icelus Scud. & Burg. (Lep. Hesperiid) - U.S.A.

Sturmia gilva Htg. - See S. inconspicua gilva Htg.

Sturmia hutsoni Bar.

Earias fabia Stoll (Lep. Phalaenid) - Ceylon.

Sturmia incompta Wulp

Ceratonia amyntor Hb. (Lep. Sphingid) - U.S.A.

Protoparce quinquemaculata Haw. (Lep. Sphingid) - U.S.A.

Sphinx chersis Hb. (Lep. Sphingid) - Canada.

Sturmia inconspicua Mg.

- Amathusia phidippus L. (Lep. Amathusiid) - Malaya.
Anaphe infracta Wals. (Lep. Thaumetopoeid) - Nigeria.
Bombycomorpha pallida Dist. (Lep. Lasiocampid) - S. Africa.
Cirphis loreyi Dup. (Lep. Phalaenid) - Fiji.
Cirphis unipuncta Haw. (Lep. Phalaenid) - Fiji.
Dendrolimus pini L. (Lep. Lasiocampid) - Europe, Austria, Russia.
Diprion frutetorum F. (Hym. Tenthredinid) - Europe.
Diprion laricis Jur. (Hym. Tenthredinid) - Europe.
Diprion pallidus Kl. (Hym. Tenthredinid) - Europe.
Diprion pini L. (Hym. Tenthredinid) - Europe, France, Holland, Poland.
Diprion similis Htg. (Hym. Tenthredinid) - Europe.
Diprion socius Kl. (Hym. Tenthredinid) - Europe.
Diprion virens Kl. (Hym. Tenthredinid) - Europe.
Epanaphe moloneyi Druce (Lep. Thaumetopoeid) - Nigeria.
Epicampoptera andersoni Tams (Lep. Drepanid) - Kenya.
Gilpinia polytoma Htg. (Hym. Tenthredinid) - Europe, Czechoslovakia, Canada.
Heliothis armigera Hb. (Lep. Phalaenid) - Italian Somaliland, S. Africa.
Laphygma exempta Walk. (Lep. Phalaenid) - S. Rhodesia.
Laphygma exigua Hb. (Lep. Phalaenid) - Anatolia.
Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.
Lymantria obfuscata Walk., (Lep. Lymantriid) - India.
Neodiprion sertifer Geoffr. (Hym. Tenthredinid) - Europe, Czechoslovakia, Poland.
Panolis flammea Schiff. (Lep. Phalaenid) - Europe, Poland.
Porthetria dispar L. (Lep. Lymantriid) - Europe, Bulgaria, Yugoslavia, Poland, U.S.A.; N. Africa, Morocco.
Pristiphora erichsoni Htg. (Hym. Tenthredinid) - Russia.
Psychid sp. (Lep.) - Palestine.
Spodoptera mauritia Boisd. (Lep. Phalaenid) - India.
Taragama repanda Hb. (Lep. Lasiocampid) - Morocco.
Tiracola plagiata Walk. (Lep. Phalaenid) - Malaya.

Sturmia inconspicua gilva Htg.

- Diprion frutetorum F. (Hym. Tenthredinid) - Europe.
Diprion laricis Jur. (Hym. Tenthredinid) - Europe.
Diprion pallidus Kl. (Hym. Tenthredinid) - Europe.
Diprion pini L. (Hym. Tenthredinid) - Europe, France.
Neodiprion sertifer Geoffr. (Hym. Tenthredinid) - Europe.
Porthetria dispar L. (Lep. Lymantriid) - Europe, Bulgaria, Yugoslavia-U.S.A., U.S.A., N. Africa.
Stauropus fagi L. (Lep. Notodontid) - Europe.

Sturmia inconspicuellla Bar.

- Agrotis ypsilon Rott. (Lep. Phalaenid) - S. Celebes.
Diacrisia obliqua Walk. (Lep. Arctiid) - India.
Diaphania laticostalis Guen. (Lep. Pyraustid) - Burma, Formosa, India.
Hyblaea pueria Cram. (Lep. Hyblaeid) - Burma, Formosa, India.
Pyrausta machaeralis Walk. (Lep. Pyraustid) - Burma, Formosa, India.
Spodoptera mauritia Boisd. (Lep. Phalaenid) - Burma, Formosa, India.
Telicota palmarum Moore (Lep. Hesperiid) - Malaya.

Sturmia inconspicuoides Bar.

- Acherontia styx Westw. (Lep. Sphingid) - India.
Amsacta sp. (Lep. Arctiid) - India.
Cirphis sp. (Lep. Phalaenid) - India.
Cirphis loreyi Dup. (Lep. Phalaenid) - Australia.
Cirphis unipuncta Haw. (Lep. Phalaenid) - Australia.
Crocidolomia sp. (Lep. Pyraustid) - India.
Dasychira grossa Pagenstecher (Lep. Lymantriid) - Malaya.
Geometrid sp. (Lep.) - Formosa, India.
Hidari irava Moore (Lep. Hesperiid) - Malaya.
Hulodes caranea Cram. (Lep. Phalaenid) - Malaya.
Mahasena corbetti Tams (Lep. Psychid) - Malaya.
Prodenia litura F. (Lep. Phalaenid) - Br. Solomon Is., Malaya.
Spodoptera sp. (Lep. Phalaenid) - India, Malaya.
Spodoptera mauritia Boisd. (Lep. Phalaenid) - Malaya.
Tiracola plagiata Walk. (Lep. Phalaenid) - Malaya.

Sturmia inquinata Wulp - See S. incompta WulpSturmia laxa Curran

- Cirphis loreyi Dup. (Lep. Phalaenid) - S. Rhodesia.
Heliothis armigera Hb. (Lep. Phalaenid) - S. Africa.
Laphygma exempta Walk. (Lep. Phalaenid) - Africa.

Sturmia lucagus Walk.

- Cretonotus gangis L. (Lep. Arctiid) - India.

Sturmia macrophallus Bar.

- Anomis sp. (Lep. Phalaenid) - India.
Herse convolvuli L. (Lep. Sphingid) - Java.

Sturmia munroi Curran

- Heliothis armigera Hb. (Lep. Phalaenid) - Rhodesia.

Sturmia nidicola Tns.

- Malacosoma neustria L. (Lep. Lasiocampid) - Bulgaria, Yugoslavia.
Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Europe, U.S.A.
Porthetria dispar L. (Lep. Lymantriid) - U.S.A.

Sturmia nigribarbis Bar.

- Pyrausta machaeralis Walk. (Lep. Pyraustid) - Burma, India.

Sturmia nigrita Tns. - See Ceromasia senilis Mg.Sturmia nigr tibialis Bar.

- Parnara guttata Brem. (Lep. Hesperiid) - China.

Sturmia normula Wulp

- Euphydryas taylori Edw. (Lep. Nymphalid) - Canada.

Sturmia ophirica Walk.

- Tiracola plagiata Walk. (Lep. Phalaenid) - Malaya.

Sturmia painei Bar.Tirathaba sp. (Lep. Galleriid) - Java.Tirathaba trichogramma Meyr. (Lep. Galleriid) - Java-Fiji.Sturmia parachrysops BezziEublemma sp. (Lep. Phalaenid) - India.Leucinodes sp. (Lep. Pyraustid) - India.Pachyzancla bipunctalis F. (Lep. Pyraustid) - India, Malaya.Pyrausta machaeralis Walk. (Lep. Pyraustid) - India, Malaya.Sturmia phyciodis Coq. - See SiphosturmiopsisSturmia picta Bar.Euproctis flavā Brem. (Lep. Lymantriid) - Ceylon.Sturmia protoparcis Tns.Pholus achemon Dru. (Lep. Sphingid) - U.S.A.Protoparce cingulata F. (Lep. Sphingid) - Barbados, Porto Rico.Protoparce sexta jamaicensis Kirby (Lep. Sphingid) - Jamaica.Sturmia ricinorum Tns.Arctiid sp. (Lep.) - U.S.A.Diacrisia virginica F. (Lep. Arctiid) - U.S.A.Estigmene acrea Dru. (Lep. Arctiid) - U.S.A.Utethesia bella L. (Lep. Arctiid) - U.S.A.Sturmia scutellata R.-D.Acherontia atropos L. (Lep. Sphingid) - Europe.Catocala sp. (Lep. Phalaenid) - U.S.A.Datana integerrima G. & R. (Lep. Notodontid) - U.S.A.Dendrolimus pini L. (Lep. Lasiocampid) - Europe, Austria.Lithophane sp. (Lep. Phalaenid) - U.S.A.Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.Malacosoma disstria Hb. (Lep. Lasiocampid) - U.S.A.Nygmia phaeorrhoea Don. (Lep. Lymantriid) - U.S.A.Nymphalis antiopa L. (Lep. Nymphalid) - Europe.Phalaenid sp. (Lep.) - U.S.A.Porthetria dispar L. (Lep. Lymantriid) - Europe, Yugoslavia, Yugoslavia-U.S.A., Poland, Russia, U.S.A., N. Africa.Stilpnotia salicis L. (Lep. Lymantriid) - U.S.A.Symmerista albifrons A. & S. (Lep. Notodontid) - U.S.A.Sturmia sericariae Cornalia - See UgimyaSturmia vicinella Bar.Thereatra oldenlandiae F. (Lep. Sphingid) - India.Sturmia wainwrighti Bar.Metanastria hyrtaca Cam. (Lep. Lasiocampid) - Ceylon.Suana concolor Walk. (Lep. Lasiocampid) - ? Ceylon.Sturmiopsis inferens Tns.Sesamia inferens Walk. (Lep. Phalaenid) - Dutch E. Indies.

Styloneuria discrepans Pand.

Oniscus asellus L. (Isopoda) - England, France.

Porcellio scaber L. (Isopoda) - England, France.

Syntomocera petiolata Boisd.

Amphimallon solstitialis L. (Col. Melolonthid) - Europe.

Tachina auct. nec Meig. - See Exorista Meig.

Tachina sp.

Agrotis segetum Schiff. (Lep. Phalaenid) - Bulgaria.

Anomala rufocuprea Mots. (Col. Rutelid) - Japan.

Dendrolimus pini L. (Lep. Lasiocampid) - Russia.

Euproctis pseudoconsersa Strand (Lep. Lymantriid) - Formosa.

Hyphantria cunea Dru. (Lep. Arctiid) - U.S.A.

Salebria marmorata Alph. (Lep. Phycitid) - Russia.

Samia cecropia L. (Lep. Saturniid) - Canada.

Tachina aletiae Riley - See Achaetoneura

Tachina anonyma Riley - See Achaetoneura frenchii Will.

Tachina archippivora Will. - See Achaetoneura

Tachina armigera Coq. - See Eucelatoria

Tachina bella Mg. - See Argyrophylax

Tachina cinerascens Belanovskii - See Guerinia

Tachina civilis Rond. - See Exorista

Tachina civiloides Bar. - See Exorista

Tachina clisiocampae Tns. - See Exorista larvarum L.

Tachina conjugata Rond. - See Eudoromyia magnicornis Zett.

Tachina erucarum auct. nec Rond. - See Guerinia cinerascens Belanovskii

Tachina erucarum Rond.

Oreopsyche angustella H.-S. (Lep. Psychid).

Zygaena sp. (Lep. Zygaenid) - Europe.

Tachina fallax Mg. - See Exorista

Tachina fera L.

Acronicta aceris L. (Lep. Phalaenid) - France.

Amathes glareosa Esp. (Lep. Phalaenid) - Europe.

Dasychira pudibunda L. (Lep. Lymantriid) - Czechoslovakia.

Heliothis peltigera Schiff. (Lep. Phalaenid) - France.

Hyphoraia aulica L. (Lep. Arctiid) - Europe.

Leucania obsoleta Hb. (Lep. Phalaenid) - Europe.
Lithosia quadra L. (Lep. Arctiid) - Europe.
Lymantria monacha L. (Lep. Lymantriid) - Europe, Czechoslovakia.
Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Russia.
Panolis flammea Schiff. (Lep. Phalaenid) - Europe, Poland.
Phlogophora meticulosa L. (Lep. Phalaenid) - France.
Polia pisi L. (Lep. Phalaenid) - Europe.
Porthetria dispar L. (Lep. Lymantriid) - Europe, Russia, N. Africa.

Tachina festiva R.D. - See Exorista simulans Mg.

Tachina fraterna Comstock - See Achaetoneura aletiae Riley

Tachina glabrata Mg. - See Nemoraea

Tachina grossa L.

Dendrolimus pini L. (Lep. Lasiocampid) - Russia.
Lasiocampa quercus L. (Lep. Lasiocampid) - Europe.
Lasiocampa trifolii Esp. (Lep. Lasiocampid) - Europe.
Lemonia dumi L. (Lep. Lemoniid) - Europe.
Macrothylacia rubi L. (Lep. Lasiocampid) - Europe.
Sphinx pinastri L. (Lep. Sphingid) - Europe.

Tachina hartigii Ratz.

Malacosoma neustria L. (Lep. Lasiocampid) - Europe.

Tachina impotens Rond. - See also Exorista

Tachina impotens Rond.

Hypera variabilis Hbst. (Col. Curculionid).

Tachina japonica Tns. - See Exorista

Tachina larvarum L. - See Exorista

Tachina larvincola Ratz.

Porthetria dispar L. (Lep. Lymantriid) - Europe, N. Africa.

Tachina latifrons Rond. - See Euthryptocera

Tachina macrocera R.-D. - See Exorista

Tachina magna Giglio-Tos

Dendrolimus albolineatus Mats. (Lep. Lasiocampid) - Russia, Japan.

Tachina mella Walk. - See Exorista larvarum L.

Tachina monacha Ratz.

Porthetria dispar L. (Lep. Lymantriid) - Europe, N. Africa.

Tachina moreti R.-D. - See Exorista larvarum L.

Tachina munda Wd.

Parasa lepida Cram. (Lep. Limacodid) - Ceylon.

Thosea cervina Moore (Lep. Limacodid) - Ceylon.

Tachina mungomeryi Bar. - See Exorista

Tachina neustriæ Ratz.

Malacosoma neustria L. (Lep. Lasiocampid) - Europe.

Tachina noctuarum Rond. - See Exorista

Tachina onchestus Walk.

Anaphe ambrizia Butl. (Lep. Thaumetopoeid) - Fr. Guinea.

Tachina piniperdæ Ratz.

Panolis flammea Schiff. (Lep. Phalaenid) - Europe.

Tachina pinivora Ratz. - See Lydella

Tachina praeceps Mg.

Canthylidia scutosa Schiff. (Lep. Phalaenid) - Russia.

Heliothis dipsacea L. (Lep. Phalaenid) - Russia.

Heliothis peltigera Schiff. (Lep. Phalaenid) - Russia.

Hemaris fuciformis L. (Lep. Sphingid) - Europe.

Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Europe.

Tachina psychidarum Bar. - See Exorista

Tachina quinquevitalata Htg.

Porthetria dispar L. (Lep. Lymantriid) - Europe.

Tachina robusta Tns. - See Tachinomyia panaetius Walk.

Tachina rustica Mg. - See Exorista simulans Mg.

- See also Guerinia simulans Mg.

Tachina simulans Mg. - See Exorista

- See also Guerinia

Tachina vicinalis Pand. - See Ceromasia

Tachina vidua Mg. - See Exorista

Tachina winnertzi B.B. - See Exorista fallax Mg.

Tachina xanthaspis Wd.

Anaphe infracta Wals. (Lep. Thaumetopoeid) - Nigeria.

Epanaphe moloneyi Druce (Lep. Thaumetopoeid) - Nigeria.

TACHINID sp.

Abraxas grossulariata L. (Lep. Geometrid) - Scotland.

Acronicta sp. (Lep. Phalaenid) - U.S.A.

Acronicta furcifera Guen. (Lep. Phalaenid) - U.S.A.

Acronicta impressa Walk. (Lep. Phalaenid) - U.S.A.

Acronicta superans Guen. (Lep. Phalaenid) - U.S.A.

- Actebia fennica Tausch. (Lep. Phalaenid) - Russia.
Agrotis segetum Schiff. (Lep. Phalaenid) - Russia.
Alsophila pometaria Harr. (Lep. Geometrid) - U.S.A.
Alypia octomaculata F. (Lep. Phalaenid) - U.S.A.
Amphipyra pyramidoides Guen. (Lep. Phalaenid) - U.S.A.
Anisota senatoria A. & S. (Lep. Citheroniid) - U.S.A.
Anisota virginiensis Dru. (Lep. Citheroniid) - U.S.A.
Archips excessana Walk. (Lep. Tortricid) - New Zealand.
Arctiid sp. (Lep.) - U.S.A.
Autographa ou Guen. (Lep. Phalaenid) - U.S.A.
Automeris io F. (Lep. Saturniid) - U.S.A.
Callosamia promethea Drury (Lep. Saturniid) - U.S.A.
Calpodes ethlius Cram. (Lep. Hesperiid) - Cuba, St. Vincent, Trinidad.
Catocala sp. (Lep. Phalaenid) - U.S.A.
Catocala parta Guen. (Lep. Phalaenid) - U.S.A.
Celerio euphorbiae L. (Lep. Sphingid) - Kirghiz Republic.
Celerio lineata F. (Lep. Sphingid) - U.S.A.
Ceramica picta Harr. (Lep. Phalaenid) - U.S.A.
Ceratomia catalpe Bdv. (Lep. Sphingid) - U.S.A.
Ceratomia undulosa Walk. (Lep. Sphingid) - U.S.A.
Chortoicetes terminifera Walk. (Orth. Acridid) - Australia.
Cingilia catenaria Dru. (Lep. Geometrid) - U.S.A.
Conistra sp. (Lep. Phalaenid) - U.S.A.
Cosmia canescens Behr. (Lep. Phalaenid) - U.S.A.
Cressonia juglandis A. & S. (Lep. Sphingid) - U.S.A.
Crymodes devastator Brace (Lep. Phalaenid) - U.S.A.
Ctenucha virginica Charp. (Lep. Amatid) - U.S.A.
Cucullia convexipennis G. & R. (Lep. Phalaenid) - U.S.A.
Cycnia tenera Hb. (Lep. Arctiid) - U.S.A.
Danaus plexippus L. (Lep. Danaid) - U.S.A.
Dasylophia anguina A. & S. (Lep. Notodontid) - U.S.A.
Datana integerrima G. & R. (Lep. Notodontid) - U.S.A.
Datana ministra Drury (Lep. Notodontid) - U.S.A.
Datana perspicua G. & R. (Lep. Notodontid) - U.S.A.
Deilinia erythemaria Guen. (Lep. Geometrid) - U.S.A.
Diacrisia virginica F. (Lep. Arctiid) - U.S.A.
Ennomos subsignarius Hb. (Lep. Geometrid) - U.S.A.
Epicnaptera americana Harr. (Lep. Lasiocampid) - U.S.A.
Epilachna varivestis Muls. (Col. Coccinellid) - U.S.A.
Erannis tiliaria Harr. (Lep. Geometrid) - U.S.A.
Erynnis icelus Scud. & Burg. (Lep. Hesperiid) - U.S.A.
Euchaetias egle Dru. (Lep. Arctiid) - U.S.A.
Eulype hastata L. (Lep. Geometrid) - U.S.A.
Euparthenos nubilis Hb. (Lep. Phalaenid) - U.S.A.
Geometrid sp. (Lep.) - U.S.A.
Halisidota maculata Harr. (Lep. Arctiid) - U.S.A.
Halisidota tessellaris A. & S. (Lep. Arctiid) - U.S.A.
Hemerocampa leucostigma A. & S. (Lep. Lymantriid) - U.S.A.
Hemerocampa pseudotsugata McD. (Lep. Lymantriid) - Canada.
Hemileuca sp. (Lep. Saturniid) - U.S.A.
Heterocampa guttivitta Walk. (Lep. Notodontid) - U.S.A.
Hyperaeschra stragula Grt. (Lep. Notodontid) - U.S.A.

- Hyphantria cunea Dru. (Lep. Arctiid) - U.S.A.
Ichthyura inclusa Hb. (Lep. Notodontid) - U.S.A.
Isia isabella A. & S. (Lep. Arctiid) - U.S.A.
Lachnosterna smithi Arr. (Col. Melolonthid) - Madagascar-Mauritius.
Lambdina fiscellaria Guen. (Lep. Geometrid) - U.S.A.
Laphygma exempta Walk. (Lep. Phalaenid) - Queensland.
Lithophane sp. (Lep. Phalaenid) - U.S.A.
Lithophane antennata Walk. (Lep. Phalaenid) - U.S.A.
Loxostege affinitalis Led. (Lep. Pyraustid) - Queensland.
Loxostege sticticalis L. (Lep. Pyraustid) - Russia.
Malacosoma americana F. (Lep. Lasiocampid) - U.S.A.
Malacosoma disstria Hb. (Lep. Lasiocampid) - U.S.A.
Megalopyge crispata Pack. (Lep. Megalopygid) - U.S.A.
Melamphaus faber F. (Hem. Pyrrhocorid) - Malaya.
Melitaea harrisii Scud. (Lep. Nymphalid) - U.S.A.
Nacophora quernaria A. & S. (Lep. Geometrid) - U.S.A.
Nadata gibbosa A. & S. (Lep. Notodontid) - U.S.A.
Narosa conspersa Walk. (Lep. Limacodid) - India.
Nematocampa limbata Haw. (Lep. Geometrid) - U.S.A.
Notolophus antiquus L. (Lep. Lymantriid) - U.S.A.
Nymphalis milberti Godt. (Lep. Nymphalid) - U.S.A.
Olethreutes rhynchias Meyr. (Lep. Olethreutid) - Mauritius.
Pachysphinx modesta Harr. (Lep. Sphingid) - U.S.A.
Panolis flammea Schiff. (Lep. Phalaenid) - Germany.
Paonias myops A. & S. (Lep. Sphingid) - U.S.A.
Papilio ajax L. (Lep. Papilionid) - U.S.A.
Papilio glaucus turnus L. (Lep. Papilionid) - U.S.A.
Parallelia bistrialis Hb. (Lep. Phalaenid) - U.S.A.
Parnara mathias F. (Lep. Hesperiid) - Malaya.
Perga nemoralis Wilson (Hym. Tenthredinid) - Australia.
Phalaenid sp. (Lep.) - U.S.A.
Phigalia titea Cram. (Lep. Geometrid) - U.S.A.
Phobetron pithecium A. & S. (Lep. Limacodid) - U.S.A.
Phragmatobia fuliginosa rubricosa Harr. (Lep. Arctiid) - U.S.A.
Physostegania pustularis Guen. (Lep. Geometrid) - U.S.A.
Pieris rapae L. (Lep. Pierid) - U.S.A.
Polia assimilis Morr. (Lep. Phalaenid) - U.S.A.
Polygonia comma Harr. (Lep. Nymphalid) - U.S.A.
Prochoerodes transversata Drury (Lep. Geometrid) - U.S.A.
Proteides clarus Cram. (Lep. Hesperiid) - U.S.A.
Pseudothyatira cymatophoroides Guen. (Lep. Thyatirid) - U.S.A.
Pterygophorus analis Costa (Hym. Tenthredinid) - Australia.
Pyrausta nubilalis Hb. (Lep. Pyraustid) - Celebes.
Pyreferra hesperidago Guen. (Lep. Phalaenid) - U.S.A.
Schizura concinna A. & S. (Lep. Notodontid) - U.S.A.
Schizura ipomoeae Doubleday (Lep. Notodontid) - U.S.A.
Schizura unicornis A. & S. (Lep. Notodontid) - U.S.A.
Semiothisa fidoniata Guen. (Lep. Geometrid) - India.
Semiothisa pumila Kuzn. (Lep. Geometrid) - Russia.
Sibine stimulea Clem. (Lep. Limacodid) - U.S.A.
Smerinthus jamaicensis geminatus Say (Lep. Sphingid) - U.S.A.
Spatulifimbria castaneiceps Hmps. (Lep. Limacodid) - India.
Sphinx chersis Hb. (Lep. Sphingid) - U.S.A.

Sphinx drupiferarum A. & S. (Lep. Sphingid) - U.S.A.
Sphinx gordius Cram. (Lep. Sphingid) - U.S.A.
Sphinx kalmiae A. & S. (Lep. Sphingid) - U.S.A.
Stenoma algidella Walk. (Lep. Stenomid) - U.S.A.
Symmerista albifrons A. & S. (Lep. Notodontid) - U.S.A.
Telea polyphema Cram. (Lep. Saturniid) - U.S.A.
Tomaspis pubescens F. (Hem. Cercopid) - Br. Guiana.
Trichiocampus viminalis Fall. (Hym. Tenthredinid) - Italy.
Tropaea luna L. (Lep. Saturniid) - U.S.A.
Utethesia bella L. (Lep. Arctiid) - U.S.A.

Tachinomyia sp.

Acronicta betulae Riley (Lep. Phalaenid) - U.S.A.
Alsophila pometaria Harr. (Lep. Geometrid) - U.S.A.
Catocala sp. (Lep. Phalaenid) - U.S.A.
Catocala micronympha fratercula G. & R. (Lep. Phalaenid) - U.S.A.
Lithophane sp. (Lep. Phalaenid) - U.S.A.
Lithophane antennata Walk. (Lep. Phalaenid) - U.S.A.
Malacosoma disstria Hb. (Lep. Lasiocampid) - U.S.A.
Orthosia hibisci insciens Walk. (Lep. Phalaenid) - U.S.A.
Phalaenid sp. (Lep.) - U.S.A.
Phigalia titea Cram. (Lep. Geometrid) - U.S.A.

Tachinomyia panaetius Walk.

Stilpnotia salicis L. (Lep. Lymantriid) - Canada.

Tachinophyto gilvipes Coq. - See Oedematocera

Tachinophyto variabilis Coq. - See Lixophaga

Thelaira leucozonus Panz. - See T. nigripes F.

Thelaira nigripes F.

Amsacta lactinea Cram. (Lep. Arctiid) - India.
Arctia caja L. (Lep. Arctiid) - Europe.
Cucullia verbasci L. (Lep. Phalaenid) - Europe.
Diacrisia lubricipeda L. (Lep. Arctiid) - Europe.
Diacrisia virginica F. (Lep. Arctiid) - U.S.A.
Estigmene acrea Dru. (Lep. Arctiid) - U.S.A.
Harmodia capsincola Hb. (Lep. Phalaenid) - Europe.
Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.
Macrothylacia rubi L. (Lep. Lasiocampid) - Europe.
Ocnogyna corsicum Ramb. (Lep. Arctiid) - Europe.
Pergesa elpenor L. (Lep. Sphingid) - Europe.
Pergesa porcellus L. (Lep. Sphingid) - Europe.
Phragmatobia fuliginosa L. (Lep. Arctiid) - Europe.
Polia thalassina Rott. (Lep. Phalaenid) - Europe.
Smerinthus populi L. (Lep. Sphingid) - Europe, Czechoslovakia.

Thelymorpha vertiginosa Fall. - See Istocheta marmorata F.

Thelymyia demens Zett. - See T. saltuum Mg.

Thelymyia saltuum Mg.Catocala sponsa L. (Lep. Phalaenid) - Europe.Thrixion halidayanum Rond.Leptynia hispanica Bol. (Orth. Phasmatid) - Europe.Thrycolyga sp.Lymantria serva iris Strand (Lep. Lymantriid) - Japan.Thrycolyga aberrans StroblAmathusia phidippus L. (Lep. Amathusiid) - Malaya.Mahasena sp. (Lep. Psychid) - Malaya.Mahasena corbetti Tams (Lep. Psychid) - Malaya.Psychid sp. (Lep.) - Palestine.Thrycolyga bombycis Bech. - See T. sorbillans Wd.Thrycolyga grandis Zett.Malacosoma neustria L. (Lep. Lasiocampid) - Italy.Porthetria dispar L. (Lep. Lymantriid) - Europe, Bulgaria, Jugoslavia-U.S.A., Russia, Spain, N. Africa.Thaumetopoea pityocampa Schiff. (Lep. Thaumetopoeid).Theresimima ampelophaga Bayle (Lep. Zygaenid) - Russia.Thrycolyga major B.B. - See T. segregata Rond.Thrycolyga minor Rond.Theresimima ampelophaga Bayle (Lep. Zygaenid) - Russia.Thrycolyga psammathe Walk.Metanastria hyrtaca Cam. (Lep. Lasiocampid) - Malaya.Thrycolyga psychidarum Bar.Chalioides vitrea Hmps. (Lep. Psychid) - Ceylon.Mahasena corbetti Tams (Lep. Psychid) - Malaya.Psychid sp. (Lep.) - Sumatra.Thrycolyga segregata Rond.Aglaope infausta L. (Lep. Zygaenid) - Spain.Aporia crataegi L. (Lep. Pierid) - Italy.Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia, Germany.Pieris brassicae L. (Lep. Pierid) - France.Porthetria dispar L. (Lep. Lymantriid) - Europe, U.S.A., N. Africa.Thaumetopoea wilkinsoni Tams (Lep. Thaumetopoeid) - Cyprus.Zygaena occitanica Vill. (Lep. Zygaenid) - France.Thrycolyga sorbillans Wd.Acherontia sp. (Lep. Sphingid) - Ceylon.Acherontia lachesis F. (Lep. Sphingid) - Ceylon, India.Amathusia phidippus L. (Lep. Amathusiid) - Malaya.Andraca bipunctata Walk. (Lep. Bombycid) - Ceylon, Dutch E. Indies, Java, India.Arctia caja L. (Lep. Arctiid) - Europe.

Attacus sp. (Lep. Saturniid) - Java.
Attacus ricini Bois. (Lep. Saturniid) - Ceylon, India.
Bombyx mandarina Moore (Lep. Bombycid) - China.
Bombyx mori L. (Lep. Bombycid) - Ceylon, India, Japan, Korea.
Cephonodes hylas L. (Lep. Sphingid) - Malaya.
Cosmotriche divisa Moore (Lep. Lasiocampid) - India.
Dasychira mendosa Hb. (Lep. Lymantriid) - Ceylon, India, Malaya.
Dasychira thwaitesi Moore (Lep. Lymantriid) - Ceylon, India.
Deilephila hypothous Cram. (Lep. Sphingid) - Malaya.
Dendrolimus punctatus Walk. (Lep. Lasiocampid) - Formosa.
Epicampoptera andersoni Tams (Lep. Drepanid) - Kenya.
Eucharis festiva Hufn. (Lep. Arctiid) - Europe.
Hasora alexis F. (Lep. Hesperiid) - Ceylon.
Heliothis armigera Hb. (Lep. Phalaenid) - S. Africa.
Hippotion celerio L. (Lep. Sphingid) - Malaya.
Laelia suffusa Walk. (Lep. Lymantriid) - Malaya.
Lymantria beatrix Stoll. (Lep. Lymantriid) - Malaya.
Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.
Mahasena corbeti Tams (Lep. Psychid) - Malaya.
Metanastris sp. (Lep. Lasiocampid) - Java.
Metanastris hyrtaca Cam. (Lep. Lasiocampid) - Ceylon, Dutch E. Indies, India, Malaya.
Notolophus posticus Walk. (Lep. Lymantriid) - Ceylon, Malaya.
Nympha phaeorrhoea Don. (Lep. Lymantriid) - Europe.
Nymphalis io L. (Lep. Nymphalid) - Europe.
Orgyia sp. (Lep. Lymantriid) - India.
Parasa lepida Cram. (Lep. Limacodid) - Malaya.
Perina nuda F. (Lep. Lymantriid) - India.
Philosamia walkeri advena Pack. (Lep. Saturniid) - Malaya.
Polia oleracea L. (Lep. Phalaenid) - Europe.
Polia pisi L. (Lep. Phalaenid) - Europe.
Porthetria dispar L. (Lep. Lymantriid) - Europe, Rumania, N. Africa.
Saturnia pavonia L. (Lep. Saturniid) - Europe.
Saturnia pyri Schiff. (Lep. Saturniid) - Europe.
Saturnia spini Schiff. (Lep. Saturniid) - Europe.
Setora nitens Walk. (Lep. Limacodid) - Malaya.
Sphinx ligustri L. (Lep. Sphingid) - Europe.
Taragama dorsalis Walk. (Lep. Lasiocampid) - India.
Telicota palmarum Moore (Lep. Hesperiid) - Malaya.
Thaumetopoea pityocampa Schiff. (Lep. Thaumetopoeid) - Europe.
Thiacidas postica Walk. (Lep. Lymantriid) - Ceylon, India.

Thryptocera crassicornis Mg. - See Actia

Thryptocera flavipes Coq. - See Actia

Thryptocera pilipennis Fall. - See Actia

Thyella floralis Fall. - See Nemorilla

Thysanomyia sp.

Pachysphinx modesta Harr. (Lep. Sphingid) - U.S.A.

Torocca fasciata Tns.

Lygropia obrinusalis Walk. (Lep. Pyraustid) - Ceylon, India.

Tortriciophaga tortricis Coq. - See Anachaetopsis

Trichochaeta polleniella Rond. - See Clemelis pullata Mg.

Trichochaeta pullata Mg. - See Clemelis

Tricholyga - See Thrycolyga

Trichoparia seria Mg.

Ctenophora pectinicornis L. (Dipt. Tipulid) - Europe.

Xiphura atrata L. (Dipt. Tipulid) - Europe.

Xiphura atrata ruficornis Mg. (Dipt. Tipulid) - Europe.

Trichophora ruficauda Wulp - See Copecrypta nitens Wd.

Trichopoda sp.

Acanthocephala terminalis Dallas (Hem. Coreid).

Dysdercus howardi Ball. (Hem. Pyrrhocorid) - Trinidad.

Trichopoda lanipes F.

Acanthocephala femorata F. (Hem. Coreid) - U.S.A.

Trichopoda pennipes F.

Acanthocephala sp. (Hem. Coreid) - U.S.A.

Acanthocephala declivis Say (Hem. Coreid) - U.S.A.

Acanthocephala femorata F. (Hem. Coreid) - U.S.A.

Acrosternum pennsylvanicum DeG. (Hem. Pentatomid) - U.S.A.

Alcaeorrhynchus grandis Dall. (Hem. Pentatomid) - U.S.A.

Anasa tristis DeG. (Hem. Coreid) - U.S.A.

Archimerus calcarator F. (Hem. Coreid) - U.S.A.

Corecoris batatas F. (Hem. Coreid) - Porto Rico.

Euschistus variolarius P. de B. (Hem. Pentatomid) - U.S.A.

Leptoglossus oppositus Say (Hem. Coreid) - U.S.A.

Leptoglossus phyllopus L. (Hem. Coreid) - U.S.A.

Nezara hilare Say (Hem. Pentatomid) - U.S.A.

Nezara viridula L. (Hem. Pentatomid) - St. Croix, U.S.A.

Trichopoda pilipes F.

Nezara viridula L. (Hem. Pentatomid) - Antigua, Montserrat, Nevis, St. Kitts.

Tricogena trilineata Mg.

Porcellio scaber L. (Isopoda) - England, France.

Trisoneura atramentaria Mg.

Oniscus asellus L. (Isopoda) - England.

Tritaxys heterocera Macq.

Agrotis ypsilon Rott. (Lep. Phalaenid) - Java-S. Celebes.

Cirphis loreyi Dup. (Lep. Phalaenid) - Australia.
Cirphis unipuncta Haw. (Lep. Phalaenid) - Australia.

Tritochaeta polleniella Rond. - See Clemelis pullata Mg.

Tritochaeta pullata Mg. - See Clemelis

Trixa oestroidea R.-D.

Operophtera fagata Scharfnbg. (Lep. Geometrid) - Europe.

Trophops clauseni Aldr.

Popillia japonica Newm. (Col. Rutelid) - Japan.

Uclesia fumipennis Girsch.

Chondrostega maghrebica Joann. (Lep. Lasiocampid) - Morocco.

Chondrostega vandaliccia Mill. (Lep. Lasiocampid) - Europe.

Ugimya sericariae Cornalia

Andraca bipunctata Walk. (Lep. Bombycid) - Japan.

Bombyx mori L. (Lep. Bombycid) - India, Japan.

Cephonodes hylas L. (Lep. Sphingid) - India.

Eupterote sp. (Lep. Eupterotid) - India.

Papilio demoleus L. (Lep. Papilionid) - India.

Porthetria dispar L. (Lep. Lymantriid) - Europe, Japan, U.S.A., N. Africa.

Urodexia uramyoides Tns.

Lachnosterna bidentata Burm. (Col. Melolonthid) - Banka.

Urophyllopsis retiniae Coq. - See Admontia

Varichaeta aldrichi Tns. - See Ernestia

Vibrissina turrita Mg.

Arge pagana Panz. (Hym. Tenthredinid) - Italy.

Viviania cinerea Fall.

Carabus cancellatus Ill. (Col. Carabid) - Europe.

Carabus clathratus L. (Col. Carabid) - Europe.

Carabus coriaceus L. (Col. Carabid) - Europe.

Carabus gemmatus L. (Col. Carabid) - Europe.

Carabus glabratus Payk. (Col. Carabid) - Europe.

Carabus hortensis L. (Col. Carabid) - Europe.

Carabus violaceus L. (Col. Carabid) - Europe.

Zabrus tenebrioides Goeze (Col. Carabid) - Europe.

Viviania georgiae B. & B. - See Biomyia

Voria sp.

Pieris sp. (Lep. Pierid) - France.

Voria ambigua Fall.

Autographa gamma L. (Lep. Phalaenid) - Europe.

Tholera popularis F. (Lep. Phalaenid) - Europe.

Voria ayerzia Brèthes

Rachiplusia nu Guen. (Lep. Phalaenid) - Argentina.

Voria curvinervis Zett.

Epinotia sordidana Hb. (Lep. Olethreutid) - Europe.

Voria ruficornis Zett. - See V. trepida Mg.

Voria ruralis Fall.

Anarta myrtilli L. (Lep. Phalaenid) - Europe.

Autographa sp. (Lep. Phalaenid) - U.S.A.

Autographa brassicae Riley (Lep. Phalaenid) - U.S.A.

Autographa californica Speyer (Lep. Phalaenid) - Canada, U.S.A.

Autographa chrysitis L. (Lep. Phalaenid) - Europe.

Autographa gamma L. (Lep. Phalaenid) - Europe, Denmark.

Autographa iota L. (Lep. Phalaenid) - Europe, Denmark.

Autographa orichalcea F. (Lep. Phalaenid) - India.

Barathra brassicae L. (Lep. Phalaenid) - Europe.

Diprion pini L. (Hym. Tenthredinid) - Europe.

Eucharia festiva Hufn. (Lep. Arctiid) - Europe.

Laphygma exigua Hb. (Lep. Phalaenid) - Anatolia.

Peridroma margaritosa saucia Hb. (Lep. Phalaenid) - U.S.A.

Phalaenid sp. (Lep.) - U.S.A.

Plusia aeroides Grote (Lep. Phalaenid) - Canada.

Vanessa atalanta L. (Lep. Nymphalid) - Europe.

Voria trepida Mg.

Anarta myrtilli L. (Lep. Phalaenid) - Europe.

Apoestes spectrum Esp. (Lep. Phalaenid) - Europe.

Cucullia lucifuga Schiff. (Lep. Phalaenid) - Europe.

Diacrisia purpurata L. (Lep. Arctiid) - Europe.

Diprion pini L. (Hym. Tenthredinid) - Europe.

Heliothis dipsacea L. (Lep. Phalaenid) - Russia.

Polia oleracea L. (Lep. Phalaenid) - Russia.

Polia persicariae L. (Lep. Phalaenid) - Europe.

Tholera popularis F. (Lep. Phalaenid) - Europe.

Wagneria carbonaria Panz.

Cirphis unipuncta Haw. (Lep. Phalaenid) - U.S.A.

Elaphria nucicolora Guen. (Lep. Phalaenid) - U.S.A.

Lithophane sp. (Lep. Phalaenid) - U.S.A.

Phalaenid sp. (Lep.) - U.S.A.

Wagneria cinerosa Coq.

Chorizagrotis auxiliaris Grote (Lep. Phalaenid) - U.S.A.

Wagneria costata Fall.

Autographa deaurata Esp. (Lep. Phalaenid) - Europe.

Caradrina superstes Tr. (Lep. Phalaenid) - Europe.

Wagneria cunctans Mg.

Meristis trigrammica Hufn. (Lep. Phalaenid) - Europe.

Wagneria fasciata R.-D.Cucullia blattariae Esp. (Lep. Phalaenid) - Europe.Wagneria helymus Walk. - See W. carbonaria Panz.Wagneria latifrons Zett.Leucania lithargyria Esp. (Lep. Phalaenid) - Europe.Wagneria nigrans Mg.Agrotis radius Haw. (Lep. Phalaenid) - Russia.Agrotis segetum Schiff. (Lep. Phalaenid) - Russia.Agrotis ypsilon Rott. (Lep. Phalaenid) - Russia.Wagneria nitida R.-D.Caradrina alsines Brahm (Lep. Phalaenid) - Europe.Orthosia circellaria Hufn. (Lep. Phalaenid) - Europe.Wagneria rohweri Tns.Agrotis orthogonia Morr. (Lep. Phalaenid) - U.S.A.Euxoa pallipennis Sm. (Lep. Phalaenid) - U.S.A.Euxoa tristicula Morr. (Lep. Phalaenid) - U.S.A.Spaelotis clandestina Harr. (Lep. Phalaenid) - U.S.A.Wagneria schnabli B.B.Eccrita ludicra Hb. (Lep. Phalaenid) - Europe.Phragmatobia fuliginosa L. (Lep. Arctiid) - Europe.Wagneria sequax Will.Actebia fennica Tausch. (Lep. Phalaenid) - U.S.A.Cirphis unipuncta Haw. (Lep. Phalaenid) - Canada.Eupsilia devia Grote (Lep. Phalaenid) - U.S.A.Leucania commoides Guen. (Lep. Phalaenid) - Canada.Lithophane sp. (Lep. Phalaenid) - U.S.A.Phalaenid sp. (Lep.) - U.S.A.Polia adjuncta Bdv. (Lep. Phalaenid) - U.S.A.Wagneria (?) vernata West.Orthosia hibisci insciens Walk. (Lep. Phalaenid) - U.S.A.Weberia curvicauda Fall.Amara aulica Pz. (Col. Carabid) - Europe.Harpalus rufipes DeG. (Col. Carabid) - Europe.Willistonina esuriens F.Automeris janus Cram. (Lep. Saturniid) - Trinidad.Winthemia sp.Archips fumiferana Clem. (Lep. Tortricid) - Canada.Callosamia promethea Drury (Lep. Saturniid) - U.S.A.Catocala antinympha Hb. (Lep. Phalaenid) - U.S.A.Catocala minuta Edw. (Lep. Phalaenid) - U.S.A.Hemileuca sp. (Lep. Saturniid) - U.S.A.

Hyphantria cunea Dru. (Lep. Arctiid) - U.S.A.
Ichthyura inclusa Hb. (Lep. Notodontid) - U.S.A.
Lambdina fiscellaria Guen. (Lep. Geometrid) - Canada, U.S.A.
Samia cecropia L. (Lep. Saturniid) - U.S.A.
Symmerista albifrons A. & S. (Lep. Notodontid) - U.S.A.

Winthemia albiceps Malloch

Deliastis eucharis Drury (Lep. Pierid) - Ceylon.
Othreis sp. (Lep. Phalaenid) - India.
Sphinx sp. (Lep.) - Burma.

Winthemia amoena Mg.

Dasychira selenitica Esp. (Lep. Lymantriid) - Finland.
Panolis flammea Schiff. (Lep. Phalaenid) - Europe, Czechoslovakia, Germany, Poland.
Porthetria dispar L. (Lep. Lymantriid) - Rumania.

Winthemia cilitibia Rond. - See W. venusta Mg.

Winthemia datanae Tns.

Acronicta impleta Walk. (Lep. Phalaenid) - U.S.A.
Anisota rubicunda F. (Lep. Citheroniid) - U.S.A.
Anisota senatoria A. & S. (Lep. Citheroniid) - U.S.A.
Arctiid sp. (Lep.) - U.S.A.
Catocala sp. (Lep. Phalaenid) - U.S.A.
Ceratonia catalpe Bdv. (Lep. Sphingid) - U.S.A.
Cressonia juglandis A. & S. (Lep. Sphingid) - U.S.A.
Datana angusii G. & R. (Lep. Notodontid) - U.S.A.
Datana integerrima G. & R. (Lep. Notodontid) - U.S.A.
Datana ministra Drury (Lep. Notodontid) - U.S.A.
Datana perspicua G. & R. (Lep. Notodontid) - U.S.A.
Diacrisia virginica F. (Lep. Arctiid) - U.S.A.
Dicentria lignicolor Walk. (Lep. Notodontid) - U.S.A.
Estigmene acrea Dru. (Lep. Arctiid) - U.S.A.
Euchaetias egle Dru. (Lep. Arctiid) - U.S.A.
Hemerocampa leucostigma A. & S. (Lep. Lymantriid) - U.S.A.
Hyperaeschra stragula Grt. (Lep. Notodontid) - U.S.A.
Isia isabella A. & S. (Lep. Arctiid) - U.S.A.
Paonias excaecata A. & S. (Lep. Sphingid) - U.S.A.
Pheosia rimosa Pack. (Lep. Notodontid) - U.S.A.
? Philosamia walkeri advena Pack. (Lep. Saturniid) - U.S.A.
Schizura badia Pack. (Lep. Notodontid) - U.S.A.
Schizura concinna A. & S. (Lep. Notodontid) - U.S.A.
Schizura ipomoeae Doubleday (Lep. Notodontid) - U.S.A.
Schizura leptinoides Grote (Lep. Notodontid) - U.S.A.
Schizura unicornis A. & S. (Lep. Notodontid) - U.S.A.
Sphinx drupiferarum A. & S. (Lep. Sphingid) - U.S.A.
Sphinx gordius Cram. (Lep. Sphingid) - U.S.A.

Winthemia dispar Macq.

Hyblaea puera Cram. (Lep. Hyblaeid) - India.

Winthemia diversa Malloch

Crociodolomia binotalis Zell. (Lep. Pyraustid) - Ceylon.

Withemia diversoides Bar.Ergolis ariadne L. (Lep. Nymphalid) - Java.Winthemia fumiferanae Toth.Alsophila pometaria Harr. (Lep. Geometrid) - U.S.A.Amphipyra pyramidoides Guen. (Lep. Phalaenid) - U.S.A.Archips fumiferana Clem. (Lep. Tortricid) - Canada, U.S.A.Lithophane sp. (Lep. Phalaenid) - U.S.A.Lithophane antennata Walk. (Lep. Phalaenid) - U.S.A.Phigalia titea Cram. (Lep. Geometrid) - U.S.A.Pyreferra hesperidago Guen. (Lep. Phalaenid) - U.S.A.Winthemia obscura Coq. - See EpicampoceraWinthemia pyrrhopyga Wd.Brassolis sophorae L. (Lep. Brassolid) - Br. Guiana.Winthemia quadripustulata F.Abraxas pantaria L. (Lep. Geometrid) - Spain.Alypia octomaculata F. (Lep. Phalaenid) - U.S.A.Amathes c-nigrum L. (Lep. Phalaenid) - U.S.A.Ammoconia caecimacula Schiff. (Lep. Phalaenid) - Europe.Anisota senatoria A. & S. (Lep. Citheroniid) - U.S.A.Archana geminipuncta Haw. (Lep. Phalaenid) - Europe, Palaearctic.Argynnis aglaia L. (Lep. Nymphalid) - Europe, Palaearctic.Autographa sp. (Lep. Phalaenid) - Europe.Autographa brassicae Riley (Lep. Phalaenid) - N. America.Caenurgina erechtea Cram. (Lep. Phalaenid) - U.S.A.Catocala nupta L. (Lep. Phalaenid) - Europe, Palaearctic.Celerio lineata F. (Lep. Sphingid) - N. America.? Ceramica picta Harr. (Lep. Phalaenid) - U.S.A.Cirphis unipuncta Haw. (Lep. Phalaenid) - N. America, Canada, U.S.A.Cucullia sp. (Lep. Phalaenid) - Palaearctic.Cucullia artemisiae Hufn. (Lep. Phalaenid) - Europe.Cucullia asteris Schiff. (Lep. Phalaenid) - Europe.Cucullia convexipennis G. & R. (Lep. Phalaenid) - Canada.Cucullia lynchitis Rambr. (Lep. Phalaenid) - Europe.Cucullia prenanthis Boisd. (Lep. Phalaenid) - Europe.Cucullia umbratica L. (Lep. Phalaenid) - Europe.Cucullia verbasci L. (Lep. Phalaenid) - Europe.Curculio proboscideus F. (Col. Curculionid) - U.S.A.Dasychira pudibunda L. (Lep. Lymantriid) - Palaearctic.Datana ministra Drury (Lep. Notodontid) - N. America.Diacrisia obliqua Walk. (Lep. Arctiid) - India.Dicranura vinula L. (Lep. Notodontid) - Europe, Palaearctic.Diloba caeruleocephala L. (Lep. Phalaenid) - Russia.? Epiglaea apiata Grote (Lep. Phalaenid) - U.S.A.Euthisanotia grata F. (Lep. Phalaenid) - Canada.Feltia herilis Grote (Lep. Phalaenid) - U.S.A.Halisidota tessellaris A. & S. (Lep. Arctiid) - N. America.Harmodia capsicola Hb. (Lep. Phalaenid) - Palaearctic.Heliothis armigera Hb. (Lep. Phalaenid) - Europe, Palaearctic, U.S.A.

- Heliothis peltigera Schiff. (Lep. Phalaenid) - France.
Hemaris diffinis Bdv. (Lep. Sphingid) - N. America.
Hemerocampa leucostigma A. & S. (Lep. Lymantriid) - N. America, U.S.A.
Heterocampa guttivitta Walk. (Lep. Notodontid) - U.S.A.
Laphygma frugiperda A. & S. (Lep. Phalaenid) - U.S.A.
Larentia clavaria Haw. (Lep. Geometrid) - Palaearctic.
Luperina stipata Morr. (Lep. Phalaenid) - U.S.A.
Malacosoma neustria L. (Lep. Lasiocampid) - Palaearctic.
Nymphalis io L. (Lep. Nymphalid) - Europe, Palaearctic.
 ? Nymphalis milberti Godt. (Lep. Nymphalid) - U.S.A.
Ourapteryx sambucaria L. (Lep. Geometrid) - Europe, Palaearctic.
Pachysphinx modesta Harr. (Lep. Sphingid) - Canada.
Papaipema nebris Guen. (Lep. Phalaenid) - U.S.A.
Pergesa elpenor L. (Lep. Sphingid) - Europe, Palaearctic.
Pergesa porcellus L. (Lep. Sphingid) - Sweden.
Phlogophora meticulosa L. (Lep. Phalaenid) - Europe, France, Palaearctic.
Pholus achemon Dru. (Lep. Sphingid) - Canada, U.S.A.
Plathypena scabra F. (Lep. Phalaenid) - U.S.A.
Platysenta sutor Guen. (Lep. Phalaenid) - U.S.A.
Polia pisi L. (Lep. Phalaenid) - Europe, Palaearctic.
Prodenia ornithogalli Guen. (Lep. Phalaenid) - N. America.
Protoleucania albilinea Hb. (Lep. Phalaenid) - N. America.
Protoparce quinquemaculata Haw. (Lep. Sphingid) - N. America, U.S.A.
Protoparce sexta Joh. (Lep. Sphingid) - U.S.A.
Samia cecropia L. (Lep. Saturniid) - U.S.A.
Saturnia sp. (Lep. Saturniid) - Palaearctic.
Saturnia pavonia L. (Lep. Saturniid) - Europe.
Saturnia spini Schiff. (Lep. Saturniid) - Europe.
Schizura concinna A. & S. (Lep. Notodontid) - U.S.A.
Spaelotis clandestina Harr. (Lep. Phalaenid) - U.S.A.
Sphaeroeca ocellana D. & S. (Lep. Olethreutid) - U.S.A.
Sphinx ligustri L. (Lep. Sphingid) - Europe, Palaearctic.
Stilpnotia salicis L. (Lep. Lymantriid) - U.S.A.
Telea polyphema Cram. (Lep. Saturniid) - U.S.A.
Thais polyxena Schiff. (Lep. Papilionid) - Europe, Palaearctic.
Vanessa urticae L. (Lep. Nymphalid) - Europe, Palaearctic.
Xylina nupera Lint. (Lep. Phalaenid) - U.S.A.

Winthemia quadripustulata apicalis Mg.

- Harmodia capsincola Hb. (Lep. Phalaenid) - Europe.
Larentia clavaria Haw. (Lep. Geometrid) - Europe.
Malacosoma neustria L. (Lep. Lasiocampid) - Europe.
Saturnia pavonia L. (Lep. Saturniid) - Europe.

Winthemia quadripustulata cruentata Rond.

- Dasychira pudibunda L. (Lep. Lymantriid) - Europe.
Saturnia pyri Schiff. (Lep. Saturniid) - Europe.

Winthemia quadripustulata erythrura Mg.

- Cucullia verbasci L. (Lep. Phalaenid) - Europe.

Winthemia quadripustulata meditata Mg.

- Catocala nupta L. (Lep. Phalaenid) - Europe.

Winthemia quadripustulata nigrithorax Egg.Saturnia pavonia L. (Lep. Saturniid) - Europe.Winthemia rufopicta Big.Achatodes zeae Harr. (Lep. Phalaenid) - U.S.A.Alsophila pometaria Harr. (Lep. Geometrid) - U.S.A.Alypia octomaculata F. (Lep. Phalaenid) - U.S.A.Amathes c-nigrum L. (Lep. Phalaenid) - U.S.A.? Amphipyra pyramidoides Guen. (Lep. Phalaenid) - U.S.A.Anticarsia gemmatalis Hb. (Lep. Phalaenid) - U.S.A.Archanara oblonga Grote (Lep. Phalaenid) - U.S.A.Autographa brassicae Riley (Lep. Phalaenid) - U.S.A.Ceramica picta Harr. (Lep. Phalaenid) - U.S.A.Cirphis unipuncta Haw. (Lep. Phalaenid) - U.S.A.Cucullia convexipennis G. & R. (Lep. Phalaenid) - U.S.A.Curculio caryae Horn (Col. Curculionid) - U.S.A.Epiglaea apiata Grote (Lep. Phalaenid) - U.S.A.Heterocampa guttivitta Walk. (Lep. Notodontid) - U.S.A.Lithophane sp. (Lep. Phalaenid) - U.S.A.Lithophane antennata Walk. (Lep. Phalaenid) - U.S.A.Luperina stipata Morr. (Lep. Phalaenid) - U.S.A.Macronoctua onusta Grote (Lep. Phalaenid) - U.S.A.Oligia fractilinea Grote (Lep. Phalaenid) - U.S.A.Papaipema arctivorens Hmps. (Lep. Phalaenid) - U.S.A.Papaipema cataphracta Grote (Lep. Phalaenid) - U.S.A.Papaipema frigida Smith (Lep. Phalaenid) - U.S.A.Papaipema nebris Guen. (Lep. Phalaenid) - U.S.A.Papaipema purpurifascia G. & R. (Lep. Phalaenid) - U.S.A.Peridroma margaritosa saucia Hb. (Lep. Phalaenid) - U.S.A.Sphingid sp. (Lep.) - U.S.A.Xylina nupera Lint. (Lep. Phalaenid) - U.S.A.Winthemia semiberbis BezziChilo simplex Butl. (Lep. Crambid) - Malaya.Diatraea sp. (Lep. Crambid) - Malaya.Sesamia inferens Walk. (Lep. Phalaenid) - Malaya.Winthemia sinuata Reinh.? Calpe canadensis Beth. (Lep. Phalaenid) - U.S.A.? Cingilia catenaria Dru. (Lep. Geometrid) - U.S.A.Erannis tiliaria Harr. (Lep. Geometrid) - U.S.A.

? Geometrid sp. (Lep.) - U.S.A.

? Nymphalis antiopa L. (Lep. Nymphalid) - U.S.A.Plathypena scabra F. (Lep. Phalaenid) - U.S.A.Winthemia speciosa Egg.Porthetria dispar L. (Lep. Lymantriid) - Europe, N. Africa.Winthemia venusta Mg.Lambdina somnaria Hult. (Lep. Geometrid) - Canada.Winthemia xanthogastra Rond.Acherontia atropos L. (Lep. Sphingid) - Europe.

Acronicta tridens Schiff. (Lep. Phalaenid) - Europe.
Brachionycha sphinx Hufn. (Lep. Phalaenid) - Europe.
Catocala sponsa L. (Lep. Phalaenid) - Europe.
Dendrolimus pini L. (Lep. Lasiocampid) - Europe.
Pergesa elpenor L. (Lep. Sphingid) - Europe.
Smerinthus ocellatus L. (Lep. Sphingid) - Europe.
Smerinthus populi L. (Lep. Sphingid) - Europe.
Sphinx ligustri L. (Lep. Sphingid) - Europe.

Xanthomelanopsis peruanus Tns.

Stenomacra sp. (Hem. Pyrrhocorid) - Peru.

Xanthozona sp.

Brassolis astyra Godt. (Lep. Brassolid) - Brazil.

Ypophaemyia malacosomae Tns. - See Achaetoneura archippivora Will.

Zenillia sp.

Acrobasis juglandis LeB. (Lep. Phycitid) - U.S.A.
Acronicta furcifera Guen. (Lep. Phalaenid) - U.S.A.
Acronicta longa Guen. (Lep. Phalaenid) - U.S.A.
Alypia octomaculata F. (Lep. Phalaenid) - U.S.A.
Cerura cinerea Walk. (Lep. Notodontid) - U.S.A.
Dendrolimus spectabilis Butl. (Lep. Lasiocampid) - Korea.
Diacrisia virginica F. (Lep. Arctiid) - U.S.A.
Estigmene acrea Dru. (Lep. Arctiid) - U.S.A.
Euproctis pseudoconspersa Strand (Lep. Lymantriid) - Formosa.
Halisidota tessellaris A. & S. (Lep. Arctiid) - U.S.A.
Haploa lecontei Guer. (Lep. Arctiid) - U.S.A.
Hemerocampa leucostigma A. & S. (Lep. Lymantriid) - U.S.A.
Heterusia aedea cingala Moore (Lep. Zygaenid) - Ceylon.
Malacosoma disstria Hb. (Lep. Lasiocampid) - Canada.
Notolophus antiquus L. (Lep. Lymantriid) - U.S.A.
Olene atomaria Walk. (Lep. Lymantriid) - U.S.A.
Olene pini Dyar (Lep. Lymantriid) - U.S.A.
Phalaenid sp. (Lep.) - U.S.A.
Pheosia rimosa Pack. (Lep. Notodontid) - U.S.A.
Pristophora erichsoni Htg. (Hym. Tenthredinid) - Canada.
Psychomorpha epimenis Drury (Lep. Phalaenid) - U.S.A.
Pyrausta nubilalis Hb. (Lep. Pyraustid) - Japan.
Sphingid sp. (Lep.) - U.S.A.
Thaumetopoea pityocampa Schiff. (Lep. Thaumetopoeid) - Spain.

Zenillia acronictae R.-D.

Acronicta megacephala F. (Lep. Phalaenid) - Europe.
Acronicta tridens Schiff. (Lep. Phalaenid) - Europe.

Zenillia acronictarum Macq.

Acronicta psi L. (Lep. Phalaenid) - Europe.

Zenillia aemula Mg.

Hyponomeuta sp. (Lep. Hyponomeutid) - Europe.
Hyponomeuta padellus L. (Lep. Hyponomeutid) - U.S.A.

Zenillia affinis Fall. - See Aplomya

Zenillia agnata Rond.

Abraxas grossulariata L. (Lep. Geometrid) - Europe.

Zenillia amplexa Coq. - See Carcelia

Zenillia arvicola Mg. - See Z. aemula Mg.

Zenillia aurifrons R.-D.

Polia persicariae L. (Lep. Phalaenid) - Europe.

Zenillia barbatula Rond.

Phalonia roseana Haw. (Lep. Phaloniid) - Europe.

Pristiphora geniculata Htg. (Hym. Tenthredinid) - Europe.

Zenillia bisetosa B.B.

Acronicta alni L. (Lep. Phalaenid) - Europe.

Acronicta psi L. (Lep. Phalaenid) - Europe.

Hemistola chrysoprasaria Esp. (Lep. Geometrid) - Europe.

Zenillia blanda O.S.

Acrobasis comptoniella Hulst. (Lep. Phycitid) - U.S.A.

Archips argyrospila Walk. (Lep. Tortricid) - U.S.A.

Archips cerasivorana Fitch (Lep. Tortricid) - U.S.A.

Archips fervidana Clem. (Lep. Tortricid) - U.S.A.

Argyrotaenia mariana Fern. (Lep. Tortricid) - Canada.

Autographa brassicae Riley (Lep. Phalaenid) - Cuba.

Calocalpe undulata L. (Lep. Geometrid) - U.S.A.

Catocala sp. (Lep. Phalaenid) - U.S.A.

Cingilia catenaria Dru. (Lep. Geometrid) - U.S.A.

Dichogama bergii Mosch. (Lep. Pyraustid) - U.S.A.

Dichogama redtenbacheri Led. (Lep. Pyraustid) - U.S.A.

Ennomos subsignarius Hb. (Lep. Geometrid) - U.S.A.

Euclea delphinii Bois. (Lep. Limacodid) - U.S.A.

Gretchena bolliana Sling. (Lep. Olethreutid) - U.S.A.

Hyphantria cunea Dru. (Lep. Arctiid) - U.S.A.

Isturgia truncataria Walk. (Lep. Geometrid) - U.S.A.

Laphygma frugiperda A. & S. (Lep. Phalaenid) - Cuba.

Loxostege similalis Guen. (Lep. Pyraustid) - U.S.A.

Notolophus antiquus L. (Lep. Lymantriid) - U.S.A.

Nygmia phaeorrhoea Don. (Lep. Lymantriid) - U.S.A.

Phosphila turbulenta Hb. (Lep. Phalaenid) - U.S.A.

Plathypena scabra F. (Lep. Phalaenid) - U.S.A.

Polygonia interrogationis F. (Lep. Nymphalid) - U.S.A.

Porthetria dispar L. (Lep. Lymantriid) - Europe, U.S.A., N. Africa.

Proteides clarus Cram. (Lep. Hesperiid) - U.S.A.

Smerinthus jamaicensis geminatus Say (Lep. Sphingid) - U.S.A.

Sphecodina abbottii Swains. (Lep. Sphingid) - U.S.A.

Stilpnotia salicis L. (Lep. Lymantriid) - U.S.A.

Thyridopteryx ephemeraeformis Haw. (Lep. Psychid) - U.S.A.

Vanessa atalanta L. (Lep. Nymphalid) - U.S.A.

Zenillia blanda blanda O.S. - See Z. blanda O.S.

Zenillia blanda virilis A. & W. - See Z. virilis A. & W.

Zenillia blandita Coq.

Sarrothripus revayana Scop. (Lep. Phalaenid) - U.S.A.

Zenillia boarmiae Coq.

Acrobasis juglandis LeB. (Lep. Phycitid) - U.S.A.

Archips cerasivorana Fitch (Lep. Tortricid) - Canada.

Hypena humuli Harr. (Lep. Phalaenid) - U.S.A.

Plathypena scabra F. (Lep. Phalaenid) - U.S.A.

Zenillia buitenzorgiensis Bar.

Dasychira inclusa Walk. (Lep. Lymantriid) - Malaya.

Diacrisia obliqua Walk. (Lep. Arctiid) - India.

Zenillia caesar Aldr. - See Aplomya

Zenillia caridei Brèthes

Oeceticus kirbyi Guild. (Lep. Psychid) - Argentina.

Oeceticus platensis Berg. (Lep. Psychid) - Argentina, Paraguay.

Zenillia caudata Rond. - See Ceratochaeta

Zenillia ceratomiae Coq. - See Z. hyphantriae Tns.

Zenillia cervinioides Wulp

Chalcocelis albiguttata Snell. (Lep. Limacodid) - Malaya.

Zenillia cervinioides rufella Bezzi

Chalcocelis albiguttata Snell. (Lep. Limacodid) - Malaya.

Liparis corticea Sn. (Lep. Lymantriid) - Java.

Zenillia cheloniae Rond. - See Carcelia

Zenillia clavellariae B.B. - See Z. glauca Mg.

Zenillia coerulea A. & W. - See Aplomya epicydes Walk.

Zenillia confinis Fall. - See Aplomya

Zenillia confundens Rond.

Phragmatobia fuliginosa L. (Lep. Arctiid) - Europe.

Zenillia crinita Rond. - See Phryno alacris Mg.

Zenillia cuculliae R.-D.

Cucullia lynchitis Rambr. (Lep. Phalaenid) - Europe.

Zenillia erythrostroma Htg. - See Ceratochaeta

Zenillia eudryae Tns. - See Sisyropa

Zenillia evolans Wd. - See Carcelia

Zenillia excisa Fall. - See Carcelia

Zenillia fallax Mg.

Agrotis segetum Schiff. (Lep. Phalaenid) - S. Rhodesia.

Zenillia fauna Rond.

Acronicta rumicis L. (Lep. Phalaenid) - Europe.

Cossus cossus L. (Lep. Cossid) - Europe.

Nygmia phaeorrhoea Don. (Lep. Lymantriid) - Europe.

Smerinthus ocellatus L. (Lep. Sphingid) - Europe.

Zenillia ferina Mg.

Vanessa urticae L. (Lep. Nymphalid) - Europe.

Zenillia flavicauda Riley - See Belvosia unifasciata R.-D.

Zenillia flavipalpis R.-D.

Hyphoraia testudinaria Fourc. (Lep. Arctiid) - Europe.

Zenillia flavirostris Wulp - See Carcelia

Zenillia formosa A. & W. - See Carcelia

Zenillia futilis O.S.

Autographa californica Speyer (Lep. Phalaenid) - Canada.

Ennomos subsignarius Hb. (Lep. Geometrid) - U.S.A.

Euchaetias egle Dru. (Lep. Arctiid) - U.S.A.

Hyppa xylinoides Guen. (Lep. Phalaenid) - Canada.

Isia isabella A. & S. (Lep. Arctiid) - Canada.

Malacosoma americana F. (Lep. Lasiocampid) - U.S.A.

Malacosoma disstria Hb. (Lep. Lasiocampid) - U.S.A.

Nephelodes emmedonia Cram. (Lep. Phalaenid) - U.S.A.

Nymphalis milberti Godt. (Lep. Nymphalid) - U.S.A.

Pyrausta nubilalis Hb. (Lep. Pyraustid) - U.S.A.

Sarothripus revayana Scop. (Lep. Phalaenid) - U.S.A.

Vanessa atalanta L. (Lep. Nymphalid) - U.S.A.

Vanessa cardui L. (Lep. Nymphalid) - U.S.A.

Zenillia gibbicornis Macq.

Cosmotriche potatoria L. (Lep. Lasiocampid) - Europe.

Zenillia glauca Mg.

Abia sericea L. (Hym. Tenthredinid) - Europe.

Acronicta psi L. (Lep. Phalaenid) - Europe.

Acronicta tridens Schiff. (Lep. Phalaenid) - Europe.

Cimbex femorata L. (Hym. Tenthredinid) - Europe.

Dasychira pudibunda L. (Lep. Lymantriid) - Europe.

Parasemia plantaginis L. (Lep. Arctiid) - Europe.

Pseudoclavellaria amerinae L. (Hym. Tenthredinid) - Europe.

Zenillia glauca clavellariae B.B. - See Z. glauca Mg.

Zenillia glirina Rond.

Acronicta tridens Schiff. (Lep. Phalaenid) - Europe.

Zenillia gnava Mg. - See Carcelia

Zenillia grandis Zett. - See Thrycolyga

Zenillia griseomicans Wulp

Hemerocampa leucostigma A. & S. (Lep. Lymantriid) - U.S.A.

Zenillia helvina Coq. - See Aplomya

Zenillia heterusiae Coq.

Heterusia aedea cingala Moore (Lep. Zygaenid) - Ceylon, India.

Indarbela quadrinotata Walk. (Lep. Cossid) - Ceylon.

Narosa conspersa Walk. (Lep. Limacodid) - India.

Pyrausta machaeralis Walk. (Lep. Pyraustid) - Ceylon, India.

Zenillia hirta Big. - See Anoxycampta trizonata Zett.

Zenillia hypenae Coq. (M.S.) - See Z. boarmiae Coq.

Zenillia hyphantriae Tns.

Anisota senatoria A. & S. (Lep. Citheroniid) - U.S.A.

Ceratomia undulosa Walk. (Lep. Sphingid) - U.S.A.

Cycnia inopinatus Hy. Edw. (Lep. Arctiid) - U.S.A.

Cycnia tenera Hb. (Lep. Arctiid) - U.S.A.

Euchaetias egle Dru. (Lep. Arctiid) - U.S.A.

Heliothis armigera Hb. (Lep. Phalaenid) - U.S.A.

Laphygma frugiperda A. & S. (Lep. Phalaenid) - U.S.A.

Loxostege simialis Guen. (Lep. Pyraustid) - U.S.A.

Megalopyge crispata Pack. (Lep. Megalopygid) - U.S.A.

Omphalocera cariosa Led. (Lep. Pyralid) - U.S.A.

Pempelia sp. (Lep. Phycitid) - U.S.A.

Zenillia illota Curran

Heliothis armigera Hb. (Lep. Phalaenid) - Africa.

Xanthodes graellsii Feisth. (Lep. Phalaenid) - S. Africa.

Zenillia inclinata Macq.

Nymphalis polychloros L. (Lep. Nymphalid) - Europe.

Zenillia kockiana Tns.

Ocinara sp. (Lep. Bombycid) - India.

Zenillia laeviventris Wulp

Hemithea costipunctata Moore (Lep. Geometrid) - Malaya.

Zenillia larvarum L. - See Exorista

Zenillia larvicola R.-D.

Arctia caja L. (Lep. Arctiid) - Europe.

Zenillia laxifrons Vill. - See Carcelia

Zenillia leucaniae Kirkp. - See Winthemia quadripustulata F.

Zenillia leucophaea Rond. - See Carcelia flavicans Macq.

Zenillia libatrix Panz.

- Abrostola asclepiadis Schiff. (Lep. Phalaenid) - Europe, Hungary.
- Acronicta auricoma F. (Lep. Phalaenid) - Hungary.
- Arctornis chrysorrhoea L. (Lep. Lymantriid) - Europe, Hungary.
- Brephos notha Hb. (Lep. Geometrid) - Europe, Hungary.
- Bupalus piniaria L. (Lep. Geometrid) - Europe, Germany, Hungary.
- Dasychira pudibunda L. (Lep. Lymantriid) - Europe, Hungary.
- Drepana cultraria F. (Lep. Drepanid) - England, Hungary.
- Erannis defoliaria Clerck (Lep. Geometrid) - Czechoslovakia.
- Etiella zinckenella Tr. (Lep. Phycitid) - Russia.
- Hydriomena coerulata F. (Lep. Geometrid) - Europe, Hungary.
- Hyponomeuta cognatellus Hb. (Lep. Hyponomeutid) - Europe, Hungary.
- Hyponomeuta euonymellus L. (Lep. Hyponomeutid) - Europe, Hungary.
- Hyponomeuta padellus L. (Lep. Hyponomeutid) - Europe, Hungary.
- Hyponomeuta rorellus Hb. (Lep. Hyponomeutid) - Europe, Hungary.
- Loxostege sticticalis L. (Lep. Pyraustid) - Hungary, Russia.
- Loxostege verticalis L. (Lep. Pyraustid) - Europe, Hungary.
- Lymantria monacha L. (Lep. Lymantriid) - Germany, Hungary.
- Malacosoma neustria L. (Lep. Lasiocampid) - Europe, Hungary.
- Nygma phaeorrhoea Don. (Lep. Lymantriid) - Europe, Bulgaria, Hungary.
- Ocnaria detrita Esp. (Lep. Lymantriid) - Austria.
- Oxycesta geographica F. (Lep. Phalaenid) - Hungary.
- Porthetria dispar L. (Lep. Lymantriid) - Europe, Czechoslovakia, Hungary, Yugoslavia-U.S.A., Russia, U.S.A., N. Africa.
- Pygaera anachoreta F. (Lep. Notodontid) - Europe, Hungary.
- Pygaera pigra Hufn. (Lep. Notodontid) - Europe, Hungary.
- Salebria marmorata Alph. (Lep. Phycitid) - Hungary, Russia.
- Stilpnotia salicis L. (Lep. Lymantriid) - Austria, Hungary.
- Stylepta ruralis Scop. (Lep. Pyraustid) - Europe, Hungary.
- Thaumetopoea processionea L. (Lep. Thaumetopoeid) - Europe, Hungary, Rumania, Ukraine.

Zenillia lobeliae Coq.

- Acronicta grisea Walk. (Lep. Phalaenid) - U.S.A.
- Acronicta hamamelis Guen. (Lep. Phalaenid) - U.S.A.
- Acronicta lobeliae Guen. (Lep. Phalaenid) - N. America.
- Alabama argillacea Hb. (Lep. Phalaenid) - U.S.A.

Zenillia lota Mg. - See Carcelia

Zenillia lucorum Mg. - See Carcelia

Zenillia lycaena Curran

- Lycaena macalenga .. (Lep. Lycaenid) - S. Africa.

Zenillia macrops B.B.

- Thaumetopoea processionea L. (Lep. Thaumetopoeid).

Zenillia mella Walk. - See Exorista larvarum L.

Zenillia mitis Mg.

Calymnia affinis L. (Lep. Phalaenid) - Europe.

Calymnia trapezina L. (Lep. Phalaenid) - Europe.

Carpocapsa pomonella L. (Lep. Olethreutid) - France.

Cucullia prenanthis Boisd. (Lep. Phalaenid) - Europe.

Loxostege sticticalis L. (Lep. Pyraustid) - Russia.

Porthetria dispar L. (Lep. Lymantriid) - Europe, N. Africa.

Pyrausta nubilalis Hb. (Lep. Pyraustid) - Europe, France, Italy, Rumania, Canada, U.S.A.

Zenillia modicella Wulp

Dasychira sp. (Lep. Lymantriid) - Ceylon.

Dasychira cerigoides Walk. (Lep. Lymantriid) - Ceylon, Java, Malaya.

Dasychira grossa Pagenstecher (Lep. Lymantriid) - Java.

Dasychira mendosa Hb. (Lep. Lymantriid) - Ceylon, Java, Malaya.

Dasychira securis Hb. (Lep. Lymantriid) - India.

Lymantriid sp. (Lep.) - Malaya.

Macroglossum belis L. (Lep. Sphingid) - Java.

Notolophus posticus Walk. (Lep. Lymantriid) - Ceylon.

Orgyia sp. (Lep. Lymantriid) - India.

Orgyia turbata Butl. (Lep. Lymantriid) - Ceylon, Java, Malaya.

Othreis fullonica L. (Lep. Phalaenid) - Java.

Thiacidas postica Walk. (Lep. Lymantriid) - Ceylon, Java, Malaya.

Zenillia nemea Mg. - See Blepharidopsis

Zenillia nigripalpis Tns. - See Aplomya caesar Aldr.

Zenillia noctuicida Rond.

Acronicta tridens Schiff. (Lep. Phalaenid) - Europe.

Zenillia normula Curran

Acraea acerata Hew. (Lep. Nymphalid) - Uganda.

Zenillia nox Hall

Pristiphora erichsoni Htg. (Hym. Tenthredinid) - Japan.

Zenillia ochracea Wulp

Carpocapsa pomonella L. (Lep. Olethreutid) - U.S.A.

Pyrausta nubilalis Hb. (Lep. Pyraustid) - U.S.A.

Zenillia palpalis Aldr.

Castnia licoides Boisd. (Lep. Castniid) - Br. Guiana, Orinoco Delta, Trinidad.

Zenillia parens Rond.

Polia flavicincta Schiff. (Lep. Phalaenid) - Europe.

Zenillia petiolata Coq. - See Phorocera claripennis Macq.

Zenillia pexops B.B.

Pristiphora erichsoni Htg. (Hym. Tenthredinid) - England, Canada.

Zenillia picta Bar.Plecoptera reflexa Guen. (Lep. Phalaenid) - India.Zenillia pilipes Vill.Agrotis segetum Schiff. (Lep. Phalaenid) - S. Rhodesia.Zenillia plusiae R.-D.Abrostola asclepiadis Schiff. (Lep. Phalaenid) - Europe.Zenillia poultoni Vill.Iolaus silas Ww. (Lep. Lycaenid) - Natal.Zenillia prima B.B. - See CeratochaetaZenillia prominens Mg.Malacosoma neustria L. (Lep. Lasiocampid) - Europe.Zenillia protuberans A. & W. - See CarceliaZenillia pullata Mg. - See ClemelisZenillia pyste Walk. - See Nemorilla floralis Fall.Zenillia quadrimaculata Bar."Cryptothelea variegata Sn. (Lep. Psychid) - India, Malaya.Mahasena corbetti Tams (Lep. Psychid) - Malaya.

Psychid sp. (Lep.) - Ceylon, India, Malaya, Sumatra.

Zenillia rasoides Bar.Stauropus alternus Walk. (Lep. Notodontid) - Ceylon.Zenillia reclinata A. & W. - See CarceliaZenillia recusata Pand.Porthetria dispar L. (Lep. Lymantriid) - Europe, N. Africa.Zenillia resinellae Gir.Petrova resinella L. (Lep. Olethreutid) - Europe.Zenillia roseanae B.B. - See Pseudoperichaeta insidiosa R.-D.Zenillia roseanella Bar.Pyrausta machaeralis Walk. (Lep. Pyraustid) - Burma.Zenillia rutilia Rond. - See CarceliaZenillia secunda B.B. - See CeratochaetaZenillia separata Rond. - See CarceliaZenillia sordida Villen.Athalia flacca Konow (Hym. Tenthredinid) - S. Rhodesia.

Zenillia sumatrensis Tns.Dasychira horsfieldi Strand (Lep. Lymantriid) - Ceylon, Formosa, Malaya, Sumatra.Stauropus alternus Walk. (Lep. Notodontid) - Ceylon, Formosa, Malaya, Sumatra.Zenillia sussurans Rond.Lymantria monacha L. (Lep. Lymantriid) - Czechoslovakia.Porthetria dispar L. (Lep. Lymantriid) - Europe.Zenillia temera Rond.Eublemma rosea Hb. (Lep. Phalaenid) - Europe.Itame wauaria L. (Lep. Geometrid) - Europe.Pseudoclavellaria amerinae L. (Hym. Tenthredinid) - Europe.Pteronus oligospila Först. (Hym. Tenthredinid) - Europe.Zenillia trisetata Pand.Archips murinana Hb. (Lep. Tortricid) - Czechoslovakia.Zenillia trisetosa Coq. - See AplomyaZenillia tritaeniata Rond.Callophrys rubi L. (Lep. Lycaenid) - Europe.Pygolopha lugubrana Tr. (Lep. Olethreutid) - Europe.Pyrausta nubilalis Hb. (Lep. Pyraustid) - Europe, Italy, Japan.Zenillia vaga CurranArctornis producta Walk. (Lep. Lymantriid) - E. Africa.Zenillia vetula Mg. - See PhrynoZenillia virilis A. & W.Acronicta dactylina Grote (Lep. Phalaenid) - U.S.A.Acronicta distans Grote (Lep. Phalaenid) - U.S.A.Acronicta grisea Walk. (Lep. Phalaenid) - U.S.A.Acronicta impressa Walk. (Lep. Phalaenid) - U.S.A.Acronicta leporina vulpina Grote (Lep. Phalaenid) - U.S.A.Acronicta lepusculina Guen. (Lep. Phalaenid) - U.S.A.Acronicta obliterata A. & S. (Lep. Phalaenid) - U.S.A.Anacamptodes ephyraria Walk. (Lep. Geometrid) - U.S.A.Callosamia promethea Drury (Lep. Saturniid) - U.S.A.Ceratonia catalpe Bdv. (Lep. Sphingid) - U.S.A.Cingilia catenaria Dru. (Lep. Geometrid) - U.S.A.Ennomos subsignarius Hb. (Lep. Geometrid) - U.S.A.Gluphisia septentrionalis Walk. (Lep. Notodontid) - U.S.A.Hyphantria cunea Dru. (Lep. Arctiid) - U.S.A.Ichthyura albospigma Fitch (Lep. Notodontid) - U.S.A.Ichthyura strigosa Grote (Lep. Notodontid) - U.S.A.Papaipema harrisii Grote (Lep. Phalaenid) - U.S.A.Phigalia titea Cram. (Lep. Geometrid) - U.S.A.Phosphila turbulenta Hb. (Lep. Phalaenid) - U.S.A.Polia legitima Grote (Lep. Phalaenid) - U.S.A.

Polygonia interrogationis F. (Lep. Nymphalid) - U.S.A.
Porthetria dispar L. (Lep. Lymantriid) - U.S.A.
Proteides clarus Cram. (Lep. Hesperiid) - U.S.A.
Samia cecropia L. (Lep. Saturniid) - U.S.A.
Simyra albovenosa Goeze (Lep. Phalaenid) - U.S.A.
Vanessa atalanta L. (Lep. Nymphalid) - U.S.A.

Zenillia vulgaris Fall. - See also Phryxe

Zenillia vulgaris Fall.

Pyrrhidium sanguineum L. (Col. Cerambycid) - Czechoslovakia.

Zenillia westermanni Zett. - See Z. mitis Mg.

Zeuxia cinerea Mg.

Lixus junci Boh. (Col. Curculionid) - Italy.

Zygobothria gilva Htg. - See Sturmia inconspicua gilva Htg.

Zygobothria nidicola Tns. - See Sturmia

Therevid

Psilocephala haemorrhoidalis Macq.

Actebia fennica Tausch. (Lep. Phalaenid) - U.S.A.

Thereva plebeja L.

Bothynoderes punctiventris Germ. (Col. Curculionid) - Czechoslovakia.

PARASITE SYNONYMY NOT SHOWN IN THE TEXT

Names in brackets do not appear in the text of the Catalogue with lists of hosts, but are used in one or more of the sources from which the Catalogue has been compiled (Review of Applied Entomology or original papers).

Acemya = (Acemyia)

Achaetoneura aletiae Riley = (Frontina aletiae Riley; Tachina altiae Riley; Tachina fraterna Comstock)

Achaetoneura archippivora Will. = (Frontina archippivora Will.; Masicera archippivora Will.; Masicera pauciseta Coq.; Masiceropsis pauciseta Coq.; Meigenia websteri Tns.; Parafrontina apicalis B.B.; Phorocera promiscua Tns.; Tachina archippivora Will.; Ypophamyia malacosomae Tns.)

Achaetoneura frenchii Will. = (Achaetoneura hesperus B.B.; Frontina frenchii Will.; Frontina malacosomae Curran; Frontina sordida Curran; Masicera datanarum Tns.; Masicera frenchii Will.; Tachina anonyma Riley)

Achaetoneura parancilla Tns. = (Frontina ancilla Walk.; Frontinella parancilla Tns.)

Achaetoneura testacea Web. = (Frontina violenta Walk.)

Acroglossa hesperidarum Will. = (Spallanzania hesperidarum Will.)

Actia crassicornis Mg. = (Thryptocera crassicornis Mg.)

Actia flavipes Coq. = (Thryptocera flavipes Coq.)

Actia pilipennis Fall. = (Polychaetoneura elyi Walt.; Thryptocera pilipennis Fall.)

Admontia retiniae Coq. = (Urophylloopsis retiniae Coq.)

Agria latifrons Fall. = (Sarcophila latifrons Fall.)

Amobia sp. = (Pachyophthalmus sp.)

Amobia signata Mg. = (Pachyophthalmus signatus Mg.)

Anachaetopsis tortricis Coq. = (Anachaetopsis vagans Aldr.; Tortriciophaga tortricis Coq.)

Angiometopa ruralis Fall. = (Agria ruralis Fall.)

Anoxycampta trizonata Zett. = (Zenillia hirta Big.)

Aphiochaeta fasciata Fall. = (Phora fasciata Fall.)

Aphoebantus hirtus Coq. = (Aphoebantus hirsutus Coq.)

Aplomya affinis Fall. = (Zenillia affinis Fall.)

Aplomya caesar Aldr. = (Zenillia caesar Aldr.; Zenillia nigripalpis Tns.)

Aplomya confinis Fall. = (Zenillia confinis Fall.)

Aplomya epicydes Walk. = (Zenillia coerulea A. & W.)

Aplomya helvina Coq. = (Zenillia helvina Coq.)

Aplomya trisetosa Coq. = (Zenillia trisetosa Coq.)

Archytas cirphis Curran = (Archytas cirphisae Curran)

Argyrophylax atropivora R.-D. = (Sturmia atropivora R.-D.)

Argyrophylax bella Mg. = (Sturmia bella Mg.; Tachina bella Mg.)

Belvosia unifasciata R.-D. = (Goniomima unifasciata R.-D.; Zenillia flavicauda Riley)

- Bessa remota Aldr. = (Ptychomyia remota Aldr.)
Bessa selecta Mg. = (Daeochaeta harveyi Tns.; Frontina tenthredinarum Tns.;
Masicera tenthredinarum Tns.; Metopia tincta Mg.;
Prosopaea fugax Rond.; Prosopodes fugax Rond.;
Ptychomyia selecta Mg.)
Bigonichaeta enigmatica Vill. & Niels. = (Digonochaeta enigmatica Vill. &
Niels.; Goniocera enigmatica Vill.
& Niels.)
Billaea microcera Rond. = (Gymnobasis microcera Rond.)
Biomyia georgiae B. & B. = (Viviania georgiae B. & B.)
Blaesoxipha filipjevi tertia Rohd. = (Blaesoxipha tertia Rohd.)
Blaesoxipha laticornis Mg. = (Blaesoxipha gladiatrix Pand.)
Blaesoxipha lineata Fall. = (Sarcophaga lineata Fall.; Tephromyia lineata
Fall.)
Blaesoxipha monticola Rohd. = (Blaesoxipha schistocercae Rohd.)
Blaesoxipha potanini Rohd. = (Blaesoxipha subamericana Rohd.)
Blaesoxipha valangae Aldr. = (Sarcophaga valangae Aldr.)
Blepharidopsis nemea Mg. = (Phryxe nemea Mg.; Zenillia nemea Mg.)
Bogosiella fasciata F. = (Bogosiella pomeroyi Villen.)
Bombylius canescens Mikan = (Bombylius variabilis Lw.)
Bonnetia haemorrhoidalis Fall. = (Micropalpus haemorrhoidalis Fall.;
Micropalpus pictus Mg.)
Bonnetia vulpina Fall. = (Micropalpus vulpinus Fall.)
Botria = (Bothria)
Brachicoma acridiorum Wey. = (Sarcophaga acridiorum Wey.)
Brachicoma devia Fall. = (Brachycoma devia Fall.)
Cadurcia vanderwulpi Bar. = (Cadurcia zetterstedti Wulp)
Carcelia = (Parexorista)
Carcelia amplexa Coq. = (Zenillia amplexa Coq.)
Carcelia cheloniae Rond. = (Zenillia cheloniae Rond.)
Carcelia evolans Wd. = (Zenillia evolans Wd.)
Carcelia excisa Fall. = (Zenillia excisa Fall.)
Carcelia flavicans Macq. = (Zenillia leucophaea Rond.)
Carcelia flavirostris Wulp = (Zenillia flavirostris Wulp)
Carcelia formosa A. & W. = (Zenillia formosa A. & W.)
Carcelia gnava Mg. = (Zenillia gnava Mg.)
Carcelia laxifrons Vill. = (Zenillia laxifrons Vill.)
Carcelia lota Mg. = (Zenillia lota Mg.)
Carcelia lucorum Mg. = (Zenillia lucorum Mg.)
Carcelia octava Bar. = (Carceliella octava Bar.)
Carcelia protuberans A. & W. = (Zenillia protuberans A. & W.)
Carcelia reclinata A. & W. = (Zenillia reclinata A. & W.)
Carcelia rutila Rond. = (Zenillia rutila Rond.)
Carcelia separata Rond. = (Zenillia separata Rond.)
Carcelia setigena Rond. = (Chaetolyga setigena Rond.)
Ceracia dentata Coq. = (Acemya dentata Coq.)
Ceratochaeta caudata Rond. = (Zenillia caudata Rond.)
Ceratochaeta erythrostoma Htg. = (Zenillia erythrostoma Htg.)
Ceratochaeta prima B.B. = (Zenillia prima B.B.)
Ceratochaeta secunda B.B. = (Zenillia secunda B.B.)
Ceromasia rutila Mg. = (Ceromasia florum Macq.)
Ceromasia senilis Mg. = (Lydella senilis Mg.; Masicera senilis Mg.;
Paraphorocera senilis Mg.; Sturmia nigrita Tns.)

- Ceromasia vicinalis Pand. = (Tachina vicinalis Pand.)
Cerosomyia clathrata Now. = (Phorocera clathrata Now.; Phorocera efferata Hutt.)
Cerosomyia feredayi Hutt. = (Phorocera feredayi Hutt.)
Cerosomyia marginata Hutt. = (Phorocera marginata Hutt.)
Cerosomyia nefaria Hutt. = (Phorocera nefaria Hutt.)
Cerosomyia nyctemeriana Hutt. = (Phorocera nyctemeriana Hutt.)
Chaetophlepsis tarsalis Tns. = (Hypochoaeta eudryae Smith)
Cirillia angustifrons Rond. = (Cyrillia angustifrons Rond.)
Clemelis pullata Mg. = (Trichochaeta polleniella Rond.; Trichochaeta pullata Mg.; Tritochaeta polleniella Rond.; Tritochaeta pullata Mg.; Zenillia pullata Mg.)
Compsilura concinnata Mg. = (Machaira serriventris Rond.)
Copecrypta nitens Wd. = (Cuphocera ruficauda Wulp; Trichophora ruficauda Wulp)
Cryptochaetum iceryae Will. = (Cryptochaetum monophlebi Skuse)
Cuphocera varia F. = (Acuphocera varia F.; Cuphocera pyrrhogaster Rond.)
Cytherea infuscata Mg. = (Glossista infuscata Mg.; Mulio infuscata Mg.)
Cytherea obscura F. = (Mulio obscura F.)
Degeeria luctuosa Mg. = (Degeeria funebris Mg.)
Deuterammobia acuminata Rond. = (Deuterammobia glabriventris Wulp)
Dexodes nigripes Fall. = (Dexodes machaeropsis B.B.)
Diatraeophaga striatalis Tns. = (Schistochilus aristatus Aldr.)
Discochaeta hyponomeutae Rond. = (Discochaeta cognata Schin.)
Dohrniphora incisuralis Lw. = (Phora incisuralis Lw.)
Drepanoglossa floridensis Tns. = (Epigrymyia floridensis Tns.)
Echinodes rufomaculatus DeG. = (Eriothrix rufomaculata DeG.)
Elpe inepta Mg. = (Hypochoaeta longicornis Schin.)
Eoacemyia errans Wd. = (Eoacemyia bakeri Tns.)
Epicampocera = (Eupogona)
Epicampocera obscura Coq. = (Winthemia obscura Coq.)
Ernestia aldrichi Tns. = (Varichaeta aldrichi Tns.)
Ernestia nielsenii Vill. = (Ernestia minor Vill. & Niels.; Panzeria minor Vill. & Niels.)
Ernestia rudis Fall. = (Panzeria rudis Fall.)
Erycia = (Hemimasicerca)
Erycia aurulenta Mg. = (Bactromyia aurulenta Mg.)
Erycia fatua Mg. = (Erycia festinans Mg.; Masicera fatua Mg.; Masicera festinans Mg.)
Eubiomyia calosomae Coq. = (Pseudatractocera calosomae Coq.)
Eucelatoria armigera Coq. = (Frontina armigera Coq.; Lydella armigera Coq.; Tachina armigera Coq.)
Eucelatoria australis Tns. = (Compsilura oppugnator Walt.)
Eucelatoria comosa Wulp = (Eucelatoria rubentis Coq.)
Eudoromyia magnicornis Zett. = (Echinomyia magnicornis Zett.; Echinomyia tessellata F.; Tachina conjugata Rond.)
Eulasonia spinosa Coq. = (Icteriphyto spinosa Coq.)
Eulowia globosa Tns. = (Myiophasia globosa Tns.)
Euthryptocera latifrons Rond. = (Tachina latifrons Rond.)
Eutrixa masuria Walk. = (Eutrixa exile Coq.)
Exorista = (Eutachina)
Exorista Meig. = (Tachina auct. nec Meig.)
Exorista civilis Rond. = (Tachina civilis Rond.)

- Exorista civiloides Bar. = (Tachina civiloides Bar.)
Exorista fallax Mg. = (Tachina fallax Mg.; Tachina winnertzi B.B.)
Exorista japonica Tns. = (Tachina japonica Tns.)
Exorista larvarum L. = (Achaetoneura fernaldi Will.; Tachina clisiocampae Tns.; Tachina larvarum L.; Tachina mella Walk.; Tachina moreti R.-D.; Zenillia larvarum L.; Zenillia mella Walk.)
Exorista macrocera R.-D. = (Tachina macrocera R.-D.)
Exorista mungomeryi Bar. = (Tachina mungomeryi Bar.)
Exorista noctuarum Rond. = (Tachina noctuarum Rond.)
Exorista psychidarum Bar. = (Tachina psychidarum Bar.)
Exorista simulans Mg. = (Tachina festiva R.D.; Tachina rustica Mg.; Tachina simulans Mg.)
Exorista vidua Mg. = (Tachina vidua Mg.)
Feria prolixa Mg. = (Rhynchista prolixa Mg.)
Gaediopsis ocellaris Coq. (Female) = (Phorocera flavicauda Wulp)
Genea analis Say = (Dejeaniopalpus analis Say)
Gonia = (Salmacia)
Gonia bimaculata Wd. = (Gonia cilipeda Rond.)
Gonia crassicornis F. = (Gonia texensis Reinh.)
Gonia pallens Wd. = (Reaumuria pacifica Tns.)
Guerinia cinerascens Belanovskii = (Guerinia erucarum auct. nec Rond.; Microtachina erucarum auct. nec Rond.; Tachina cinerascens Belanovskii; Tachina erucarum auct. nec Rond.)
Guerinia nymphaeum Rond. = (Microtachina nymphaeum Rond.)
Guerinia rustica Mg. = (Chaetotachina rustica Mg.)
Gymnochaeta aurata Fall. = (Chrysocoma auratum Fall.)
Gymnosoma rotundata L. = (Rhodogyne rotundata L.)
Hexamera sp. = (Prothysticia sp.)
Hilarella stictica Mg. = (Hilarella dira R.-D.)
Hylemya cilicrura Rond. = (Phorbia cilicrura Rond.)
Hylotomomyia hylotomae Coq. = (Admontia hylotomae Coq.)
Hystericina lupina Swed. = (Hystericia lupina Swed.)
Istocheta marmorata F. = (Thelymorpha vertiginosa Fall.)
Leptodiplosis = (Lestodiplosis)
Leschenaultia = (Blepharipeza)
Leskiopalpus diadema Wd. = (Stomatodexia diadema Wd.)
Linnaemyia compta Fall. = (Linnaemyia compta Fall.)
Lixophaga diatraeae Tns. = (Euzenilliosis diatraeae Tns.; Hypostena grisea Curran)
Lixophaga mediocris Aldr. = (Hypostena mediocris Aldr.)
Lixophaga plumbea Aldr. = (Hypostena plumbea Aldr.)
Lixophaga variabilis Coq. = (Euzenillia variabilis Coq.; Hypostena variabilis Coq.; Tachinophyto variabilis Coq.)
Lydella = (Anetia)
Lydella casta Rond. = (Phorocera casta Rond.)
Lydella eufitchiae Tns. = (Masicera eufitchiae Tns.)
Lydella grisescens R.-D. = (Ceromasia myoidea R.-D.; Erycia myoidea R.-D.; Lydella stabulans grisescens R.-D.; Masicera myoidea R.-D.; Phorocera myoidea R.-D.)
Lydella pinivora Ratz. = (Tachina pinivora Ratz.)

- Lydellina pyrrhaspis Vill. = (Euproctimya pyrrhaspis Vill.)
Lypha dubia Fall. = (Exorista dubia Fall.)
Macronichia = (Macronychia)
Madremyia saundersii Will. = (Phorocera saundersii Will.)
Masicera aurifrons Coq. = (Dexodes aurifrons Coq.)
Masicera deckeri Curran = (Erycia deckeri Curran)
Masicera sylvatica Fall. = (Masicera pavoniae R.-D.; Masicera silvatica Fall.)
Medina albiceps Macq. = (Degeeria albiceps Macq.)
Medina fasciatus Mg. = (Degeeria fasciatus Mg.)
Medina fascinans Mg. = (Degeeria fascinans Mg.)
Medina flavicans Gour. = (Degeeria flavicans Gour.)
Megaselia sp. = (Aphiochaeta sp.)
Megaselia rufipes Mg. = (Phora rufipes Mg.; Phora scalaris Lw.)
Megaselia setacea Aldr. = (Phora setacea Aldr.)
Meriania histrio Mg. = (Meriania argentifera Mg.)
Microphthalma michiganensis Tns. = (Microphthalma phyllophagae Curran)
Microvibrissina muscaria Fall. = (Degeeria muscaria Fall.; Discochaeta muscaria Fall.)
Mintho rufiventris Fall. = (Mintho praeceps Scop.)
Muscina stabulans Fall. = (Muscina cinerascens Wd.)
Myobia = (Myiobia)
Mystacella postera Wulp (Male) = (Phorocera flavicauda Wulp)
Nemoraea glabrata Mg. = (Tachina glabrata Mg.)
Nemorilla floralis Fall. = (Thyella floralis Fall.; Zenillia pyste Walk.)
Neopales aurescens Tns. = (Pales aurescens Tns.)
Neopales pavida Mg. = (Pales bellierella R.-D.; Pales cilipeda Rond.; Pales pavida Mg.)
Obolocera rapae Smith = (Homoeonychia rapae Smith)
Oedematocera dampfi Aldr. = (Schistocercophaga dampfi Aldr.)
Oedematocera gilvipes Coq. = (Tachinophyto gilvipes Coq.)
Opsophyto opifera Coq. = (Sarcophaga opifera Coq.)
Opsophyto pachytyli Skuse = (Locustivora pachytyli Skuse)
Parachaeta bicolor Macq. = (Parachaeta fusca Tns.)
Paraerynnia vibrissata Rond. = (Parerynnia vibrissata Rond.)
Parafeburia maculata Fall. = (Plesina maculata Fall.)
Paratheresia claripalpis Wulp = (Paratheresia diatraeae Brèthes; Paratheresia signifera Tns.)
Peletieria nigricornis Mg. = (Peletieria prompta Mg.)
Phenicellia haematodes Mg. = (Phoenicella haematodes Mg.)
Phoriniophylax phoeda Tns. = (Phoriniophylax foeda Tns.)
Phorocera = (Euphorocera)
Phorocera claripennis Macq. = (Zenillia petiolata Coq.)
Phorocera coerulea Jeann. = (Phorocera blepharipa B.B.)
Phorocera doryphorae Riley = (Doryphorophaga doryphorae Riley)
Phorocera longiuscula Walk. = (Phorocera coccyx A. & W.)
Phorocera noctuiformis Smith = (Eutritochaeta carpocapsae Tns.)
Phorocera slosonae Tns. = (Pseudotachinomyia webberi Smith)
Phorocera sylvestris R.-D. = (Parasetigena segregata Rond.; Parasetigena sylvestris R.-D.; Phorocera agilis R.-D.)
Phorocera tortricis Coq. = (Neopales tortricis Coq.)
Phryno alacris Mg. = (Zenillia crinita Rond.)
Phryno vetula Mg. = (Zenillia vetula Mg.)

Phryxe = (Blepharidea)

Phryxe vulgaris Fall. = (Exorista hirsuta O.S.)

Phytomyptera gracilariae Hering = (Phytomyzoptera gracilariae Hering)

Phytomyptera nitidiventris Rond. = (Phytomyia nitidiventris Rond.;
Phytomyptera nigrina Stein)

Plagia ruricola Mg. = (Cyrtophleba ruricola Mg.; Plagia buccata B.B.)

Plagiomima spinulosa Bigot = (Blepharigena spinulosa Bigot)

Policheta unicolor Fall. = (Perichaeta unicolor Fall.)

Pseudogonia cinerascens Rond. = (Gonia munroi Curran)

Pseudoperichaeta insidiosa R.-D. = (Zenillia roseanae B.B.)

Pterella grisea Mg. = (Setulia grisea Mg.)

Pterella melanura Mg. = (Setulia melanura Mg.)

Ptychoneura melaleuca Mg. = (Ptychoneura rufitarsis Mg.)

Pyraustomyia penitalis Coq. = (Panzeria penitalis Coq.)

Racodineura = (Rhacodineura)

Racodineura antiqua Mg. = (Roeselia antiqua Mg.)

Sarcophaga affinis Fall. = (Agria affinis Fall.; Agria mamillata Pand.)

Sarcophaga albiceps Mg. = (Sarcophaga carnaria albiceps Mg.)

Sarcophaga barbata Thoms. = (Sarcophaga falcata Pand.)

Sarcophaga caridei Brèthes = (Sarcophaga angustifrons Aldr.)

Sarcophaga carnaria L. = (Sarcophaga atropos Mg.)

Sarcophaga haemorrhoidalis Fall. = (Sarcophaga georgina Wd.; Sarcophaga nurus
Rond.)

Sarcophaga lambens Wd. = (Sarcodexia sternodontis Tns.; Sarcophaga
sternodontis Tns.)

Sarcophaga peregrina R.-D. = (Sarcophaga fuscicauda Boettcher)

Sarcophaga rapax Walk. = (Helicobia heliciis Tns.; Sarcophaga heliciis Tns.)

Sarcophaga striata F. = (Sarcophaga haematodes Mg.)

Sericophoromyia dasyops Wd. = (Sericophoromyia marshalli Villen.)

Siphona = (Crocota)

Siphonella palposa Fall. = (Goniopsita palposa Fall.)

Siphophyto floridensis Tns. = (Siphophyto neomexicana Tns.)

Siphosturmiopsis phycioidis Coq. = (Sturmia phycioidis Coq.)

Sisyropa eudryae Tns. = (Zenillia eudryae Tns.)

Spallanzania bucephala Mg. = (Cnephalia bucephala Mg.; Cnephalia hebes Fall.)

Stomorphina lunata F. = (Stomorphina fasciata Mg.)

Sturmia = (Blepharipa; Blepharopoda)

Sturmia incompta Wulp = (Sturmia inquinata Wulp)

Sturmia inconspicua Mg. = (Argyrophylax bimaculata Htg.; Sturmia bimaculata
Htg.)

Sturmia inconspicua gilva Htg. = (Sturmia bimaculata gilva Htg.; Sturmia
gilva Htg.; Zygobothria gilva Htg.)

Sturmia nidicola Tns. = (Zygobothria nidicola Tns.)

Sturmia protoparcis Tns. = (Atacta geminata Curran; Sturmia distincta Wd.)

Systoechus gradatus Wied. = (Systoechus leucophaeus Wied.)

Systoechus sulphureus Mikan = (Systoechus ctenopterus Mikan)

Tachina Meig. = (Echinomyia Meig.; Larvaevora Meig.)

Tachina magna Giglio-Tos = (Echinomyia dendrolimi Mats.)

Tachina munda Wd. = (Eurygaster setosa Dol.)

Tachinomyia panaetius Walk. = (Tachina robusta Tns.)

Tephromyia grisea Mg. = (Blaesoxipha grisea Mg.)

Thelaira nigripes F. = (Thelaira leucozonus Panz.)

- Thelymyia saltuum Mg. = (Thelymyia demens Zett.)
Thrycolyga = (Tricholyga)
Thrycolyga grandis Zett. = (Scotia saturniae R.-D.; Zenillia grandis Zett.)
Thrycolyga segregata Rond. = (Thrycolyga major B.B.)
Thrycolyga sorbillans Wd. = (Thrycolyga bombycis Bech.)
Thyridanthrax fenestratus Fall. = (Anthrax fenestratus Fall.)
Torocca fasciata Tns. = (Eutorocca fasciata Tns.)
Tricogena trilineata Mg. = (Frauenfeldia rubricosa Mg.)
Trisoneura atramentaria Mg. = (Ptilocerina atramentaria Mg.)
Tritaxys heterocera Macq. = (Goniophana heterocera Macq.)
Ugimya sericariae Cornalia = (Crossocosmia sericariae Cornalia; Sturmia sericariae Cornalia)
Villa alternata Say = (Anthrax alternata Tausch.)
Voria ayerzia Brèthes = (Plagia ayerzia Brèthes)
Voria ruralis Fall. = (Plagia americana Wulp; Plagia ruralis Fall.)
Voria trepida Mg. = (Voria ruficornis Zett.)
Wagneria carbonaria Panz. = (Metachaeta helymus Walk.; Wagneria helymus Walk.)
Wagneria cinerosa Coq. = (Phorichaeta cinerosa Coq.)
Wagneria sequax Will. = (Phorichaeta sequax Will.)
Winthemia quadripustulata F. = (Nemoraea leucaniae Kirkp.; Zenillia leucaniae Kirkp.)
Winthemia venusta Mg. = (Winthemia cilitibia Rond.)
Wohlfahrtia bella Macq. = (Disjunctio bella Macq.)
Wohlfahrtia trina Wd. = (Disjunctio balassogloi Ports.)
Zenillia = (Exorista auct. nec Meig.)
Zenillia aemula Mg. = (Zenillia arvicola Mg.)
Zenillia blanda O.S. = (Zenillia blanda blanda O.S.)
Zenillia boarmiae Coq. = (Zenillia hypenae Coq.)
Zenillia glauca Mg. = (Zenillia clavellariae B.B.; Zenillia glauca clavellariae B.B.)
Zenillia hyphantriae Tns. = (Hyphantrophaga hyphantriae Tns.; Zenillia ceratomiae Coq.)
Zenillia kockiana Tns. = (Eucarcelia kockiana Tns.)
Zenillia mitis Mg. = (Zenillia westermanni Zett.)
Zenillia sumatrensis Tns. = (Carceliopsis sumatrensis Tns.)
Zenillia virilis A. & W. = (Zenillia blanda virilis A. & W.)

